	Weeks ending Jan. 1st.	Jan. 8th
Mean height of barometer	30.107	30.193
" Dryness	1°.4	1°.3
Rain (inches)	.107	none

Wind N. 5 days; N.W. 1; W. 1.

Temperature. §	Weeks ending Jan. 1st	Jan. 8th
Highest ...	47°	41°
Lowest....	31°	28°
Daily Mean	39°	34°

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th January, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	5	..	..	5	35	32
Measles	32	..	..	32	15	23
Scarlatina	7	1	..	8	25	32
Hooping Cough	56	..	..	56	45	31
Croup	6	..	..	6	7	7
Thrush	3	..	..	3	4	5
Diarrhœa	..	2	1	3	5	8
Dysentery	..	2	..	2	1	2
Cholera	..	..	..	..	"	1
Influenza	..	1	1	2	4	2
Typhus (1)	6	10	2	18	50	40
Erysipelas	2	1	1	4	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	"	.1
Epidemic, Endemic, & Contagious Diseases	117	17	5	139	199	190
Cephalitis	4	1	1	6	10	11
Hydrocephalus	31	..	..	31	35	34
Apoplexy	..	5	9	14	20	17
Paralysis	..	11	12	23	17	15
Convulsions	53	..	..	53	61	59
Epilepsy	1	3	1	5	5	4
Insanity	..	..	..	..	2	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c. (2)	4	4	1	9	9	7
Diseases of the Brain, Nerves, and Senses.	93	26	24	143	160	149
Quinsey	2	..	..	2	1	1
Bronchitis	5	6	9	20	15	10
Pleurisy	..	2	..	2	2	2
Pneumonia	68	11	5	84	88	72
Hydrothorax	.	3	4	7	7	5
Asthma	..	19	26	45	48	25
Consumption	28	103	10	141	142	141
Dis. of Lungs, &c.	2	8	7	17	17	12
Diseases of the Lungs, and other Organs of Respiration	105	152	61	318	320	268
Pericarditis	..	..	..	..	1	.6
Aneurism	..	1	..	1	1	.6
Dis. of Heart, &c.	2	12	10	24	19	17
Diseases of the Heart and Bloodvessels.	2	13	10	25	21	18
Teething	13	..	..	13	15	17
Gastritis—Enteritis	10	7	4	21	14	18
Peritonitis	..	3	1	4	1	1
Tabes Mesenterica	8	..	..	8	3	4
Ascites	..	1	..	1	.4	.5
Ulceration	..	2	..	2	1	1
Hernia	..	3	1	4	2	2
Colic or Ileus	2	1	..	3	2	2
Dis. of Stomach, &c. (3)	..	2	3	5	6	5
Hepatitis	1	..	..	1	1	1
Jaundice	1	..	..	1	2	2
Dis. of Liver, &c.	1	5	4	10	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	36	24	13	73	55	61
Nephritis	..	..	..	..	1	.4
Diabetes	..	1	1	2	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.3	.3
Dis. of Kidneys, &c. (4)	..	1	1	2	2	2
Diseases of the Kidneys, &c.	..	3	2	5	5	4
Childbed	..	6	..	6	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	..	7	1	8	11	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	1	2	..	3	4	3
Diseases of the Joints, Bones and Muscles	1	2	..	3	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c. (3)	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	4	..	2	6	13	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	6	22	21	49	37	34
Abscess	1	1	..	2	4	4
Mortification	1	2	1	4	6	4
Scrofula	1	1	1	3	2	2
Carcinoma	..	6	3	9	7	7
Tumor	..	..	..	..	1	2
Gout	..	2	..	2	1	1
Atrophy	4	..	1	5	5	5
Debility	14	4	11	29	18	17
Malformations	..	..	..	..	1	1
Sudden Deaths	12	9	9	30	17	14
Diseases of Uncertain Seat	43	48	49	140	115	104
Old Age, or Natural Decay	..	4	68	72	90	69
Intemperance	..	1	..	1	.5	.6
Privation	..	..	..	..	1	.5
Violent Deaths	14	20	5	39	25	24
Deaths by Violence, Privation, or Intemperance	14	21	5	40	26	25
Causes not specified	2	2	..	4	7	7
Deaths from all Causes	414	319	238	971	1017	912
Weekly Average, 1838-9-40.	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague, 1.
(2) Tetanus, 1.
(3) Hematemesis, 1.
(4) Cystitis, 1.

		Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	145
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	174
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	174
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	223
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	255
TOTAL.	Males, 450. Females, 521. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	971

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

General Register Office, January 13th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter

§	Week ending Jan. 8th	Week ending Jan. 15th	Jan. 1831-40.
Mean height of barometer	in. 30.193	in. 29.9.6	in. 29.880
Rain (weekly)	none	†.166	.227
Mean Dryness	1°.3	1°.6	1°.8

Wind N. 2 days; S. 4; S.S.E. 1.

† Melted Snow.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

Temperature. §	Weeks ending Jan. 8th	Weeks ending Jan. 15th	Jan. 1831-40.
Highest ...	41°	38°	55°
Lowest	28°	29°	11°
Daily Mean	34°	33°	38°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th January, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Winters 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Small Pox	3	..	..	3	35	32
Measles	39	..	..	39	15	23
Scarlatina	9	..	..	9	25	32
Hooping Cough	57	..	..	57	45	31
Croup	11	..	..	11	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	9	3	1	13	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	„	1
Influenza	..	..	..	..	4	2
Typhus (1)	7	15	1	23	50	40
Erysipelas	3	2	..	5	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	.	..	„	.1
Epidemic, Endemic, & Contagious Diseases	140	20	2	162	199	190
Cephalitis	4	2	..	6	10	11
Hydrocephalus	29	..	1	30	35	34
Apoplexy	2	14	15	31	20	17
Paralysis	..	5	12	17	17	15
Convulsions	54	..	1	55	61	59
Epilepsy	2	8	..	10	5	4
Insanity	..	2	..	2	2	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c. (2)	7	4	3	14	9	7
Diseases of the Brain, Nerves, and Senses.	98	35	32	165	160	149
Quinsey	1	..	..	1	1	1
Bronchitis	7	14	8	29	15	10
Pleurisy	..	.	3	3	2	2
Pneumonia	79	25	11	115	88	72
Hydrothorax	1	2	2	5	7	5
Asthma	..	19	29	48	48	25
Consumption	24	106	11	141	142	141
Dis. of Lungs, &c. (3)	3	4	7	14	17	12
Diseases of the Lungs, and other Organs of Respiration	115	170	71	356	320	268
Pericarditis	..	1	..	1	1	.6
Aneurism	..	1	..	1	1	.6
Dis. of Heart, &c.	3	12	9	24	19	17
Diseases of the Heart and Bloodvessels.	3	14	9	26	21	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	9	5	1	15	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	5	..	..	5	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	1	1	1	1
Hernia	..	..	3	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c.	..	4	1	5	6	5
Hepatitis	..	1	..	1	1	1
Jaundice	1	..	1	2	2	2
Dis. of Liver, &c.	1	5	1	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	30	15	8	53	55	61
Nephritis	..	..	1	1	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	3
Dis. of Kidneys, &c. (4)	..	..	6	6	2	2
Diseases of the Kidneys, &c.	..	..	7	7	5	4
Childbed	..	5	..	5	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	2	.	2	2	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	11	10
Rheumatism	..	2	..	2	3	3
Dis. of Joints, &c.	1	3	1	5	4	3
Diseases of the Joints, Bones and Muscles	1	5	1	7	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c. (5)	..	..	1	1	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	3	..	1	4	13	10
Hæmorrhage	..	2	1	3	3	3
Dropsy	2	18	10	30	37	34
Abscess	..	1	..	1	4	4
Mortification	1	2	1	4	6	4
Scrofula	..	1	..	1	2	2
Carcinoma	..	4	7	11	7	7
Tumor	..	3	..	3	1	2
Gout	1	1	..	2	1	1
Atrophy	7	1	3	11	5	5
Debility	18	..	10	28	18	17
Malformations	2	..	..	2	1	1
Sudden Deaths	1	12	11	24	17	14
Diseases of Uncertain Seat	35	45	44	124	115	104
Old Age, or Natural Decay	..	3	104	107	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	1	..	1	1	.5
Violent Deaths	16	6	2	‡25	25	24
Deaths by Violence, Privation, or Intemperance	16	7	2	26	26	25
Causes not specified	1	..	..	1	7	7
Deaths from all Causes	439	321	281	‡1042	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Remittent Fever, 1. Age 3.
(2) Tetanus, 1. Age 60. Tetanus occasioned by anxiety and fatigue, 1. Age 64.
(3) Laryngitis, 1. Age. 2.
(4) Cystitis, 1. Age, 80.
(5) Carbuncle, 1. Age, 80.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	154
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	187
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	221
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	214
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	266
TOTAL	Males, 522. Females, 520. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1042

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

‡ The age of one person who died a Violent Death was not stated.

General Register Office, January 20th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Bead & Barnes, at Mr. Harnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

§	Weeks ending Jan. 15th	Jan. 22nd	Jan. 1831-40.
Mean height of barometer	in. 29,956	in. 30,093	in. 29.880
Rain (weekly)	†.166	.022	.227
Mean Dryness	1°.6	1°.9	1°.8

Wind W. 2 days; N. 1; S. 1; E. 1; S.S.E. 1; S.W. 1.

† Melted Snow.

A TABLE OF MORTALITY
FOR THE
Metropolis,*

Temperature. §	Weeks ending Jan. 15th	Jan. 22nd	Jan. 1831-40.
Highest ...	38°	43°	55°
Lowest....	29°	29°	11°
Daily Mean	33°	35°	38°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 22nd January, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Winters 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Small Pox	11	1	..	12	35	32
Measles	33	..	..	33	15	23
Scarlatina	7	..	..	7	25	32
Hooping Cough	77	..	..	77	45	31
Croup	10	..	..	10	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	1	..	4	5	5	8
Dysentery	..	1	1	2	1	2
Cholera	..	..	..	..	„	1
Influenza	..	..	1	1	4	2
Typhus (1)	13	8	1	22	50	40
Erysipelas	2	4	..	6	7	6
Syphilis	..	2	..	2	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	156	16	7	179	199	190
Cephalitis	10	1	..	11	10	11
Hydrocephalus	26	1	..	27	35	34
Apoplexy	3	7	14	24	20	17
Paralysis	1	8	14	23	17	15
Convulsions	52	..	..	52	61	59
Epilepsy	..	1	1	2	5	4
Insanity	..	..	..	..	2	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c. (2)	9	2	1	12	9	7
Diseases of the Brain, Nerves, and Senses.	101	21	30	152	160	149
Quinsey	..	1	..	1	1	1
Bronchitis	3	7	14	24	15	10
Pleurisy	..	3	..	3	2	2
Pneumonia	92	34	8	134	88	72
Hydrothorax	..	2	6	8	7	5
Asthma	..	30	34	64	48	25
Consumption	21	82	11	114	142	141
Dis. of Lungs, &c. (3)	4	11	11	26	17	12
Diseases of the Lungs, and other Organs of Respiration	120	170	84	374	320	268
Pericarditis	..	..	..	..	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	2	17	5	24	19	17
Diseases of the Heart and Bloodvessels.	2	17	5	24	21	18
Teething	21	..	..	21	15	17
Gastritis—Enteritis	6	9	1	16	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	10	..	..	10	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	2	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	..	2	3	2	2
Dis. of Stomach, &c. (4)	1	6	1	8	6	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c. (5	1	5	3	9	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	40	23	7	70	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Winters 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.3	.3
Dis. of Kidneys, &c. (6)	..	4	3	7	2	2
Diseases of the Kidneys, &c.	..	5	3	8	5	4
Childbed	..	8	..	8	9	7
Ovarian Dropsy	..	2	..	2	.2	.3
Dis. of Uterus, &c.	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	12	1	13	11	10
Rheumatism	1	1	..	2	3	3
Dis. of Joints, &c.	..	3	..	3	4	3
Diseases of the Joints, Bones and Muscles	1	4	..	5	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	8	4	1	13	13	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	3	19	13	35	37	34
Abscess	4	2	..	6	4	4
Mortification	1	..	2	3	6	4
Scrofula	2	1	..	3	2	2
Carcinoma	..	6	2	8	7	7
Tumor	..	..	.	..	1	2
Gout	..	1	3	4	1	1
Atrophy	9	1	..	10	5	5
Debility	12	3	13	28	18	17
Malformations	..	..	..	..	1	1
Sudden Deaths	6	7	8	21	17	14
Diseases of Uncertain Seat	45	45	42	132	115	104
Old Age, or Natural Decay	..	4	105	109	90	69
Intemperance	..	1	..	1	.5	.6
Privation	..	..	..	..	1	.5
Violent Deaths	12	19	6	37	25	24
Deaths by Violence, Privation, or Intemperance	12	20	6	38	26	25
Causes not specified	2	2	1	5	7	7
Deaths from all Causes	480	339	291	1110	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague, 1. Age 30. Remittent Fever, 2. Ages, 2 & 3.
(2) Tetanus, 1. Age 20.
(3) Laryngitis, 1. Age, 2.
(4) Worms, 2. Ages, 3 & 50.
Stricture of œsophagus, 1. Age, 60. Hematemesis, 1. Age, 50.
(5) Disease of Spleen, 1. Age, 20.
(6) Cystitis, 1. Age 70.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	169
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	226
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	204
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	236
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	275
TOTAL.	Males, 541. Females, 569. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1110

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

General Register Office, January 27th, 1842.

General Register Office, February 3rd, 1842

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

§	Weeks ending Jan. 22nd	Jan. 29th	Jan. 1831-40.
Mean height of barometer	in. 30.093	in. 29.640	in. 29.880
Rain (weekly)	.022	.284	.227
Mean Dryness	1°.9.	1°.8.	1°.8
Wind W. 5 days; S. 1; S.E. 1.			

A TABLE OF MORTALITY
FOR THE
Metropolis,*

1842.

Temperature. §	Weeks ending Jan. 22nd	Jan. 29th	Jan. 1831-40.
Highest....	43°	45°	55°
Lowest....	29°	27°	11°
Daily Mean	35°	37°	38°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 29th January, 1842.

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Winters 1838-9-40-1	4 Years 1838-9-40-1
Small Pox	10	2	..	12	35	32
Measles	25	..	..	25	15	23
Scarlatina	10	1	..	11	25	32
Hooping Cough	59	..	..	59	45	31
Croup	9	..	1	10	7	7
Thrush	1	..	..	1	4	5
Diarrhœa	5	2	2	9	5	8
Dysentery	..	3	..	3	1	2
Cholera	..	..	..	..	„	1
Influenza	1	..	1	2	4	2
Typhus (1)	8	5	3	16	50	40
Erysipelas	2	6	1	9	7	6
Syphilis	..	2	..	2	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	130	21	8	159	199	190
Cephalitis	12	6	1	19	10	11
Hydrocephalus	36	..	..	36	35	34
Apoplexy	1	6	10	17	20	17
Paralysis	..	7	10	17	17	15
Convulsions	64	..	..	64	61	59
Epilepsy	1	4	1	6	5	4
Insanity	..	..	..	..	2	1
Delirium Tremens	..	2	1	3	1	1
Dis. of Brain, &c. (2)	4	9	1	14	9	7
Diseases of the Brain, Nerves, and Senses.	118	34	24	176	160	149
Quinsey	1	1	..	2	1	1
Bronchitis	4	7	13	24	15	10
Pleurisy	..	..	2	2	2	2
Pneumonia	80	25	10	115	88	72
Hydrothorax	..	5	3	8	7	5
Asthma	..	36	29	65	48	25
Consumption	26	125	7	‡159	142	141
Dis. of Lungs, &c. (3)	2	21	9	32	17	12
Diseases of the Lungs, and other Organs of Respiration	113	220	73	‡407	320	268
Pericarditis	..	..	..	..	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	1	9	8	18	19	17
Diseases of the Heart and Bloodvessels.	1	9	8	18	21	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	8	6	2	16	14	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	4	..	..	4	3	4
Ascites	..	1	..	1	.4	.5
Ulceration	1	1	..	2	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	1	..	..	1	2	2
Dis. of Stomach, &c. (4)	1	7	..	8	6	5
Hepatitis	..	1	..	1	1	1
Jaundice	2	..	..	2	2	2
Dis. of Liver, &c.	1	6	1	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	36	24	5	65	55	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Winters 1838-9-40-1	4 Years 1838-9-40-1
Nephritis	..	1	1	2	1	.4
Diabetes	..	1	..	1	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	3
Dis. of Kidneys, &c. (5)	..	1	3	4	2	2
Diseases of the Kidneys, &c.	..	3	4	7	5	4
Childbed	..	7	..	7	9	7
Ovarian Dropsy	..	2	..	2	.2	.3
Dis. of Uterus, &c.	..	..	1	1	2	2
Childbed, Diseases of the Uterus, &c.	..	9	1	10	11	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	..	..	..	..	4	3
Diseases of the Joints, Bones and Muscles	..	..	..	..	7	6
Ulcer	..	..	1	1	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	5	..	..	5	13	10
Hæmorrhage	2	3	1	6	3	3
Dropsy	6	25	13	44	37	34
Abscess	1	1	..	2	4	4
Mortification	2	1	5	8	6	4
Scrofula	2	1	..	3	2	2
Carcinoma	..	7	1	8	7	7
Tumor	..	1	..	1	1	2
Gout	..	1	1	2	1	1
Atrophy	7	..	6	13	5	5
Debility	16	1	5	22	18	17
Malformations	3	..	..	3	1	1
Sudden Deaths	9	11	5	25	17	14
Diseases of Uncertain Seat	53	52	37	142	115	104
Old Age, or Natural Decay	..	3	106	109	90	69
Intemperance	..	1	..	1	.5	.6
Privation	..	2	..	2	1	.5
Violent Deaths	4	9	1	14	25	24
Deaths by Violence, Privation, or Intemperance	4	12	1	17	26	25
Causes not specified	3	..	2	5	7	7
Deaths from all Causes	458	387	270	‡1116	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague, 1. Age 3.
(2) Tetanus, 1. Age 30.
(3) Laryngitis, 1. Age, 20.
(4) Stricture of œsophagus, 1. Age, 40. Hematemesis, 2. Ages, 20 & 40.
(5) Cystitis, 1. Age 80.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	178
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	198
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	257
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	240
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	243
TOTAL	Males, 574. Females, 542. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1116

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

‡ The age of one Person who died of Consumption was not stated.

General Register Office, February 3rd, 1842

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

1842.

§	Weeks ending Jan. 29th	Feb. 5th	Feb. 1831-40.
Mean height of barometer	in. 29.640	in. 30.261	in. 29.811
Rain (weekly)	.284	.166	.276
Mean Dryness	1•8.	2•2.	2•0.

Wind N.W. 2 days; N.E. 1; S. 1; S.W. 1; W. 1; E.N.E. 1.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending Jan. 29th	Feb. 5th	Feb. 1831-40.
Highest ...	45°	49°	60°
Lowest....	27°	33°	25°
Daily Mean	37°	41°	41°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 5th February, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	8	..	..	8	35	32
Measles	12	..	..	12	15	23
Scarlatina	8	..	..	8	25	32
Hooping Cough	68	..	..	68	45	31
Croup	5	..	..	5	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	5	2	..	7	5	8
Dysentery	..	1	2	3	1	2
Cholera	..	..	..	..	„	1
Influenza	..	..	2	2	4	2
Typhus (1)	5	8	1	14	50	40
Erysipelas	1	..	2	3	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	114	11	7	132	199	190
Cephalitis	12	..	..	12	10	11
Hydrocephalus	34	1	..	35	35	34
Apoplexy	1	7	10	18	20	17
Paralysis	..	4	8	12	17	15
Convulsions	48	..	..	48	61	59
Epilepsy	1	4	..	5	5	4
Insanity	..	2	..	2	2	1
Delirium Tremens	1	2	..	3	1	1
Dis. of Brain, &c. (2)	7	6	4	17	9	7
Diseases of the Brain, Nerves, and Senses.	104	26	22	152	160	149
Quinsey	1	2	..	3	1	1
Bronchitis	8	16	17	41	15	10
Pleurisy	..	3	1	4	2	2
Pneumonia	87	26	10	123	88	72
Hydrothorax	..	5	2	7	7	5
Asthma	..	33	43	76	48	25
Consumption	23	99	7	129	142	141
Dis. of Lungs, &c.	..	15	11	26	17	12
Diseases of the Lungs, and other Organs of Respiration	119	199	91	409	320	268
Pericarditis	..	1	..	1	1	.6
Aneurism	..	..	1	1	1	.6
Dis. of Heart, &c.	2	11	4	17	19	17
Diseases of the Heart and Bloodvessels.	2	12	5	19	21	18
Teething	13	..	..	13	15	17
Gastritis—Enteritis	10	6	1	17	14	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	2	1	..	3	3	4
Ascites	..	1	..	1	.4	.5
Ulceration	1	..	..	1	1	1
Hernia	..	2	..	2	2	2
Colic or Ileus (3)	..	2	..	2	2	2
Dis. of Stomach, &c. (4)	..	2	1	3	6	5
Hepatitis	..	1	1	2	1	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c.	..	6	1	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	26	22	4	52	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	3
Dis. of Kidneys, &c. (5)	..	3	1	4	2	2
Diseases of the Kidneys, &c.	..	3	1	4	5	4
Childbed	..	11	..	11	9	7
Ovarian Dropsy	...	..	..	..	.2	.3
Dis. of Uterus, &c. (6)	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	12	..	12	11	10
Rheumatism	1	1	..	2	3	3
Dis. of Joints, &c.	2	4	..	6	4	3
Diseases of the Joints, Bones and Muscles	3	5	..	8	7	6
Ulcer	1	2	..	3	.6	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	1	3	..	4	1	1
Inflammation	2	2	..	4	13	10
Hæmorrhage	..	3	1	4	3	3
Dropsy	3	14	15	32	37	34
Abscess	1	..	1	2	4	4
Mortification	..	..	1	1	6	4
Scrofula	1	2	..	3	2	2
Carcinoma	..	7	4	11	7	7
Tumor	..	1	..	1	1	2
Gout	..	..	1	1	1	1
Atrophy	6	..	5	11	5	5
Debility	10	1	16	27	18	17
Malformations	..	..	..	..	1	1
Sudden Deaths	5	3	2	10	17	14
Diseases of Uncertain Seat	28	33	46	107	115	104
Old Age, or Natural Decay	..	3	101	104	90	69
Intemperance	..	..	..	..	.5	.6
Privation	2	..	..	2	1	.5
Violent Deaths	7	3	4	14	25	24
Deaths by Violence, Privation, or Intemperance	9	3	4	16	26	25
Causes not specified	2	4	..	6	7	7
Deaths from all Causes	408	336	281	1025	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague, 2. Ages 3 & 30. Yellow Fever, 1. Age 32.
(2) Tetanus, 1. Age 60.
(3) Painter's Colic, 1. Age 55.
(4) Stricture of œsophagus, 1. Age, 50.
(5) Cystitis, 1. Age 50.
(6) Paramenia, 1. Age, 40.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	148
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	197
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	212
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	205
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	263
TOTAL.	Males, 526. Females, 499. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	1025

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer.

General Register Office, February 10th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

1842.

§	Weeks ending Feb. 5th	Feb. 12th	Feb 1831-40.
Mean height of barometer	in. 30.237	in. 29.894	in. 29.811
Rain (weekly)	.166	.284	.276
Mean Dryness	2°2.	1°8.	2°0.

Wind S. 4 days; E. 1; E.N.E. 1; N.E. 1.

A TABLE OF MORTALITY
FOR THE
Metropolis,*

Temperature. §	Weeks ending Feb. 5th	Feb 12th	Feb. 1831-40.
Highest ...	49°	52°	60°
Lowest....	33°	32°	25°
Daily Mean	41°	41°	41°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 12th February, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Winters 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Small Pox	6	1	..	7	35	32
Measles	18	1	..	19	15	23
Scarlatina	14	..	..	14	25	32
Hooping Cough	71	..	..	71	45	31
Croup	6	..	..	6	7	7
Thrush	5	..	..	5	4	5
Diarrhœa	2	2	1	5	5	8
Dysentery	..	1	..	1	1	2
Cholera	..	..	..	..	„	1
Influenza	2	4	..	6	4	2
Typhus	10	8	2	20	50	40
Erysipelas	1	2	3	6	7	6
Syphilis	..	1	..	1	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	135	20	6	161	199	190
Cephalitis	6	4	..	10	10	11
Hydrocephalus	37	..	..	‡38	35	34
Apoplexy	2	11	11	24	20	17
Paralysis	1	12	8	21	17	15
Convulsions	52	..	..	52	61	59
Epilepsy	..	4	..	4	5	4
Insanity	..	..	1	1	2	1
Delirium Tremens (1)	..	4	..	4	1	1
Dis. of Brain, &c. (2)	1	5	1	7	9	7
Diseases of the Brain, Nerves, and Senses.	99	40	21	‡161	160	149
Quinsey	..	..	..	..	1	1
Bronchitis	7	19	10	36	15	10
Pleurisy	..	1	..	1	2	2
Pneumonia	83	8	3	94	88	72
Hydrothorax	2	5	6	13	7	5
Asthma	..	34	27	61	48	25
Consumption	23	110	8	‡142	142	141
Dis. of Lungs, &c. (3)	6	9	3	18	17	12
Diseases of the Lungs, and other Organs of Respiration	121	186	57	‡365	320	268
Pericarditis	1	..	..	1	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	2	15	3	20	19	17
Diseases of the Heart and Bloodvessels.	3	15	3	21	21	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	9	6	1	16	14	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	5	..	..	5	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	..	1	1	2	2	2
Dis. of Stomach, &c. (4)	1	5	2	8	6	5
Hepatitis	..	3	1	4	1	1
Jaundice	1	..	..	1	2	2
Dis. of Liver, &c.	1	7	1	9	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	35	23	7	65	55	61
Nephritis	..	..	1	1	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.3	3
Dis. of Kidneys, &c.	..	3	4	7	2	2
Diseases of the Kidneys, &c	..	4	5	9	5	4
Childbed	..	6	..	6	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	11	10
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	1	3	1	5	4	3
Diseases of the Joints, Bones and Muscles	1	3	2	6	7	6
Ulcer	..	1	1	2	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c (5)	1	1	..	2	.3	.3
Diseases of the Skin, &c.	1	2	1	4	1	1
Inflammation	7	1	..	8	15	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	5	25	14	‡45	37	34
Abscess	..	1	..	1	4	4
Mortification	..	1	..	1	6	4
Scrofula	1	..	..	1	2	2
Carcinoma	1	6	4	11	7	7
Tumor	..	3	1	4	1	2
Gout	..	..	..	..	1	1
Atrophy	4	..	..	4	5	5
Debility	14	2	5	21	18	17
Malformations	1	..	..	1	1	1
Sudden Deaths	4	6	5	15	17	14
Diseases of Uncertain Seat	37	46	29	‡113	115	104
Old Age, or Natural Decay	..	6	100	106	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	1	.5
Violent Deaths	8	10	4	‡23	25	24
Deaths by Violence, Privation, or Intemperance	8	10	4	23	26	25
Causes not specified	..	1	..	1	7	7
Deaths from all Causes	440	363	235	‡1042	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Delirium Tremens, brought on by an injury to the Ankle. Age 34.
(2) Tetanus, 1. Age 38.
(3) Laryngitis, 1. Age 2.
(4) Stricture of œsophagus, 1. Age, 70.
(5) Carbuncle, 1. Age 40.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	177
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	187
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	208
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	219
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	251
TOTAL	Males. 535. Females. 507. (Weekly average 1838-9-40-1, Males, 467. Females. 445.)	1,870,727	912	1017	1042

* Under the term Metropolis are comprised the 32 Districts therein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 4 persons were not stated; one died from Hydrocephalus; one from Consumption; one from Dropsy; and one by Violence.

General Register Office, February 17th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 6d. per Quarter

1842.

§	Weeks ending Feb. 12th	Feb. 19th	Feb. 1831-40.
Mean height of barometer	in. 29.894	in. 30.355	in. 29.811
Rain (weekly)	.284	.070	.276
Mean Dryness	1°8.	2°0.	2°0.

Wind S. 3 days; W. 2; S.W. 1; S.S.E. 1.

A TABLE OF MORTALITY
FOR THE
Metropolis,*

Temperature. §	Weeks ending Feb. 12th	Feb. 19th	Feb. 1831-40.
Highest....	52°	53°	60°
Lowest....	32°	33°	25°
Daily Mean	41°	45°	41°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 19th February, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	4	1	..	5	35	32
Measles	31	..	..	31	15	23
Scarlatina	3	..	..	‡4	25	32
Hooping Cough	55	..	..	55	45	31
Croup	10	..	..	10	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	4	..	..	4	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	„	1
Influenza	1	2	1	4	4	2
Typhus	7	13	2	22	50	40
Erysipelas	..	3	3	6	7	6
Syphilis	1	..	..	1	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	118	19	6	‡144	199	190
Cephalitis	12	2	1	15	10	11
Hydrocephalus	36	1	..	37	35	34
Apoplexy	2	7	5	14	20	17
Paralysis	..	2	11	13	17	15
Convulsions	41	..	..	41	61	59
Epilepsy	..	1	..	1	5	4
Insanity	..	2	..	2	2	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c.	3	5	..	8	9	7
Diseases of the Brain, Nerves, and Senses.	94	20	17	131	160	149
Quinsey	2	..	..	2	1	1
Bronchitis	5	10	10	25	15	10
Pleurisy	..	..	..	..	2	2
Pneumonia	72	14	8	94	88	72
Hydrothorax	..	1	..	1	7	5
Asthma	..	14	30	44	48	25
Consumption	17	91	7	115	142	141
Dis. of Lungs, &c.	4	7	4	15	17	12
Diseases of the Lungs, and other Organs of Respiration	100	137	59	296	320	268
Pericarditis	..	2	..	2	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	2	17	11	30	19	17
Diseases of the Heart and Bloodvessels.	2	19	11	32	21	18
Teething	17	..	..	17	15	17
Gastritis—Enteritis	7	6	3	16	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	8	..	..	8	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus (1)	2	1	..	3	2	2
Dis. of Stomach, &c.	1	4	1	6	6	5
Hepatitis	..	..	..	..	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c.	..	5	4	9	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	36	18	10	64	55	61
Nephritis	..	..	..	..	1	.4
Diabetes	..	1	..	1	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.3	.3
Dis. of Kidneys, &c. (2)	1	2	1	4	2	2
Diseases of the Kidneys, &c.	1	4	1	6	5	4
Childbed	..	6	..	6	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	8	..	8	11	10
Rheumatism	1	1	..	2	3	3
Dis. of Joints, &c.	..	2	..	2	4	3
Diseases of the Joints, Bones and Muscles	1	3	..	4	7	6
Ulcer	..	1	..	1	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	1	..	1	1	1
Inflammation	3	..	1	4	13	10
Hæmorrhage	..	3	..	3	3	3
Dropsy	5	17	10	32	37	34
Abscess	2	..	..	2	4	4
Mortification	..	1	6	7	6	4
Scrofula (3)	3	..	1	4	2	2
Carcinoma	..	4	1	5	7	7
Tumor	..	..	..	..	1	2
Gout	..	..	1	1	1	1
Atrophy	6	..	2	8	5	5
Debility	18	1	4	23	18	17
Malformations	—	..	..	..	1	1
Sudden Deaths	5	8	5	‡19	17	14
Diseases of Uncertain Seat	42	34	31	108	115	104
Old Age, or Natural Decay	..	2	86	88	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	1	1	1	.5
Violent Deaths	9	10	2	21	25	24
Deaths by Violence, Privation, or Intemperance	9	10	3	22	26	25
Causes not specified	1	2	..	3	7	7
Deaths from all Causes	404	277	224	‡907	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Intussusception, 1. Age 2.
(2) Cystitis, 1. Age 60.
(3) Purpura, 1. Age 70.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	143
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	175
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	168
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	192
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	229
TOTAL.	Males, 453. Females, 454. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	907

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 2 persons were not stated; one died from Scarlatina; and one Suddenly.

General Register Office, February 24th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

§	Weeks ending Feb. 19th	Feb. 26th	Feb. 1831-40.
Mean height of barometer	in. 30.355	in. 29.500	in. 29.811
Rain (weekly)	.070	.402	.276
Mean Dryness	2°0.	2°3.	2°0.

Wind S. 2 days; E. 1; W. 1; S.E. 2; S.S.E. 1.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending Feb. 19th	Feb. 26th	Feb. 1831-40.
Highest	53°	50°	60°
Lowest	33°	35°	25°
Daily Mean	45°	42°	41°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th February, 1842.

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	4 Years
Small Pox	4	1	..	5	35	32
Measles	26	..	..	26	15	23
Scarlatina	11	..	..	11	25	32
Hooping Cough	46	..	..	46	45	31
Croup	13	1	..	14	7	7
Thrush	4	..	..	4	4	5
Diarrhœa	1	4	1	6	5	8
Dysentery	..	..	1	1	1	2
Cholera	..	..	..	..	„	1
Influenza	2	.	2	4	4	2
Typhus	8	7	2	17	50	40
Erysipelas	1	2	..	3	7	6
Syphilis	1	..	..	1	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	117	15	6	138	199	190
Cephalitis	10	3	..	13	10	11
Hydrocephalus	33	..	..	33	35	34
Apoplexy	1	8	3	12	20	17
Paralysis	..	3	11	14	17	15
Convulsions	54	..	..	54	61	59
Epilepsy	..	4	..	4	5	4
Insanity	..	1	..	1	2	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	2	1	2	5	9	7
Diseases of the Brain, Nerves, and Senses.	100	22	16	138	160	149
Quinsey	..	1	..	1	1	1
Bronchitis	3	6	5	14	15	10
Pleurisy	..	1	..	1	2	2
Pneumonia	84	11	9	104	88	72
Hydrothorax	2	2	3	7	7	5
Asthma	..	22	20	42	48	25
Consumption	29	107	3	‡140	142	141
Dis. of Lungs, &c.	4	7	7	18	17	12
Diseases of the Lungs, and other Organs of Respiration	122	157	47	‡327	320	268
Pericarditis	..	1	..	1	1	.6
Aneurism (1)	..	2	..	2	1	.6
Dis. of Heart, &c.	1	9	7	17	19	17
Diseases of the Heart and Bloodvessels.	1	12	7	20	21	18
Teething	25	..	..	25	15	17
Gastritis—Enteritis	9	8	..	17	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	3	..	..	3	3	4
Ascites	..	1	..	1	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	1	..	1	2	2	2
Colic or Ileus	2	1	1	4	2	2
Dis. of Stomach, &c.	..	1	1	2	6	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	2	3	2	2
Dis. of Liver, &c.	4	5	5	14	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	44	17	10	71	55	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	4 Years
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c.	..	2	2	4	2	2
Diseases of the Kidneys, &c.	..	2	2	4	5	4
Childbed	..	7	..	7	9	7
Ovarian Dropsy	..	1	..	1	.2	.3
Dis. of Uterus, &c.	..	3	1	4	2	2
Childbed, Diseases of the Uterus, &c.	..	11	1	12	11	10
Rheumatism	..	2	1	3	3	3
Dis. of Joints, &c.	3	2	1	6	4	3
Diseases of the Joints, Bones and Muscles	3	4	2	9	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	1	..	2	1	1
Inflammation	7	1	..	8	13	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	2	19	19	40	37	34
Abscess	1	..	..	1	4	4
Mortification	..	2	2	4	6	4
Scrofula	3	1	..	4	2	2
Carcinoma	..	3	5	8	7	7
Tumor	..	4	..	4	1	2
Gout	..	1	..	1	1	1
Atrophy	6	..	2	8	5	5
Debility	19	6	11	36	18	17
Malformations	—	..	..	..	1	1
Sudden Deaths	6	6	5	17	17	14
Diseases of Uncertain Seat	44	44	44	132	115	104
Old Age, or Natural Decay	..	1	63	64	90	69
Intemperance	..	..	1	1	.5	.6
Privation	..	1	1	2	1	.5
Violent Deaths	5	11	2	18	25	24
Deaths by Violence, Privation, or Intemperance	5	12	4	21	26	25
Causes not specified	2	1	1	4	7	7
Deaths from all Causes	439	299	203	‡942	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Aneurism by Anastomosis, 1. Age 17.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	147
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	199
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	162
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	217
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	217
TOTAL	Males, 457. Females, 485. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	942

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of 1 person who died of Consumption was not stated.

General Register Office, March 3rd, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Hunt & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

1842.

§	Weeks ending Feb. 26th	Mar. 5th	Mar. 1831-40.
Mean height of barometer	in. 29.500	in. 29.691	in. 29.856
Rain (weekly)	.402	.873	.175
Mean Dryness	2°3.	2°6.	2°8.
Wind S. 5 days; S.W. 1; S.S.W. 1.			

A TABLE OF MORTALITY
FOR THE
Metropolis,*

Temperature. §	Weeks ending Feb. 26th	Mar. 5th	Mar. 1831-40.
Highest....	50°	56°	64°
Lowest....	35°	35°	26°
Daily Mean	42°	45°	42°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 5th March, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	2	2	..	4	35	32
Measles	19	..	..	19	15	23
Scarlatina	7	..	..	7	25	32
Hooping Cough	54	..	..	54	45	31
Croup	9	..	..	9	7	7
Thrush	5	..	..	5	4	5
Diarrhœa	4	..	3	7	5	8
Dysentery	..	3	..	3	1	2
Cholera	..	..	..	..	„	1
Influenza	..	2	2	4	4	2
Typhus (1)	9	11	3	23	50	40
Erysipelas	3	3	..	6	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	112	21	8	141	199	190
Cephalitis	7	..	..	7	10	11
Hydrocephalus	38	1	1	40	35	34
Apoplexy	1	7	12	20	20	17
Paralysis	..	9	7	16	17	15
Convulsions	59	2	..	61	61	59
Epilepsy	..	2	1	3	5	4
Insanity	..	..	..	..	2	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c. (2)	4	6	1	11	9	7
Diseases of the Brain, Nerves, and Senses.	109	27	22	158	160	149
Quinsey	1	..	..	1	1	1
Bronchitis	5	6	7	18	15	10
Pleurisy	..	1	..	1	2	2
Pneumonia	81	15	6	102	88	72
Hydrothorax	..	4	5	9	7	5
Asthma	..	19	24	43	48	25
Consumption	24	104	6	134	142	141
Dis. of Lungs, &c.	5	9	6	20	17	12
Diseases of the Lungs, and other Organs of Respiration	116	158	54	328	320	268
Pericarditis	..	2	..	2	1	.6
Aneurism	..	..	1	1	1	.6
Dis. of Heart, &c.	2	10	4	16	19	17
Diseases of the Heart and Bloodvessels.	2	12	5	19	21	18
Teething	21	..	..	21	15	17
Gastritis—Enteritis	11	4	1	16	14	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	..	..	7	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	1	2	..	3	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	1	1	..	2	2	2
Dis. of Stomach, &c. (3)	3	1	3	7	6	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c (4)	1	4	..	5	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	45	13	7	65	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c.	..	..	4	4	2	2
Diseases of the Kidneys, &c.	..	1	4	5	5	4
Childbed	..	4	..	4	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c. (5)	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	6	..	6	11	10
Rheumatism	..	2	..	2	3	3
Dis. of Joints, &c.	3	1	..	4	4	3
Diseases of the Joints, Bones and Muscles	3	3	..	6	7	6
Ulcer	2	1	..	3	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	2	1	..	3	1	1
Inflammation	5	..	..	5	13	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	4	29	15	48	37	34
Abscess	2	3	..	5	4	4
Mortification	..	..	1	1	6	4
Scrofula	1	1	..	2	2	2
Carcinoma	..	3	5	8	7	7
Tumor	..	..	1	1	1	2
Gout	..	1	..	1	1	1
Atrophy	7	1	..	8	5	5
Debility	14	3	5	22	18	17
Malformations	1	1	..	2	1	1
Sudden Deaths	9	7	5	‡22	17	14
Diseases of Uncertain Seat	43	50	32	126	115	104
Old Age, or Natural Decay	..	1	66	67	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	1	.5
Violent Deaths	11	14	6	31	25	24
Deaths by Violence, Privation, or Intemperance	11	14	6	31	26	25
Causes not specified	2	..	..	2	7	7
Deaths from all Causes	445	307	204	‡957	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague, 1, Age 7.
(2) Tetanus, 1, Age 50.
(3) Worms, 1, Age 3.
(4) Disease of Spleen, 1, Age 20.
(5) Paramenia, 2, Ages 20 & 40.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	141
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	189
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	179
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	199
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	249
TOTAL.	Males, 484. Females, 473. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	957

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of 1 person who died Suddenly was not stated.

General Register Office, March 10th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

1842.

§	Weeks ending Mar. 5th	Mar. 12th	Mar. 1831-40.
Mean height of barometer	in. 29.691	in. 29.760	in. 29.856
Rain (weekly)	.873	.605	.175
Mean Dryness	2°6.	3°4.	2°8

Wind S. 4 days; S.S.W. 1; W. 2.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending Mar. 5th	Mar. 12th	Mar. 1831-40.
Highest	56°	55°	64°
Lowest	35°	39°	26°
Daily Mean	45°	46°	42°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th March, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	1	..	..	1	35	32
Measles	16	..	..	16	15	23
Scarlatina	10	1	..	‡12	25	32
Hooping Cough	49	..	..	49	45	31
Croup	17	..	..	‡18	7	7
Thrush	3	..	..	3	4	5
Diarrhœa	2	3	2	7	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	„	1
Influenza	..	..	2	2	4	2
Typhus (1)	10	15	1	26	50	40
Erysipelas (2)	..	1	..	1	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	108	20	5	135	199	190
Cephalitis	6	3	..	9	10	11
Hydrocephalus	25	..	..	25	35	34
Apoplexy	..	10	10	20	20	17
Paralysis	..	9	13	22	17	15
Convulsions	45	1	..	46	61	59
Epilepsy	1	3	..	4	5	4
Insanity	..	..	..	..	2	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c. (3)	3	5	..	8	9	7
Diseases of the Brain, Nerves, and Senses.	80	31	23	134	160	149
Quinsey	..	..	..	..	1	1
Bronchitis	3	2	6	11	15	10
Pleurisy	..	2	..	2	2	2
Pneumonia	70	13	5	88	88	72
Hydrothorax	..	..	5	5	7	5
Asthma	..	15	18	33	48	25
Consumption	31	105	12	‡149	142	141
Dis. of Lungs, &c.	6	7	4	17	17	12
Diseases of the Lungs, and other Organs of Respiration	110	144	50	305	320	268
Pericarditis	..	..	..	..	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	2	10	6	18	19	17
Diseases of the Heart and Bloodvessels.	2	10	6	18	21	18
Teething	20	..	..	20	15	17
Gastritis—Enteritis	7	6	2	15	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	6	..	..	6	3	4
Ascites	..	2	..	2	.4	.5
Ulceration	..	1	2	3	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	1	..	..	1	2	2
Dis. of Stomach, &c.	..	2	1	3	6	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	2	1	3	2	2
Dis. of Liver, &c (4)	3	2	5	10	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	37	16	12	65	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c.	..	3	4	7	2	2
Diseases of the Kidneys, &c.	..	3	4	7	5	4
Childbed	..	5	..	5	9	7
Ovarian Dropsy	..	1	..	1	.2	.3
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	8	..	8	11	10
Rheumatism	..	1	1	2	3	3
Dis. of Joints, &c.	1	4	..	5	4	3
Diseases of the Joints, Bones and Muscles	1	5	1	7	7	6
Ulcer	..	1	..	1	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c. (5)	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	1	..	2	1	1
Inflammation	3	..	2	5	13	10
Hæmorrhage	..	2	1	3	3	3
Dropsy	6	18	10	34	37	34
Abscess	2	..	..	2	4	4
Mortification	..	3	3	6	6	4
Scrofula (6)	2	2	..	4	2	2
Carcinoma	..	6	..	6	7	7
Tumor	..	1	1	2	1	2
Gout	..	1	..	1	1	1
Atrophy	4	1	1	6	5	5
Debility	14	1	2	17	18	17
Malformations	2	..	..	2	1	1
Sudden Deaths	6	4	2	12	17	14
Diseases of Uncertain Seat	39	39	22	100	115	104
Old Age, or Natural Decay	..	3	66	69	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	1	1	2	1	.5
Violent Deaths	6	23	6	35	25	24
Deaths by Violence, Privation, or Intemperance	6	24	7	37	26	25
Causes not specified	1	2	..	3	7	7
Deaths from all Causes	385	306	196	‡890	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 5.
(2) Matter in the Veins, 1, Age 33.
(3) Tetanus, 1, Age 50.
(4) Disease of Spleen, 1, Age 11 Months.
(5) Inflammation of Navel, 1, Age 9 Weeks.
(6) Purpura, 1. Age, 45.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39 40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	114
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	185
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	203
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	173
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	215
TOTAL.	Males, 471. Females, 419. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	890

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 3 persons who died of Scarlatina, Croup, and Consumption, were not stated.

General Register Office, March 17th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Hood & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman; price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

1842.

§	Weeks ending Mar. 12th	Mar. 19th	Mar. 1831-40.
Mean height of barometer	in. 29.760	in. 30.009	in. 29.856
Rain (weekly)	.605	.157	.175
Mean Dryness	3°4.	3°9.	2°8

Wind W. 4 days; S. 3.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending Mar. 12th	Mar. 19th	Mar. 1831-40.
Highest....	55°	56°	64°
Lowest....	39°	39°	26°
Daily Mean	46°	49°	42°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th March, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	3	..	..	3	35	32
Measles	17	..	..	17	15	23
Scarlatina	5	1	..	6	25	32
Hooping Cough	39	..	..	39	45	31
Croup	12	..	..	12	7	7
Thrush	3	..	..	3	4	5
Diarrhœa	2	2	2	6	5	8
Dysentery	1	1	1	3	1	2
Cholera	..	..	..	..	„	1
Influenza	..	..	..	..	4	2
Typhus (1)	8	11	4	23	50	40
Erysipelas	..	1	..	1	7	6
Syphilis	1	..	..	1	1	.5
Hydrophobia	1	..	..	1	„	.1
Epidemic, Endemic, & Contagious Diseases	92	16	7	115	199	190
Cephalitis	5	2	..	7	10	11
Hydrocephalus	25	1	..	26	35	34
Apoplexy	..	4	8	12	20	17
Paralysis	..	8	13	21	17	15
Convulsions	43	..	..	43	61	59
Epilepsy	1	7	2	10	5	4
Insanity	..	2	..	2	2	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	1	3	3	7	9	7
Diseases of the Brain, Nerves, and Senses.	75	28	26	129	160	149
Quinsey	..	1	..	1	1	1
Bronchitis	4	6	8	18	15	10
Pleurisy	1	..	..	1	2	2
Pneumonia	67	17	1	85	88	72
Hydrothorax	1	2	3	6	7	5
Asthma	..	7	15	22	48	25
Consumption	29	82	7	118	142	141
Dis. of Lungs, &c. (2)	5	7	6	18	17	12
Diseases of the Lungs, and other Organs of Respiration	107	122	40	269	320	268
Pericarditis	..	1	..	1	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	..	12	6	18	19	17
Diseases of the Heart and Bloodvessels.	..	13	6	19	21	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	8	4	4	16	14	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	4	..	..	4	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	2	..	2	1	1
Hernia	..	2	2	4	2	2
Colic or Ileus (3)	1	1	..	2	2	2
Dis. of Stomach, &c. (4)	1	3	..	4	6	5
Hepatitis	..	..	1	1	1	1
Jaundice	1	..	2	3	2	2
Dis. of Liver, &c	..	9	..	9	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	29	22	9	60	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	1	1	1	.4
Diabetes	..	1	..	1	1	.3
Stone	1	..	..	1	.4	.4
Stricture	..	..	1	1	.3	.3
Dis. of Kidneys, &c.	..	..	1	1	2	2
Diseases of the Kidneys, &c.	1	1	3	5	5	4
Childbed	..	6	..	6	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	..	1	1	2	2
Childbed, Diseases of the Uterus, &c.	..	6	1	7	11	10
Rheumatism	..	1	2	3	3	3
Dis. of Joints, &c.	2	..	..	2	4	3
Diseases of the Joints, Bones and Muscles	2	1	2	5	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	4	..	..	4	13	10
Hæmorrhage	..	3	..	3	3	3
Dropsy	4	21	18	43	37	34
Abscess	1	4	1	6	4	4
Mortification	1	..	3	4	6	4
Scrofula (6)	..	..	..	..	2	2
Carcinoma	..	1	3	4	7	7
Tumor	..	1	..	1	1	2
Gout	..	1	1	2	1	1
Atrophy	5	1	..	6	5	5
Debility	17	..	3	20	18	17
Malformations	1	..	..	1	1	1
Sudden Deaths	3	7	2	12	17	14
Diseases of Uncertain Seat	36	39	31	106	115	104
Old Age, or Natural Decay	..	1	50	51	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	1	.5
Violent Deaths	12	10	2	24	25	24
Deaths by Violence, Privation, or Intemperance	12	10	2	24	26	25
Causes not specified	..	2	..	2	7	7
Deaths from all Causes	354	261	177	792	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 3.
(2) Laryngitis, 1, Age 30.
(3) Intussusception, 2, Ages 11 Months & 37.
(4) Hematemesis, 1, Age 40.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	135
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	145
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	158
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	169
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	185
TOTAL.	Males, 430. Females, 362. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	792

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, March 24th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Head & Barnes, at Mr. Hatchell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

§	Weeks ending Mar. 19th	Mar. 26th	Mar. 1831-40.
Mean height of barometer	in. 30.009	in. 29.900	in. 29.856
Rain (weekly)	.157	.481	.175
Mean Dryness	3°9.	3°6.	2°8

Wind N.W. 3 days, N. 2, W. 1, S.W. 1.

A TABLE OF MORTALITY
FOR THE
Metropolis,*

Temperature. §	Weeks ending Mar. 19th	Mar. 26th	Mar. 1831-40.
Highest....	56°	53°	64°
Lowest....	39°	34°	26°
Daily Mean	49°	42°	42°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 26th March, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	3	..	..	3	35	32
Measles	16	..	..	16	15	23
Scarlatina	16	..	..	16	25	32
Hooping Cough	34	..	..	34	45	31
Croup	7	..	..	7	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	3	1	1	5	5	8
Dysentery	..	1	1	2	1	2
Cholera	..	..	..	..	„	1
Influenza	..	..	1	1	4	2
Typhus (1)	6	13	3	22	50	40
Erysipelas	1	1	1	3	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	88	16	7	111	199	190
Cephalitis	8	3	..	11	10	11
Hydrocephalus	30	1	..	31	35	34
Apoplexy	..	7	16	23	20	17
Paralysis	..	5	11	16	17	15
Convulsions	42	..	..	42	61	59
Epilepsy	..	3	1	4	5	4
Insanity	..	1	..	1	2	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c.	6	5	..	11	9	7
Diseases of the Brain, Nerves, and Senses.	86	25	28	139	160	149
Quinsey	..	..	..	..	1	1
Bronchitis	5	9	3	17	15	10
Pleurisy	..	1	1	2	2	2
Pneumonia	60	9	5	74	88	72
Hydrothorax	..	..	3	3	7	5
Asthma	..	14	5	19	48	25
Consumption	17	96	7	120	142	141
Dis. of Lungs, &c.	4	11	3	18	17	12
Diseases of the Lungs, and other Organs of Respiration	86	140	27	253	320	268
Pericarditis	1	..	..	1	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	1	8	4	13	19	17
Diseases of the Heart and Bloodvessels.	2	8	4	14	21	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	8	6	..	14	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	7	..	..	7	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	1	..	..	1	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	1	2	1	4	2	2
Dis. of Stomach, &c. (2)	..	1	2	3	6	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c	1	6	1	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	32	17	6	55	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	1	2	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c. (3)	..	1	2	3	2	2
Diseases of the Kidneys, &c.	..	2	3	5	5	4
Childbed	..	1	..	1	9	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c. (4)	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	3	1	4	11	10
Rheumatism	1	..	..	1	3	3
Dis. of Joints, &c.	1	..	..	1	4	3
Diseases of the Joints, Bones and Muscles	2	..	..	2	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	..	1	..	1	13	10
Hæmorrhage	1	2	1	4	3	3
Dropsy	2	22	19	43	37	34
Abscess	..	..	2	2	4	4
Mortification	..	2	..	2	6	4
Scrofula	2	..	1	3	2	2
Carcinoma	..	2	..	2	7	7
Tumor	..	1	..	1	1	2
Gout	..	..	2	2	1	1
Atrophy	9	..	2	11	5	5
Debility	7	3	7	17	18	17
Malformations	1	..	..	1	1	1
Sudden Deaths	4	9	8	21	17	14
Diseases of Uncertain Seat	26	42	42	110	115	104
Old Age, or Natural Decay	..	..	52	52	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	1	.5
Violent Deaths	1	10	8	19	25	24
Deaths by Violence, Privation, or Intemperance	1	10	8	19	26	25
Causes not specified	3	3	..	6	7	7
Deaths from all Causes	326	266	178	770	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague, 1, Age 51.
(2) Stricture, 1, Age 29. Hematemesis, 1, Age 61.
(3) Cystitis, 1, Age 62.
(4) Paramenia, 1, Age 15.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	130
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	146
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	121
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	152
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	221
TOTAL.	Males, 407. Females, 363. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	770

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, March 31st, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Heal & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

§	Weeks ending Mar. 26th	April 2nd	Mar. 1831-40.
Mean height of barometer	in. 29.900	in. 29.668	in. 29.856
Rain (weekly)	.481	.345	.175
Mean Dryness	3°.6	3°.3	2°8

Wind W. 3 days, S. 2, S.S.E. 1, N.W. 1.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

Temperature. §	Weeks ending Mar. 26th	April 2nd	Mar. 1831-40.
Highest ...	53°	58°	64°
Lowest....	34°	36°	26°
Daily Mean	42°	49°	42°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd April, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	2	1	..	3	35	32
Measles	23	..	..	23	15	23
Scarlatina	8	..	..	8	25	32
Hooping Cough	49	..	..	49	45	31
Croup	9	..	..	9	7	7
Thrush	..	..	..	..	4	5
Diarrhœa	2	..	..	2	5	8
Dysentery	..	1	..	1	1	2
Cholera	..	..	..	..	„	1
Influenza	1	..	2	3	4	2
Typhus	6	10	3	19	50	40
Erysipelas	3	2	..	5	7	6
Syphilis	1	2	..	3	1	.5
Hydrophobia	..	..	..	..	„	.1
Epidemic, Endemic, & Contagious Diseases	104	16	5	125	199	190
Cephalitis	10	3	..	13	10	11
Hydrocephalus	41	1	..	42	35	34
Apoplexy	2	8	6	16	20	17
Paralysis	..	2	8	10	17	15
Convulsions	41	1	..	42	61	59
Epilepsy	1	1	1	3	5	4
Insanity	..	..	1	1	2	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	7	4	1	12	9	7
Diseases of the Brain, Nerves, and Senses.	102	21	17	140	160	149
Quinsey	..	..	..	..	1	1
Bronchitis	2	3	4	9	15	10
Pleurisy	..	..	1	1	2	2
Pneumonia	44	11	3	58	88	72
Hydrothorax	..	4	..	4	7	5
Asthma	..	15	8	23	48	25
Consumption	27	110	9	146	142	141
Dis. of Lungs, &c.	4	3	4	11	17	12
Diseases of the Lungs, and other Organs of Respiration	77	146	29	252	320	268
Pericarditis	..	..	..	..	1	.6
Aneurism	..	..	..	..	1	.6
Dis. of Heart, &c.	..	9	11	20	19	17
Diseases of the Heart and Bloodvessels.	..	9	11	20	21	18
Teething	17	..	..	17	15	17
Gastritis—Enteritis	5	3	3	11	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	3	..	..	3	3	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	1	..	1	1	1
Hernia	1	2	..	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c. (1)	1	1	2	4	6	5
Hepatitis	..	1	..	1	1	1
Jaundice	1	..	1	2	2	2
Dis. of Liver, &c	..	4	2	6	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	28	12	8	48	55	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Winters 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	1	.4
Diabetes	..	..	..	..	1	.3
Stone	..	1	..	1	.4	.4
Stricture	..	..	1	1	.3	.3
Dis. of Kidneys, &c. (2)	..	5	3	8	2	2
Diseases of the Kidneys, &c.	..	7	4	11	5	4
Childbed	..	7	..	7	9	7
Ovarian Dropsy	..	2	..	2	.2	.3
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	11	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	2	1	..	3	4	3
Diseases of the Joints, Bones and Muscles	2	1	..	3	7	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	2	2	..	4	13	10
Hæmorrhage	..	1	1	2	3	3
Dropsy	1	19	15	35	37	34
Abscess	2	2	..	4	4	4
Mortification	2	1	2	5	6	4
Scrofula (3)	..	2	..	2	2	2
Carcinoma	..	4	2	6	7	7
Tumor	1	2	2	5	1	2
Gout	..	2	1	3	1	1
Atrophy	2	..	3	5	5	5
Debility	13	1	6	20	18	17
Malformations	..	..	..	..	1	1
Sudden Deaths	9	15	5	29	17	14
Diseases of Uncertain Seat	32	51	37	120	115	104
Old Age, or Natural Decay	..	1	52	53	90	69
Intemperance	..	..	..	..	.5	.6
Privation	..	1	..	1	1	.5
Violent Deaths	12	21	3	‡ 37	25	24
Deaths by Violence, Privation, or Intemperance	12	22	3	38	26	25
Causes not specified	4	5	4	13	7	7
Deaths from all Causes	361	300	170	‡ 832	1017	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Worms, 1, Age 2. Stricture of Œsophagus 1, Age 66.
(2) Cystitis, 1, Age 84.
(3) Purpura, 1, Age 23.

		Population, Enumerated, 1841.	Average weekly Deaths, 1838-39 40-1. 4 Years	4 Winters	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	151	131
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	179
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	213	177
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	228	154
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	243	191
TOTAL.	Males, 410. Females, 422. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	1017	832

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died a Violent Death was not stated.

General Register Office, April 7th, 1842.

BY AUTHORITY OF THE REGISTRAR GENERAL.—Published by Hunt & Barnes, at Mr. Hartnell's Printing Office, Red Lion Court, Fleet Street, and may be had of any Newsman, price One Penny, or forwarded by Post to any part of the Kingdom, at 2s. 2d. per Quarter.

§	Weeks ending April 2nd	April 9th	April 1831-40.
Mean height of barometer	in. 29.668	30.102	in. 29.870
Rain (weekly)	.345	None	.277
Mean Dryness	3°.3	4°.3	4°2

Wind N. 2 days, N.E. 2, N.W. 2, E. 1.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

Temperature. §	Weeks ending April 2nd	April 9th	April 1831-40.
Highest ...	58°	57°	72°
Lowest....	36°	34°	28°
Daily Mean	49°	43°	47°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th April, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	1	..	..	1	33	32
Measles	17	..	..	17	22	23
Scarlatina	5	..	..	5	26	32
Hooping Cough	36	..	..	36	33	31
Croup	13	..	..	13	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	3	1	1	5	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	.1	1
Influenza	2	..	1	3	3	2
Typhus	2	15	3	20	42	40
Erysipelas	1	2	2	5	6	6
Syphilis	1	1	..	2	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	83	19	7	109	183	190
Encephalitis	12	3	..	15	12	11
Hydrocephalus	35	..	..	35	35	34
Apoplexy	2	9	6	17	16	17
Paralysis	..	8	7	15	13	15
Convulsions	47	..	..	47	57	59
Epilepsy	..	2	..	2	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	4	1	1	6	7	7
Diseases of the Brain, Nerves, and Senses.	100	24	14	138	147	149
Quinsey	..	..	..	..	1	1
Bronchitis	3	6	3	12	9	10
Pleurisy	..	2	1	3	2	2
Pneumonia	67	10	6	‡ 84	61	72
Hydrothorax	..	4	1	5	4	5
Asthma	..	14	9	23	16	25
Consumption	27	93	7	127	150	141
Dis. of Lungs, &c. (1)	2	7	3	12	12	12
Diseases of the Lungs, and other Organs of Respiration	99	136	30	‡ 266	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	2	..	2	.7	.6
Dis. of Heart, &c.	6	10	6	22	15	17
Diseases of the Heart and Bloodvessels.	6	12	6	24	16	18
Teething	16	..	..	16	15	17
Gastritis—Enteritis	8	2	2	12	15	18
Peritonitis	..	1	..	1	1	1
Abscess Mesenterica	4	..	..	4	3	4
Ascites	1	..	..	1	1	.4
Ulceration	..	1	..	1	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus	2	..	2	4	3	2
Dis. of Stomach, &c. (2)	2	3	..	5	5	5
Hepatitis	..	..	..	..	1	1
Jaundice	1	2	..	3	2	2
Dis. of Liver, &c	..	2	1	3	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	34	12	7	53	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c. (3)	..	..	2	2	4	2
Diseases of the Kidneys, &c.	..	1	2	3	5	4
Childbed	..	3	..	3	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	2	..	2	3	2
Childbed, Diseases of the Uterus, &c.	..	5	..	5	9	10
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
Diseases of the Joints, Bones and Muscles	1	1	1	3	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	1	1	..	2	10	10
Hæmorrhage	..	3	..	3	4	3
Dropsy	2	29	7	38	32	34
Abscess	2	2	..	4	4	4
Mortification	..	..	1	1	4	4
Scrofula	..	2	..	2	2	2
Carcinoma	1	7	3	11	6	7
Tumor	..	1	..	1	2	2
Gout	..	..	1	1	1	1
Atrophy	7	..	..	7	5	5
Debility	9	8	3	20	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	5	9	3	‡ 18	13	14
Diseases of Uncertain Seat	27	62	18	‡ 108	99	104
Old Age, or Natural Decay	..	1	57	58	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	8	11	2	21	24	24
Deaths by Violence, Privation, or Intemperance	8	11	2	21	25	25
Causes not specified	1	..	1	2	6	7
Deaths from all Causes	360	284	145	‡ 791	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Laryngitis, 2, Ages 9 months, and 34.
(2) Worms, 1, Age 5¾. Hematemesis, 1, Age 41
(3) Ischuria, 1, Age 62.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39 40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	126
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	132
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	197
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	197
TOTAL.	Males, 400. Females, 391. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	791

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons were not stated; one died of Pneumonia, and one suddenly.

General Register Office, April 14th, 1842.

§	Weeks ending April 9th	April 16th	April 1841-40.
Mean height of barometer	in. 30.102	in. 30.086	in 29.870
Rain (weekly)	None	.113	.277
Mean Dryness	4°.3	4°.1	4°2

Wind N. 3 days; N.E. 3; E. 1.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending April 9th	April 16	April 1841-40.
Highest ...	57°	49°	72°
Lowest	34°	37°	28°
Daily Mean	43°	42°	47°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th April, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	4	..	..	4	33	32
Measles	22	..	..	22	22	23
Scarlatina	11	..	..	11	26	32
Hooping Cough	36	..	..	36	33	31
Croup	12	1	..	13	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	3	1	..	4	5	8
Dysentery	1	1	..	2	1	2
Cholera	..	..	..	..	.1	1
Influenza	..	..	1	1	3	2
Typhus	6	10	4	‡ 21	42	40
Erysipelas	1	2	2	5	6	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	98	15	7	‡ 121	183	190
Cephalitis	7	4	..	11	12	11
Hydrocephalus	37	..	..	37	35	34
Apoplexy	2	11	3	16	16	17
Paralysis	2	11	11	24	13	15
Convulsions	50	..	..	50	57	59
Epilepsy	..	1	..	1	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	6	4	1	11	7	7
Diseases of the Brain, Nerves, and Senses.	104	31	15	150	147	149
Quinsey	1	..	..	1	1	1
Bronchitis	2	8	7	17	9	10
Pleurisy	..	2	..	2	2	2
Pneumonia	61	12	6	79	61	72
Hydrothorax	..	2	1	3	4	5
Asthma	..	9	11	20	16	25
Consumption	35	95	10	140	150	141
Dis. of Lungs, &c.	1	12	4	17	12	12
Diseases of the Lungs, and other Organs of Respiration	100	140	39	279	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	4	12	2	18	15	17
Diseases of the Heart and Bloodvessels.	4	12	2	18	16	18
Teething	20	..	..	20	15	17
Gastritis—Enteritis	3	3	3	9	15	18
Peritonitis	..	2	1	3	1	1
Tabes Mesenterica	5	..	..	5	3	4
Ascites	..	..	..	..	1	.4
Ulceration	..	..	1	1	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	2	..	2	3	2
Dis. of Stomach, &c. (1)	..	4	1	5	5	5
Hepatitis	..	..	..	..	1	1
Jaundice	1	..	3	4	2	2
Dis. of Liver, &c	..	2	2	4	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	29	14	11	54	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c.	..	..	4	4	4	2
Diseases of the Kidneys, &c.	..	..	4	4	5	4
Childbed	..	6	..	6	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c (2)	..	4	..	4	3	2
Childbed, Diseases of the Uterus, &c.	..	10	..	10	9	10
Rheumatism	..	1	2	3	3	3
Dis. of Joints, &c.	1	3	..	4	3	3
Diseases of the Joints, Bones and Muscles	1	4	2	7	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	1	2	..	3	10	10
Hæmorrhage	..	1	2	3	4	3
Dropsy	1	20	14	35	32	34
Abscess	..	1	1	2	4	4
Mortification	..	1	3	4	4	4
Scrofula (3)	..	..	1	1	2	2
Carcinoma	..	4	5	9	6	7
Tumor	..	2	..	2	2	2
Gout	..	1	1	2	1	1
Atrophy	8	..	..	8	5	5
Debility	17	5	2	24	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	..	3	4	7	13	14
Diseases of Uncertain Seat	27	40	33	100	99	104
Old Age, or Natural Decay	..	..	61	61	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	1	8	..	9	24	24
Deaths by Violence, Privation, or Intemperance	1	8	..	9	25	25
Causes not specified	..	3	..	9	6	7
Deaths from all Causes	364	277	174	‡ 822	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Hematemesis, 1, Age 42.
(2) Paramenia, 1, Age 24.
(3) Purpura, 1, Age 63.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	102
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	165
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	169
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	179
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	207
TOTAL.	Males, 414. Females, 408. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	822

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Typhus, was not stated.

General Register Office, April 21st, 1842.

§	Weeks ending April 16th	April 23rd	April 1831-40.
Mean height of barometer	in. 30.086	in. 30.079	in 29.870
Rain (weekly)	.113	None	.277
Mean Dryness	4°.1	3°.5	4°2

Wind N. 4 days; N.E. 1; N.N.W. 1; E.N.E. 1.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending April 16th	April 23rd	April 1831-40.
Highest	49°	61°	72°
Lowest	37°	38°	28°
Daily Mean	42°	48°	47°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd April, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	3	..	..	3	33	32
Measles	24	..	..	24	22	23
Scarlatina	5	..	..	5	26	32
Hooping Cough	39	..	..	39	33	31
Croup	5	..	..	5	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	2	1	..	3	5	8
Dysentery	..	1	..	1	1	2
Cholera	..	..	..	..	.1	1
Influenza	1	..	1	2	3	2
Typhus (1)	4	13	1	18	42	40
Erysipelas	1	1	..	2	6	6
Syphilis	2	..	..	2	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	88	16	2	106	183	190
Cephalitis	10	3	1	14	12	11
Hydrocephalus	41	2	..	43	35	34
Apoplexy	1	6	5	12	16	17
Paralysis	..	8	15	23	13	15
Convulsions	60	1	..	61	57	59
Epilepsy	..	1	1	2	4	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	2	6	2	10	7	7
Diseases of the Brain, Nerves, and Senses.	114	29	24	167	147	149
Quinsey	1	1	..	2	1	1
Bronchitis	2	2	2	6	9	10
Pleurisy	1	3	..	4	2	2
Pneumonia	49	12	5	‡67	61	72
Hydrothorax	..	4	3	7	4	5
Asthma	1	8	7	16	16	25
Consumption	32	105	9	146	150	141
Dis. of Lungs, &c.	4	7	3	14	12	12
Diseases of the Lungs, and other Organs of Respiration	90	142	29	‡262	255	268
Pericarditis	..	2	..	2	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	2	8	5	15	15	17
Diseases of the Heart and Bloodvessels.	2	10	5	17	16	18
Teething	17	..	..	17	15	17
Gastritis—Enteritis	3	6	2	11	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	8	..	..	8	3	4
Ascites	..	..	..	..	1	.4
Ulceration	..	..	..	..	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	2	1	3	3	2
Dis. of Stomach, &c. (2)	..	5	2	7	5	5
Hepatitis	..	3	1	4	1	1
Jaundice	..	3	1	4	2	2
Dis. of Liver, &c	1	1	2	4	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	29	22	9	60	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	.4	.4
Diabetes	1	1	..	2	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c.	..	3	4	7	4	2
Diseases of the Kidneys, &c.	1	5	4	10	5	4
Childbed	..	3	..	‡4	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	3	..	3	3	2
Childbed, Diseases of the Uterus, &c.	..	6	..	‡7	9	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	..	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	..	2	..	2	6	6
Ulcer	1	..	..	1	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	4	..	..	4	10	10
Hæmorrhage	..	..	1	1	4	3
Dropsy	3	15	10	28	32	34
Abscess	1	..	..	1	4	4
Mortification	1	3	2	6	4	4
Scrofula	1	1	..	2	2	2
Carcinoma	..	3	3	6	6	7
Tumor	..	2	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	8	2	1	11	5	5
Debility	6	6	5	17	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	1	3	4	8	13	14
Diseases of Uncertain Seat	25	35	26	86	99	104
Old Age, or Natural Decay	..	..	68	68	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	7	12	..	19	24	24
Deaths by Violence, Privation, or Intemperance	7	12	..	19	25	25
Causes not specified	3	1	..	4	6	7
Deaths from all Causes	360	280	167	‡809	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 2.
(2) Stricture, 1, Age 50. Hematemesis, 1, Age 42.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	119
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	156
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	172
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	199
TOTAL.	Males, 421. Females, 388. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	809

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons were not stated, one died of Pneumonia, and one in Childbed.

General Register Office, April 28th, 1842.

[illegible], and two suddenly.

General Register Office, May 5th, 1842.

§	Weeks ending April 23rd	Weeks ending April 30th	April 1831-40.
Mean height of barometer §	in. 30.079	in. 29.961	in. 29.870
Rain (weekly)	None	.097	.277
Mean Dryness	3°.5	6°.5	4°2

Wind N. 2 days; N.E. 3; E. 1; E.N.E. 1. Rain on 1 Day.

: April 24, 2½ p.m. Lightning, with very heavy Thunder.

Temperature. §	Weeks ending April 23rd	Weeks ending April 30th	Apr 1831-40.
Highest....	61°	69°	72°
Lowest....	38°	45°	28°
Daily Mean	48°	56°	47°

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th April, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	3	..	..	‡4	33	32
Measles	20	..	..	20	22	23
Scarlatina	12	..	..	12	26	32
Hooping Cough	40	..	..	40	33	31
Croup	9	..	..	9	7	7
Thrush	5	..	..	5	4	5
Diarrhœa	1	1	..	2	5	8
Dysentery	..	1	1	2	1	2
Cholera	..	..	..	..	.1	1
Influenza	..	..	1	1	3	2
Typhus (1)	6	10	3	19	42	40
Erysipelas	3	3	..	6	6	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	99	15	5	‡120	183	190
Cephalitis	5	2	..	7	12	11
Hydrocephalus	30	..	..	30	35	34
Apoplexy	1	7	11	‡20	16	17
Paralysis	1	2	7	10	13	15
Convulsions	56	..	..	56	57	59
Epilepsy	..	5	1	6	4	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	4	1	5	2	1
Dis. of Brain, &c. (2)	4	4	1	9	7	7
Diseases of the Brain, Nerves, and Senses.	97	24	22	‡144	147	149
Quinsey	..	..	..	..	1	1
Bronchitis	1	2	6	9	9	10
Pleurisy	..	1	1	2	2	2
Pneumonia	49	12	5	‡67	61	72
Hydrothorax	..	3	1	4	4	5
Asthma	..	4	7	11	16	25
Consumption	36	107	8	151	150	141
Dis. of Lungs, &c.	3	9	4	16	12	12
Diseases of the Lungs, and other Organs of Respiration	89	138	32	‡260	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	1	12	5	18	15	17
Diseases of the Heart and Bloodvessels.	1	12	5	18	16	18
Aething	16	..	..	16	15	17
Gastritis—Enteritis	7	5	..	12	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	3	..	..	3	3	4
Ascites	..	..	..	..	1	.4
Ulceration	..	1	..	1	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	..	1	1	2	3	2
Dis. of Stomach, &c.	..	1	..	1	5	5
Hepatitis	..	..	1	1	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c	..	7	2	9	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	27	17	6	50	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	1	1	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c.	1	2	..	3	4	2
Diseases of the Kidneys, &c.	1	2	1	4	5	4
Childbed	..	4	..	4	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	..	..	..	3	2
Childbed, Diseases of the Uterus, &c.	..	4	..	4	9	10
Rheumatism	1	..	1	2	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	1	1	4	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c. (3)	1	..	2	3	.3	.3
Diseases of the Skin, &c.	1	1	2	4	1	1
Inflammation	4	..	..	4	10	10
Hæmorrhage	1	1	1	3	4	3
Dropsy	..	16	12	28	32	34
Abscess	..	2	3	5	4	4
Mortification	..	1	3	4	4	4
Scrofula	2	..	..	2	2	2
Carcinoma	..	4	2	6	6	7
Tumor	..	..	..	..	2	2
Gout	..	2	..	2	1	1
Atrophy	2	..	..	2	5	5
Debility	8	4	7	19	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	1	10	5	‡18	13	14
Diseases of Uncertain Seat	18	40	33	‡93	99	104
Old Age, or Natural Decay	..	..	61	61	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	6	12	2	20	24	24
Deaths by Violence, Privation, or Intemperance	6	12	2	20	25	25
Causes not specified	..	1	..	1	6	7
Deaths from all Causes	341	267	170	‡783	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 57.
(2) Chorea, 1, Age 11.
(3) Phlegmon, 1, Age 68. Eczema Rubrum, 1, Age 10 weeks.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	Average Weekly Deaths, 1838-39-40-1. 4 Springs	Deaths in the Week.
Central Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	129
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	138
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	165
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	158
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	193
TOTAL.	Males, 422. Females, 361. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	783

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of five persons were not stated, one died of Small Pox, one of Apoplexy, one of Pneumonia, and two Suddenly.

General Register Office, May 5th, 1842.

§	Weeks ending April 30th	Weeks ending May 7th	May 1831-40.
Mean height of barometer	in. 29.961	in. 29.718	in. 29.890
Rain (weekly)	.007	.404	.275
Mean Dryness	6°.5	8°.1	6°.6

Wind N. 1 day; N.E. 1; W.N.W. 1; W. 1; S. 3. Rain on 3 Days.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

Temperature. §	Weeks ending April 30th	Weeks ending May 7th	May 1831-40.
Highest ...	69°	70°	81°
Lowest	45°	42°	34°
Daily Mean	56°	56°	55°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th May, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	1	..	..	1	33	32
Measles	24	..	..	24	22	23
Scarlatina	7	..	..	7	26	32
Hooping Cough	26	..	..	26	33	31
Croup	12	..	..	12	7	7
Thrush	6	..	..	6	4	5
Diarrhœa	..	2	1	3	5	8
Dysentery	..	..	2	2	1	2
Cholera	..	..	..	..	.1	1
Influenza	1	1	..	2	3	2
Typhus	10	8	1	19	42	40
Erysipelas	3	2	1	6	6	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	90	13	5	108	183	190
Cephalitis	11	3	1	15	12	11
Hydrocephalus	37	..	..	37	35	34
Apoplexy	1	5	6	12	16	17
Paralysis	..	4	10	14	13	15
Convulsions	57	..	..	57	57	59
Epilepsy	1	2	1	4	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c. (1)	4	6	1	11	7	7
Diseases of the Brain, Nerves, and Senses.	111	22	19	152	147	149
Quinsey	..	..	..	..	1	1
Bronchitis	2	2	3	7	9	10
Pleurisy	1	2	2	5	2	2
Pneumonia	37	6	2	45	61	72
Hydrothorax	..	1	3	4	4	5
Asthma	..	4	7	11	16	25
Consumption	23	93	5	121	150	141
Dis. of Lungs, &c.	1	4	2	7	12	12
Diseases of the Lungs, and other Organs of Respiration	64	112	24	200	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	4	16	4	24	15	17
Diseases of the Heart and Bloodvessels.	4	16	4	24	16	18
Teething	16	..	..	16	15	17
Gastritis—Enteritis	8	8	..	16	15	18
Peritonitis	..	2	1	3	1	1
Tabes Mesenterica	3	..	..	3	3	4
Ascites	..	..	..	..	1	.4
Ulceration	..	4	..	4	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	..	1	2	3	2
Dis. of Stomach, &c. (2)	3	5	3	11	5	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	1	2	2	2
Dis. of Liver, &c	..	6	1	7	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	31	27	7	65	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	1	..	..	1	.3	.3
Stone	..	..	1	1	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c.	..	4	3	7	4	2
Diseases of the Kidneys, &c.	1	4	4	9	5	4
Childbed	..	10	..	10	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	3	..	3	3	2
Childbed, Diseases of the Uterus, &c.	..	13	..	13	9	10
Rheumatism	..	3	..	3	3	3
Dis. of Joints, &c.	2	2	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	5	..	7	6	6
Ulcer	..	..	2	2	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c. (3)	..	..	1	1	.3	.3
Diseases of the Skin, &c.	..	..	3	3	1	1
Inflammation	5	1	1	7	10	10
Hæmorrhage	1	1	2	4	4	3
Dropsy	3	12	9	24	32	34
Abscess	1	1	..	2	4	4
Mortification	..	..	3	3	4	4
Scrofula	..	..	..	..	2	2
Carcinoma	..	3	3	6	6	7
Tumor	1	..	..	1	2	2
Gout	..	..	1	1	1	1
Atrophy	1	..	..	1	5	5
Debility	21	6	9	36	15	17
Malformations	2	..	..	2	1	1
Sudden Deaths	4	5	3	‡13	13	14
Diseases of Uncertain Seat	39	29	31	‡100	99	104
Old Age, or Natural Decay	..	..	56	56	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	3	12	2	17	24	24
Deaths by Violence, Privation, or Intemperance	3	12	2	17	25	25
Causes not specified	..	2	..	2	6	7
Deaths from all Causes	345	255	155	‡756	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Tetanus, 1, Age 54.
(2) Worms, 3, Ages 3 Months, 11 Months, and 5 Years.
(3) Phlegmon, 1, Age 64.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	Average Weekly Deaths, 1838-39-40-1. 4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	123
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	116
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	147
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	185
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	185
TOTAL.	Males, 378. Females, 378. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	756

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died Suddenly was not stated.

General Register Office, May 12th, 1842.

§	Weeks ending May 7th	Weeks ending May 14th	May 1831-40.
Mean height of barometer	in. 29.718	in. 29.924	in. 29.899
Rain (weekly)	.404	.812	.275
Mean Dryness	8°.1	5°.5	6°.6

Wind W. 4 days; N.W. 1; S. 1; E. 1. Rain on 6 Days.

A TABLE OF MORTALITY
FOR THE
Metropolis,*

Temperature. §	Weeks ending May 7th	Weeks ending May 14th	May 1831-40.
Highest....	70°	65°	81°
Lowest....	42°	42°	34°
Daily Mean	56°	54°	55°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 14th May, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	4	..	..	4	33	32
Measles	22	..	..	22	22	23
Scarlatina	9	1	..	10	26	32
Hooping Cough	37	..	..	37	33	31
Croup	10	..	..	10	7	7
Thrush	5	..	..	5	4	5
Diarrhœa	..	2	1	3	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	.1	1
Influenza	..	..	1	1	3	2
Typhus	12	16	2	30	42	40
Erysipelas	1	1	4	6	6	6
Syphilis	..	1	..	1	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	100	21	8	129	183	190
Cephalitis	8	2	..	10	12	11
Hydrocephalus	33	1	..	34	35	34
Apoplexy	3	7	8	18	16	17
Paralysis	..	5	10	15	13	15
Convulsions	42	1	..	43	57	59
Epilepsy	1	3	1	5	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	4	3	..	7	7	7
Diseases of the Brain, Nerves, and Senses.	91	23	19	133	147	149
Quinsey	..	..	..	..	1	1
Bronchitis	3	4	4	11	9	10
Pleurisy	..	1	..	1	2	2
Pneumonia	42	10	4	‡57	61	72
Hydrothorax	..	2	1	3	4	5
Asthma	..	8	10	18	16	25
Consumption	38	102	8	148	150	141
Dis. of Lungs, &c.	3	7	2	12	12	12
Diseases of the Lungs, and other Organs of Respiration	86	134	29	‡250	255	268
Pericarditis	..	2	..	2	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	8	9	1	18	15	17
Diseases of the Heart and Bloodvessels.	8	11	1	20	16	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	7	5	1	13	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	4	..	..	4	3	4
Ascites	..	..	..	..	1	.4
Ulceration	1	3	..	4	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	1	1	..	2	3	2
Dis. of Stomach, &c. (1)	1	1	3	5	5	5
Hepatitis	..	..	1	1	1	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c	..	3	4	7	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	33	14	12	59	56	61
Nephritis	..	1	..	1	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c. (2)	..	3	1	4	4	2
Diseases of the Kidneys, &c.	..	4	1	5	5	4
Childbed	..	5	..	5	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	1	..	1	3	2
Childbed, Diseases of the Uterus, &c.	..	6	..	6	9	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	1	2	..	3	3	3
Diseases of the Joints, Bones and Muscles	1	2	..	3	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	6	..	..	6	10	10
Hæmorrhage	1	1	..	2	4	3
Dropsy	1	22	7	30	32	34
Abscess	..	..	..	..	4	4
Mortification	2	1	2	5	4	4
Scrofula (3)	3	1	1	5	2	2
Carcinoma	1	8	3	12	6	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	4	1	..	5	5	5
Debility	17	4	2	23	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	5	4	2	‡12	13	14
Diseases of Uncertain Seat	40	42	17	‡100	99	104
Old Age, or Natural Decay	..	..	47	47	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	3	8	5	16	24	24
Deaths by Violence, Privation, or Intemperance	3	8	5	16	25	25
Causes not specified	1	3	1	5	6	7
Deaths from all Causes	363	268	140	‡ 773	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Stricture of œsophagus, 1, Age 60. Hematemesis, 1, Age 33.
(2) Cystitis, 1, Age 51.
(3) Purpura, 1, Age 69.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	Average Weekly Deaths, 1838-39-40-1. 4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	131
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	145
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	138
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	158
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	201
TOTAL.	Males, 392. Females, 381. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	773

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons who died of Pneumonia and Suddenly were not stated.

General Register Office, May 19th, 1842.

§	Weeks ending May 14th	May 21st	May 1841-40.
Mean height of barometer	in. 29.924	in. 29.989	in 29.899
Rain (weekly)	.812	.022	.275
Mean Dryness	5°.5	5°.0	6°.6

Wind N 3 days; S. 1; S.E. 2; E. 1. Rain on 1 Day.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

Temperature. §	Weeks ending May 14th	May 21st	May 1841-40.
Highest ...	65°	70°	81°
Lowest	42°	46°	31°
Daily Mean	54°	56°	55°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st May, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Springs 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Small Pox	2	1	..	3	33	32
Measles	20	..	..	20	22	23
Scarlatina	15	..	..	15	26	32
Hooping Cough	24	..	..	24	33	31
Croup	12	1	..	13	7	7
Thrush	4	..	..	4	4	5
Diarrhœa	..	1	2	3	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	.1	1
Influenza	..	..	..	..	3	2
Typhus (1)	11	10	1	22	42	40
Erysipelas	1	1	..	2	6	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	89	14	3	106	183	190
Cephalitis	12	2	..	14	12	11
Hydrocephalus	34	1	..	35	35	34
Apoplexy	..	8	5	13	16	17
Paralysis	..	6	8	14	13	15
Convulsions	48	2	..	50	57	59
Epilepsy	..	4	1	5	4	4
Insanity	..	3	..	3	1	1
Delirium Tremens	..	3	..	3	2	1
Dis. of Brain, &c.	4	2	..	6	7	7
Diseases of the Brain, Nerves, and Senses.	98	31	14	143	147	149
Quinsey	..	..	..	..	1	1
Bronchitis	5	1	3	9	9	10
Pleurisy	1	..	1	2	2	2
Pneumonia	37	10	1	48	61	72
Hydrothorax	1	..	4	5	4	5
Asthma	..	6	11	17	16	25
Consumption	34	119	5	158	150	141
Dis. of Lungs, &c.	4	10	2	16	12	12
Diseases of the Lungs, and other Organs of Respiration	82	146	27	255	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	1	22	5	28	15	17
Diseases of the Heart and Bloodvessels.	1	22	5	28	16	18
Teething	15	..	..	15	15	17
Gastritis—Enteritis	6	4	4	14	15	18
Peritonitis	..	..	1	1	1	1
Tabes Mesenterica	7	..	..	7	3	4
Ascites	..	..	..	..	1	.4
Ulceration	..	1	..	1	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	2	..	2	4	3	2
Dis. of Stomach, &c.	..	1	..	1	5	5
Hepatitis	..	..	1	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c (2)	2	2	3	7	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	32	9	11	52	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Springs 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Nephritis	..	..	1	1	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.2	.3
Dis. of Kidneys, &c.	..	3	1	4	4	2
Diseases of the Kidneys, &c.	..	4	2	6	5	4
Childbed	..	4	..	4	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	1	..	1	3	2
Childbed, Diseases of the Uterus, &c.	..	5	..	5	9	10
Rheumatism	1	1	..	2	3	3
Dis. of Joints, &c.	1	..	2	3	3	3
Diseases of the Joints, Bones and Muscles	2	1	2	5	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	2	2	..	4	10	10
Hæmorrhage	..	1	1	2	4	3
Dropsy	3	20	16	39	32	34
Abscess	..	2	..	2	4	4
Mortification	1	..	..	1	4	4
Scrofula (3)	3	2	..	5	2	2
Carcinoma	1	7	3	11	6	7
Tumor	..	2	1	3	2	2
Gout	..	1	1	2	1	1
Atrophy	7	1	..	8	5	5
Debility	18	6	4	28	15	17
Malformations	..	1	..	1	1	1
Sudden Deaths	2	4	3	9	13	14
Diseases of Uncertain Seat	37	49	29	115	99	104
Old Age, or Natural Decay	..	..	55	55	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	5	19	5	‡31	24	24
Deaths by Violence, Privation, or Intemperance	5	19	5	31	25	25
Causes not specified	1	1	1	3	6	7
Deaths from all Causes	348	301	154	‡ 805	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 9.
(2) Disease of Spleen, 1, Age 24.
(3) Purpura, 1, Age 9.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	119
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	155
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	165
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	165
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	201
TOTAL.	Males, 390. Females, 415. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	805

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons who died by Violence were not stated.

General Register Office, May 26th, 1842.

ROYAL COLLEGE OF SURGEONS IN LONDON
ROYAL COLLEGE OF SURGEONS IN LONDON
ROYAL COLLEGE OF SURGEONS IN LONDON
ROYAL COLLEGE OF SURGEONS IN LONDON

§	Weeks ending May 21st	Weeks ending May 28th*	May 1831-40.
Mean height of barometer	in. 29.989	in. 29.890	in. 29.899
Rain (weekly)	.022	.570	275
Mean Dryness	5°.0	5°.8	6°.6

*Wind S. 3 days; S.S.E. 1; S.E. 2; N.W. 1. Rain on 5 Days.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending May 21st	Weeks ending May 28th	May 1831-40.
Highest	70°	75°	81°
Lowest	46°	48°	34°
Daily Mean	56°	59°	55°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th May, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	5	..	..	5	33	32
Measles	32	..	..	32	22	23
Scarlatina	17	..	..	17	26	32
Hooping Cough	39	..	..	39	33	31
Croup	10	..	..	10	7	7
Thrush	1	..	..	1	4	5
Diarrhœa	4	1	2	7	5	8
Dysentery	..	2	..	2	1	2
Cholera	..	..	..	..	.1	1
Influenza	1	2	..	3	3	2
Typhus (1)	6	15	4	25	42	40
Erysipelas	3	1	1	5	6	6
Syphilis	1	..	..	1	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	119	21	7	147	183	190
Cephalitis	9	..	..	9	12	11
Hydrocephalus	40	..	..	40	35	34
Apoplexy	3	6	5	14	16	17
Paralysis	..	6	9	15	13	15
Convulsions	63	..	..	63	57	59
Epilepsy	1	2	1	4	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	3	1	2	6	7	7
Diseases of the Brain, Nerves, and Senses.	119	18	17	154	147	149
Quinsey	1	..	..	1	1	1
Bronchitis	2	2	5	9	9	10
Pleurisy	..	1	..	1	2	2
Pneumonia	44	9	2	55	61	72
Hydrothorax	2	2	..	4	4	5
Asthma	..	7	8	15	16	25
Consumption	34	120	6	‡161	150	141
Dis. of Lungs, &c. (2)	1	6	2	9	12	12
Diseases of the Lungs, and other Organs of Respiration	84	147	23	‡255	255	268
Pericarditis	1	..	1	2	.5	.6
Aneurism	..	1	..	1	.7	.6
Dis. of Heart, &c.	3	16	8	27	15	17
Diseases of the Heart and Bloodvessels.	4	17	9	30	16	18
Teething	11	..	..	11	15	17
Gastritis—Enteritis	9	5	..	14	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	3	1	..	4	3	4
Ascites	..	..	1	1	1	.4
Ulceration	..	2	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	1	1	2	3	2
Dis. of Stomach, &c. (3)	..	5	2	7	5	5
Hepatitis	1	..	..	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c	..	5	2	7	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	24	21	6	51	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	1	1	.2	.3
Dis. of Kidneys, &c.	..	1	2	3	4	2
Diseases of the Kidneys, &c.	..	1	3	4	5	4
Childbed	..	5	..	5	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c. (4)	..	3	1	4	3	2
Childbed, Diseases of the Uterus, &c.	..	8	1	9	9	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	1	2	..	3	3	3
Diseases of the Joints, Bones and Muscles	1	2	..	3	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	1	1	..	2	.3	.3
Diseases of the Skin, &c.	1	1	..	2	1	1
Inflammation	1	..	..	1	10	10
Hæmorrhage	..	..	2	2	4	3
Dropsy	2	16	7	25	32	34
Abscess	1	1	..	2	4	4
Mortification	..	2	2	4	4	4
Scrofula (5)	..	2	1	3	2	2
Carcinoma	..	2	4	6	6	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	5	..	1	6	5	5
Debility	12	4	7	23	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	3	6	2	11	13	14
Diseases of Uncertain Seat	24	33	26	83	99	104
Old Age, or Natural Decay	..	..	61	‡62	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	6	20	4	‡31	24	24
Deaths by Violence, Privation, or Intemperance	6	20	4	31	25	25
Causes not specified	1	1	..	2	6	7
Deaths from all Causes	383	290	157	‡ 833	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 1. Ague, 2, Ages, 40 & 60.
(2) Laryngitis, 1, Age 2.
(3) Stricture of Æsophagus, 1, Age 60.
(4) Paramenia, 1, Age 38.
(5) Purpura, 1, Age 50.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	Average Weekly Deaths, 1838-39-40-1. 4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	148
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	153
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	169
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	165
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	198
TOTAL.	Males, 406. Females, 427. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	833

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of three persons were not stated; one died of Consumption; one of Old Age; and one was Executed.

General Register Office, June 2nd, 1842

§	May 28th	June 4th	June 1841-40.
Mean height of barometer	in. 29.999	in. 30.100	in. 29.859
Rain (weekly)	.570	.145	.428
Mean Dryness	5°.8	8°.5	7°.0

*Wind S. 3 days; S.S.W. 1; N.W. 2; E. 1. Rain on 2 Days.

A TABLE OF MORTALITY FOR THE Metropolis,*

Temperature. §	Weeks ending May 28th	June 4th	June 1841-40.
Highest ...	75°	81°	87°
Lowest....	48°	51°	43°
Daily Mean	59°	65°	62°

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th June, 1842.

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	3	..	..	3	33	32
Measles	27	..	..	27	22	23
Scarlatina	22	3	..	25	26	32
Hooping Cough	36	..	..	36	33	31
Croup	6	..	..	6	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	1	..	1	2	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	.1	1
Influenza	2	1	..	3	3	2
Typhus	10	3	3	16	42	40
Erysipelas	2	2	3	7	6	6
Syphilis	..	1	..	1	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	111	10	7	128	183	190
Cephalitis	5	3	1	9	12	11
Hydrocephalus	42	1	..	43	35	34
Apoplexy	..	6	3	9	16	17
Paralysis	..	5	7	12	13	15
Convulsions	39	1	..	40	57	59
Epilepsy	..	2	..	2	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	5	5	3	13	7	7
Diseases of the Brain, Nerves, and Senses.	91	24	14	129	147	149
Quinsey	1	..	..	1	1	1
Bronchitis	1	..	2	3	9	10
Pleurisy	..	2	..	2	2	2
Pneumonia	37	9	5	51	61	72
Hydrothorax	1	1	..	2	4	5
Asthma	..	2	5	7	16	25
Consumption	33	102	6	141	150	141
Dis. of Lungs, &c.	1	10	2	13	12	12
Diseases of the Lungs, and other Organs of Respiration	74	126	20	220	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	2	13	3	18	15	17
Diseases of the Heart and Bloodvessels.	2	13	3	18	16	18
Teething	13	..	..	13	15	17
Gastritis—Enteritis	5	7	2	14	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	4	..	..	4	3	4
Ascites	..	1	1	2	1	.4
Ulceration	..	..	..	..	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	..	..	1	1	3	2
Dis. of Stomach, &c. (1)	2	2	..	4	5	5
Hepatitis	..	..	..	..	1	1
Jaundice	1	..	1	2	2	2
Dis. of Liver, &c	..	5	3	8	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	25	16	9	50	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	1	..	1	.3	.3
Stone	..	..	1	1	.4	.4
Stricture	..	1	..	1	.2	.3
Dis. of Kidneys, &c.	..	3	..	3	4	2
Diseases of the Kidneys, &c.	..	5	1	6	5	4
Childbed	..	5	..	5	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c. (4)	..	4	..	4	3	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	9	10
Rheumatism	1	..	..	1	3	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	1	1	..	2	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	1	..	1	1	1
Inflammation	3	3	..	6	10	10
Hæmorrhage	1	2	1	4	4	3
Dropsy	1	20	13	34	32	34
Abscess	3	1	2	6	4	4
Mortification	..	2	1	3	4	4
Scrofula (5)	1	..	..	1	2	2
Carcinoma	..	9	2	11	6	7
Tumor	..	..	..	‡1	2	2
Gout	..	..	3	3	1	1
Atrophy	2	..	1	3	5	5
Debility	14	4	5	23	15	17
Malformations	2	..	..	2	1	1
Sudden Deaths	1	9	1	11	13	14
Diseases of Uncertain Seat	28	50	29	‡108	99	104
Old Age, or Natural Decay	..	..	68	68	63	69
Intemperance	..	..	1	1	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	6	12	1	19	24	24
Deaths by Violence, Privation, or Intemperance	6	12	2	20	25	25
Causes not specified	..	1	..	1	6	7
Deaths from all Causes	338	268	153	‡760	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Worms 1, Age 5.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	120
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	149
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	155
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	159
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	177
TOTAL.	Males, 393. Females, 367. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	760

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality;—and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford: and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Tumor was not stated.

General Register Office, June 9th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th June, 1842.

§	Weeks ending June 4th	June 11th*	June 1831-40.
Mean height of barometer §	in. 30.100	in. 30.086	in. 29.859
Rain (weekly)	.145	none	.428
Mean Dryness	8°.5	8°.6	7°.0

*Wind N 3 days; N.W. 1; N.E. 1; E. 1.; S. 1.

1842.

Temperature §	Weeks ending June 4th	June 11th	June 1831-40.
Highest	81°	78°	87°
Lowest	51°	53°	43°
Daily Mean	65°	66°	62°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	5	..	..	5	33	32
Measles	41	..	..	41	22	23
Scarlatina	30	..	..	30	26	32
Hooping Cough	20	..	..	20	33	31
Croup	12	..	..	12	7	7
Thrush	2	..	..	2	4	5
Diarrhœa	1	3	..	4	5	8
Dysentery	..	..	..	..	1	2
Cholera	..	1	..	1	.1	1
Influenza	..	..	..	..	3	2
Typhus	8	9	3	‡ 21	42	40
Erysipelas	1	2	1	4	6	6
Syphilis	..	2	..	2	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	120	17	4	‡ 142	183	190
Cephalitis	3	3	..	6	12	11
Hydrocephalus	30	..	..	30	35	34
Apoplexy	1	9	5	15	16	17
Paralysis	1	7	11	19	13	15
Convulsions	59	..	..	59	57	59
Epilepsy	..	1	..	1	4	4
Insanity	..	2	1	3	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	8	8	1	17	7	7
Diseases of the Brain, Nerves, and Senses.	102	31	18	151	147	149
Quinsey	..	..	..	..	1	1
Bronchitis	1	3	7	11	9	10
Pleurisy	..	..	..	..	2	2
Pneumonia	33	8	4	45	61	72
Hydrothorax	2	..	..	2	4	5
Asthma	..	5	7	12	16	25
Consumption	27	110	6	143	150	141
Dis. of Lungs, &c.	5	12	5	22	12	12
Diseases of the Lungs, and other Organs of Respiration	68	138	29	235	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	1	8	9	18	15	17
Diseases of the Heart and Bloodvessels.	1	8	9	18	16	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	8	3	2	13	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	3	..	..	3	3	4
Ascites	..	..	..	..	1	.4
Ulceration	1	2	..	3	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	..	..	2	2	3	2
Dis. of Stomach, &c.	1	..	1	2	5	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c	1	3	1	5	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	32	9	8	49	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838 9-40-1	† Weekly Average during 4 Years 1838 9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.2	.3
Dis. of Kidneys, &c. (1)	1	3	2	6	4	2
Diseases of the Kidneys, &c	1	3	2	6	5	4
Childbed	..	4	..	4	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c. (2)	..	3	..	3	3	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	9	10
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	3	3	2	8	3	3
Diseases of the Joints, Bones and Muscles	3	3	2	8	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	3	2	..	5	10	10
Hæmorrhage	..	4	1	5	4	3
Dropsy	5	20	9	34	32	34
Abscess	3	..	2	5	4	4
Mortification	..	2	1	3	4	4
Scrofula	2	..	..	2	2	2
Carcinoma	..	6	..	6	6	7
Tumor	..	1	2	3	2	2
Gout	..	..	1	1	1	1
Atrophy	5	1	..	6	5	5
Debility	9	8	8	25	15	17
Malformations	1	..	..	1	1	1
Sudden Deaths	6	19	7	‡ 33	13	14
Diseases of Uncertain Seat	34	63	31	129	99	104
Old Age, or Natural Decay	..	..	67	67	63	69
Intemperance	..	1	..	1	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	7	20	1	‡ 29	24	24
Deaths by Violence, Privation, or Intemperance	7	21	1	30	25	25
Causes not specified	..	2	2	4	6	7
Deaths from all Causes	369	302	173	‡ 847	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ischuria 1, Age 60.
(2) Paramenia 1, Age 52.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. Luke, Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	134
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	157
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	199
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	194
TOTAL.	Males, 447. Females, 400. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	847

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of three persons were not stated—one died of typhus, one suddenly, and one by violence.

General Register Office, June 16th, 1842

§	Weeks ending June 11th	June 18th*	June 1831-40.
Height of Barometer	in. 30.086	in. 30.067	in. 29.859
(Weekly)	none	.033	.428
Dryness	8°.6	7°.7	7°.0

d N. 2 days; N.W. 2; E. 2; S. 1. Rain on 1 Day.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th June, 1842.

1842.

Temperature. §	Weeks ending June 11th	June 18th	June 1831-40.
Highest ...	78°	82°	87°
Lowest....	53°	54°	43°
Daily Mean	66°	68°	62°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during† 4 Springs 1838-9-40-1	Weekly Average during† 4 Years 1838-9-40-1
Small Pox	9	1	..	10	33	32
Measles	33	..	..	33	22	23
Scarlatina	15	1	..	16	26	32
Hooping Cough	28	..	..	28	33	31
Croup	8	..	..	8	7	7
Thrush	3	1	..	4	4	5
Diarrhœa	6	2	3	11	5	8
Dysentery	..	..	..	..	1	2
Cholera(1)	1	..	1	2	.1	1
Influenza	..	..	..	..	3	2
Typhus	6	13	4	23	42	40
Erysipelas	..	..	1	1	6	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	109	18	9	136	183	190
Encephalitis	12	..	..	12	12	11
Hydrocephalus	38	..	..	38	35	34
Apoplexy(2)	..	10	5	15	16	17
Paralysis	..	5	8	13	13	15
Convulsions	39	..	..	39	57	59
Epilepsy	1	4	..	5	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	3	..	3	2	1
Dis. of Brain, &c.	3	4	1	8	7	7
Diseases of the Brain, Nerves, and Senses.	93	26	14	133	147	149
Hooping Cough	..	1	..	1	1	1
Bronchitis	4	2	5	11	9	10
Pleurisy	..	1	..	1	2	2
Pneumonia	31	9	4	44	61	72
Hydrothorax	2	..	2	4	4	5
Asthma	..	3	2	5	16	25
Consumption	27	108	9	144	150	141
Dis. of Lungs, &c.	4	5	3	12	12	12
Diseases of the Lungs, and other Organs of Respiration	68	129	25	222	255	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	3	7	4	14	15	17
Diseases of the Heart and Bloodvessels.	3	7	4	14	16	18
Vomiting	12	..	..	12	15	17
Gastritis—Enteritis	13	3	2	18	15	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	3	..	..	3	3	4
Scites	..	..	..	..	1	.4
Ulceration	..	..	..	..	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus	..	..	1	1	3	2
Dis. of Stomach, &c.(3)	2	1	..	3	5	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c	..	3	1	4	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	30	11	7	48	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during† 4 Springs 1838-9-40-1	Weekly Average during† 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.2	.3
Dis. of Kidneys, &c.	..	3	..	3	4	2
Diseases of the Kidneys, &c.	..	4	..	4	5	4
Childbed	..	5	..	5	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	2	..	2	3	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	9	10
Rheumatism	..	2	1	3	3	3
Dis. of Joints, &c.	3	3	1	7	3	3
Diseases of the Joints, Bones and Muscles	3	5	2	10	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	1	..	2	1	1
Inflammation	1	..	..	1	10	10
Hæmorrhage	2	4	1	7	4	3
Dropsy	3	17	7	27	32	34
Abscess	1	1	2	4	4	4
Mortification	..	2	1	3	4	4
Scrofula	1	1	..	2	2	2
Carcinoma	..	5	1	6	6	7
Tumor	..	2	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	6	1	..	7	5	5
Debility	17	5	7	29	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	4	4	2	10	13	14
Diseases of Uncertain Seat	35	42	21	98	99	104
Old Age, or Natural Decay	..	..	50	50	63	69
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.4	.5
Violent Deaths	6	17	2	‡ 26	24	24
Deaths by Violence, Privation, or Intemperance	6	17	2	26	25	25
Causes not specified	..	1	1	2	6	7
Deaths from all Causes	348	268	136	‡ 752	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Cholera, from improper food, 1, Age 13. (Inquest)
(2) Apoplexy, accelerated by eating too freely of green pease, 1, Age 59.
(3) Hæmatemesis, 1, Age 38.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
West Districts.	Kensington; St. Luke, Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	118
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	141
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	148
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	154
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	191
TOTAL. Males, 380. Females, 372. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)		1,870,727	912	871	752

* Under the term Metropolis are comprised the 32 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, was 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Winters by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died by violence was not stated.

General Register Office, June 23rd, 1842.

§	Weeks ending June 18th	June 25th*	June 1831-40.
an height barometer	in. 30.067	in. 29.694	in. 29.859
n (weekly)	.033	.543	.428
n Dryness	7°.7	7°.3	7°.0

nd S. 3 days; S.S E. 1; S.E. 1; W. 2. Rain on 7 Days.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th June, 1842.

1842.

Temperature. §	Weeks ending June 18th	June 25th	June 1831-40.
Highest....	82°	84°	87°
Lowest....	54°	53°	43°
Daily Mean	68°	65°	62°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	7	..	..	7	33	32
Measles	27	..	..	27	22	23
Scarlatina	24	..	..	24	26	32
Hooping Cough	20	..	..	20	33	31
Croup	4	..	..	4	7	7
Thrush	5	..	1	6	4	5
Diarrhœa	6	..	1	‡8	5	8
Dysentery	..	..	1	1	1	2
Cholera	..	1	..	1	.1	1
Influenza	1	..	..	1	3	2
Typhus	8	7	5	20	42	40
Erysipelas	4	2	1	7	6	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	106	10	9	‡126	183	190
Cephalitis	6	1	..	7	12	11
Hydrocephalus	19	..	..	19	35	34
Apoplexy	1	10	5	16	16	17
Paralysis	1	3	6	10	13	15
Convulsions (1)	43	2	..	45	57	59
Epilepsy	..	3	..	3	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	3	6	..	9	7	7
Diseases of the Brain, Nerves, and Senses.	73	25	11	109	147	149
Hooping Cough	..	..	..	..	1	1
Bronchitis	2	..	2	4	9	10
Pleurisy	..	..	..	..	2	2
Pneumonia	44	9	5	58	61	72
Hydrothorax	..	1	2	3	4	5
Asthma	..	2	4	6	16	25
Consumption	27	111	12	‡151	150	141
Dis. of Lungs, &c.	4	7	1	12	12	12
Diseases of the Lungs, and other Organs of Respiration	77	130	26	‡234	255	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	..	..	..	.7	.6
Dis. of Heart, &c.	1	12	5	18	15	17
Diseases of the Heart and Bloodvessels.	1	13	5	19	16	18
Vomiting	18	..	..	18	15	17
Gastritis—Enteritis	12	5	1	18	15	18
Peritonitis	2	1	..	3	1	1
Tabes Mesenterica	7	..	..	7	3	4
Cholera	..	1	..	1	1	.4
Ulceration	..	1	..	1	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus (2)	1	1	1	3	3	2
Dis. of Stomach, &c. (3)	..	2	..	2	5	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c. (4)	3	7	1	11	7	8
Diseases of the Stomach, Liver, and other Organs of Digestion	43	20	4	67	56	61
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	1	1	.2	.3
Dis. of Kidneys, &c.	1	1	2	4	4	2
Diseases of the Kidneys, &c.	1	1	3	5	5	4
Childbed	..	10	..	10	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	4	..	4	3	2
Childbed, Diseases of the Uterus, &c.	..	14	..	14	9	10
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	..	2	..	2	6	6
Ulcer	1	..	1	2	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	2	..	1	3	1	1
Inflammation	2	..	1	3	10	10
Hæmorrhage	..	1	1	2	4	3
Dropsy	3	12	17	32	32	34
Abscess	2	1	..	3	4	4
Mortification	..	1	2	3	4	4
Scrofula	..	..	1	1	2	2
Carcinoma	..	6	..	6	6	7
Tumor	..	2	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	12	..	..	12	5	5
Debility	13	2	5	20	15	17
Malformations	1	..	..	1	1	1
Sudden Deaths	1	4	3	8	13	14
Diseases of Uncertain Seat	34	29	30	93	99	104
Old Age, or Natural Decay	..	..	36	36	63	69
Intemperance	..	1	..	1	.6	.6
Privation	1	..	..	1	.5	.5
Violent Deaths	8	19	2	‡ 30	24	24
Deaths by Violence, Privation, or Intemperance	9	20	2	32	25	25
Causes not specified	..	2	..	2	6	7
Deaths from all Causes	346	266	127	‡ 742	87[illegible]	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Tetanus, 1, Age 10.
(2) Intussusception, 1, Age 4.
(3) Hematemesis, 1, Age 43.
(4) Disease of Spleen, 1, Age 1½.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
...al, ...icts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	131
...th ...icts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	128
...tral ...icts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	137
...st ...icts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	138
...th ...icts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	208
TAL.	Males, 367. Females, 375. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	742

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; ...sington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow: Camber-; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, ...0,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Springs by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" ...peratures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the ...rence in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 3 persons were not stated, one died of Diarrhœa, one of Consumption, and one by Violence.

General Register Office. June 30th, 1842.

§	Weeks ending June 25th	July 2nd *	June 1831-40.
an height barometer	in. 29.694	in. 29.035	in. 29.859
n (weekly)	.543	.462	.428
n Dryness	7°.3	7°.6	7°.0

nd. W. 4 days; N.W. 2; N. 1. Rain on 4 Days.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd July, 1842.

1842.

Temperature. §	Weeks ending June 25th	July 2nd	June 1831-40.
Highest....	84°	84°	87°
Lowest....	53°	52°	43°
Daily Mean	65°	66°	62°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
mall Pox	9	..	..	9	33	32
Measles	25	..	..	25	22	23
carlatina	16	2	..	18	26	32
Hooping Cough	21	..	..	21	33	31
roup	7	..	..	7	7	7
hrush	2	..	..	2	4	5
iarrhœa	4	3	..	7	5	8
ysentery	1	..	..	1	1	2
holera	2	..	..	2	.1	1
nfluenza	..	1	1	2	3	2
yphus (1)	7	6	3	16	42	40
rysipelas	..	..	..	..	6	6
yphilis	..	..	..	..	1	.5
ydrophobia	..	..	..	..	.1	.1
pidemic, Endemic, & Contagious Diseases	94	12	4	110	183	190
ephalitis	11	1	..	12	12	11
ydrocephalus	24	..	..	24	35	34
poplexy	1	5	4	10	16	17
aralysis	..	7	3	10	13	15
onvulsions	62	..	..	62	57	59
pilepsy	..	..	..	..	4	4
sanity	..	..	..	..	1	1
elirium Tremens	..	1	..	1	2	1
s. of Brain, &c, (2)	5	3	1	9	7	7
iseases of the Brain, Nerves, and Senses.	103	17	8	128	147	149
insey	3	1	..	4	1	1
onchitis	4	2	2	8	9	10
eurisy	..	2	..	2	2	2
neumonia	33	2	..	‡36	61	72
ydrothorax	..	1	5	6	4	5
sthma	..	4	4	8	16	25
onsumption	37	100	5	142	150	141
s. of Lungs, &c.	5	8	2	15	12	12
eases of the Lungs, and her Organs of Respiration	82	120	18	‡221	255	268
ericarditis	1	2	..	3	.5	.6
neurism	..	..	..	..	.7	.6
s. of Heart, &c.	2	13	4	19	15	17
seases of the Heart and Bloodvessels.	3	15	4	22	16	18
ething	12	..	..	12	15	17
stritis—Enteritis	13	3	..	16	15	18
ritonitis	..	..	..	..	1	1
bes Mesenterica	10	..	..	10	3	4
cites	..	1	..	1	1	.4
ceration	..	1	1	2	1	1
rnia	..	..	..	..	2	2
lic or Ileus	..	1	2	3	3	2
s. of Stomach, &c.	..	..	..	..	5	5
patitis	..	1	..	1	1	1
ndice	2	1	..	3	2	2
s. of Liver, &c. (3)	1	7	1	9	7	8
eases of the Stomach, iver, and other Organs of Digestion	38	15	4	57	56	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Springs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	2	2	.4	.4
Stricture	..	2	1	3	.2	.3
Dis. of Kidneys, &c.	..	1	1	2	4	2
Diseases of the Kidneys, &c.	..	3	4	7	5	4
Childbed	..	5	..	5	6	7
Ovarian Dropsy	..	..	..	..	.3	.3
Dis. of Uterus, &c.	..	..	..	..	3	2
Childbed, Diseases of the Uterus, &c.	..	5	..	5	9	10
Rheumatism	2	1	2	5	3	3
Dis. of Joints, &c.	3	2	2	7	3	3
Diseases of the Joints, Bones and Muscles	5	3	4	12	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c. (4)	..	..	1	1	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	6	..	1	7	10	10
Hæmorrhage	..	3	..	3	4	3
Dropsy	4	12	9	25	32	34
Abscess	2	2	1	5	4	4
Mortification	..	2	..	2	4	4
Scrofula (5)	3	1	..	4	2	2
Carcinoma	2	7	3	12	6	7
Tumor	1	..	1	2	2	2
Gout	..	..	1	1	1	1
Atrophy	9	3	1	13	5	5
Debility	9	3	8	20	15	17
Malformations	..	..	..	..	1	1
Sudden Deaths	8	9	6	‡24	13	14
Diseases of Uncertain Seat	44	42	31	118	99	104
Old Age, or Natural Decay	..	..	44	44	63	69
Intemperance	..	1	..	1	.6	..6
Privation	..	..	..	..	.4	.5
Violent Deaths	6	13	6	25	24	24
Deaths by Violence, Privation, or Intemperance	6	14	6	26	25	25
Causes not specified	1	1	..	2	6	7
Deaths from all Causes	376	247	128	‡ 753	871	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—

(1) Ague, 1, Age 4.
(2) Tetanus, 1, Age 29.
(3) Disease of Spleen, 1, Age 56.
(4) Carbuncle, 1, Age 74.
(5) Purpura, 1, Age 1.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Springs	Deaths in the Week.
ral ricts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	136	140
th ricts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	156	139
tral ricts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	179	148
st ricts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	190	153
uth ricts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	210	173
TAL.	Males, 467. Females, 346. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	871	753

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; sington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camber-; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 0,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Springs by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" perature are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the rence in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of 2 persons were not stated, one died of Pneumonia, and one suddenly.

General Register Office, July 7th, 1842.

§	Weeks ending July 2nd	Weeks ending July 9th*	July 1831-40.
an height barometer §	in. 29.935	in. 29.830	in. 29.902
ain (weekly)	.462	.566	.436
an Dryness	7°.6	8°.1	6°.9

ind. W. 3 days; S. 2; S.S.E. 2. Rain on 7 Days.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9th July, 1842.

1842.

Temperature. §	Weeks ending July 2nd	Weeks ending July 9th*	July 1831-40.
Highest....	84°	79°	87°
Lowest....	52°	52°	46°
Daily Mean	66°	64°	65°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Summers 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Small Pox	8	..	..	8	29	32
Measles	29	..	..	29	28	23
Scarlatina	27	2	..	29	35	32
Hooping Cough	21	..	..	21	21	31
Croup	10	..	..	10	6	7
Thrush	5	..	..	5	9	5
Diarrhœa	11	2	..	13	17	8
Dysentery	..	..	..	..	2	2
Cholera	..	..	..	..	2	1
Influenza	1	..	1	2	1	2
Typhus (1)	11	5	1	17	35	40
Erysipelas	..	1	2	3	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	1	..	..	1	..	.1
Epidemic, Endemic, & Contagious Diseases	124	10	4	138	191	190
Cephalitis	8	5	1	14	11	11
Hydrocephalus	34	1	..	35	35	34
Apoplexy	..	8	2	10	16	17
Paralysis	1	4	2	7	12	15
Convulsions	54	..	..	54	64	59
Epilepsy	..	3	1	4	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	1	3	1	1
Dis. of Brain, &c.	5	3	1	9	7	7
Diseases of the Brain, Nerves, and Senses.	102	26	8	136	150	149
Quinsey	1	1	..	2	1	1
Bronchitis	1	..	4	5	6	10
Pleurisy	..	3	..	3	1	2
Pneumonia	40	9	4	53	49	72
Hydrothorax	..	1	3	4	3	5
Asthma	..	1	4	5	9	25
Consumption	27	101	4	132	141	141
Dis. of Lungs, &c.	6	8	..	14	9	12
Diseases of the Lungs, and other Organs of Respiration	75	124	19	218	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	1	..	..	1	.5	.6
Dis. of Heart, &c.	4	8	7	19	15	17
Diseases of the Heart and Bloodvessels.	5	8	7	20	16	18
Teething	15	..	..	15	21	17
Gastritis—Enteritis	22	7	2	31	25	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	4	..	..	‡ 5	5	4
Ascites	..	..	..	..	1	.4
Ulceration	..	..	..	..	1	1
Hernia	1	1	..	2	2	2
Colic or Ileus	..	1	..	1	2	2
Dis. of Stomach, &c. (2)	..	5	..	5	7	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	4	..	4	2	2
Dis. of Liver, &c.	..	3	3	6	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	42	22	5	‡ 70	76	61
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	1	..	..	1	1	.4
Stricture	..	..	1	1	.3	.3
Dis. of Kidneys, &c.	..	..	1	1	2	2
Diseases of the Kidneys, &c.	1	..	2	3	4	4
Childbed	..	4	..	4	5	7
Ovarian Dropsy	1	..	..	1	.4	.3
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	1	5	..	6	8	10
Rheumatism	..	1	1	2	2	3
Dis. of Joints, &c.	..	..	..	..	3	3
Diseases of the Joints, Bones and Muscles	..	1	1	2	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	4	2	..	6	9	10
Hæmorrhage	1	6	..	7	3	3
Dropsy	..	13	10	23	29	34
Abscess	1	2	..	3	4	4
Mortification	..	1	5	6	4	4
Scrofula	..	1	..	1	2	2
Carcinoma	..	5	..	5	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	7	..	..	7	7	5
Debility	8	2	3	13	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	4	7	3	14	10	14
Diseases of Uncertain Seat	25	40	21	86	95	104
Old Age, or Natural Decay	..	..	34	34	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	10	20	2	32	22	24
Deaths by Violence, Privation, or Intemperance	10	20	2	32	23	25
Causes not specified	..	..	..	..	6	7
Deaths from all Causes	385	256	103	‡ 745	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever, 1, Age 4.
(2) Hematemesis, 2, Ages 26 and 44.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
...es Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	110
...rth Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	156
...ntral Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	134
...ast Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	162
...uth Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	183
...TAL.	Males, 371. Females, 374. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	745

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; ...nsington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow: Camber-...ll; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, ...70,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" ...mperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the ...erence in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of "Tabes Mesenterica" was not stated.

General Register Office, July 14th, 1842.

§	Weeks ending July 9th	July 16th*	July 1831-40.
Mean height of barometer	in. 29.830	in. 30.03	in. 29.002
Rain (weekly)	.565	.226	.436
Mean Dryness	8°.1	7°.9	6°.9

Wind. S. 2 days; S. W. 1; W. 1; W.N.W. 1; N. 1; E. 1. Rain on 3 Days.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th July, 1842.

1842.

Temperature. §	Weeks ending July 9th	July 16th*	July 1831-40.
Highest ...	79°	83°	87°
Lowest....	52°	53°	46°
Daily Mean	64°	66°	65°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	6	..	..	6	29	32
Measles	29	..	..	29	28	23
Scarlatina	23	2	..	25	35	32
Hooping Cough	17	..	..	17	21	31
Croup	3	..	..	3	6	7
Thrush	13	..	..	13	9	5
Diarrhœa	9	1	2	12	17	8
Dysentery	2	..	..	2	2	2
Cholera	1	..	..	1	2	1
Influenza	..	..	1	1	1	2
Typhus	7	15	3	25	35	40
Erysipelas	..	3	2	5	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	110	21	8	139	191	190
Cephalitis	10	4	1	15	11	11
Hydrocephalus	35	..	..	35	35	34
Apoplexy	1	9	3	13	16	17
Paralysis	..	5	9	14	12	15
Convulsions	61	..	..	61	64	59
Epilepsy	..	4	..	4	3	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	5	7	..	12	7	7
Diseases of the Brain, Nerves, and Senses.	112	32	13	157	150	149
Quinsey	1	..	..	1	1	1
Bronchitis	2	3	1	6	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	28	6	..	34	49	72
Hydrothorax	..	..	..	..	3	5
Asthma	..	5	3	8	9	25
Consumption	38	100	8	146	141	141
Dis. of Lungs, &c. (1)	1	8	2	11	9	12
Diseases of the Lungs, and other Organs of Respiration	70	122	14	206	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	4	4	6	14	15	17
Diseases of the Heart and Bloodvessels.	4	4	6	14	16	18
Vomiting	18	..	..	18	21	17
Gastritis—Enteritis	20	3	4	27	25	18
Peritonitis	..	..	..	..	1	1
Ulcer Mesenterica	6	..	..	6	5	4
Gastrodynia	..	..	1	1	1	.4
Obstruction	..	..	..	..	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	..	3	1	4	2	2
Dis. of Stomach, &c. (2)	1	..	..	1	7	5
Jaundice	1	..	2	3	1	1
Ascites	..	..	..	..	2	2
Dis. of Liver, &c.	..	7	1	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	46	13	10	69	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	1	1	..	2	1	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c.	..	..	1	1	2	2
Diseases of the Kidneys, &c.	1	1	1	3	4	4
Childbed	..	3	..	3	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	6	..	6	8	10
Rheumatism	..	3	..	3	2	3
Dis. of Joints, &c.	2	2	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	5	..	7	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	1	..	1	1	1
Inflammation	2	2	..	4	9	10
Hæmorrhage	..	..	..	..	3	3
Dropsy	2	13	15	30	29	34
Abscess	..	1	..	1	4	4
Mortification	..	1	..	1	4	4
Scrofula	2	..	..	2	2	2
Carcinoma	1	5	2	8	7	7
Tumor	..	1	..	1	2	2
Gout	..	1	1	2	1	1
Atrophy	14	..	2	16	7	5
Debility	19	3	7	29	16	17
Malformations	2	..	..	2	1	1
Sudden Deaths	6	8	4	18	10	14
Diseases of Uncertain Seat	48	35	31	114	95	104
Old Age, or Natural Decay	..	..	51	51	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	8	10	..	18	22	24
Deaths by Violence, Privation, or Intemperance	8	10	..	18	23	25
Causes not specified	..	..	..	..	6	7
Deaths from all Causes	401	250	134	785	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Laryngitis 1, Age 15.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	120
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	117
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	154
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	179
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	215
TOTAL.	Males, 400. Females, 385. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	785

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Islington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, July 21st, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd July, 1842.

§	Weeks ending July 16th	July 23rd	July 1831-40.
ean height Barometer	in. 30.038	in. 29.858	in. 29.002
ain (weekly)	.226	.132	.436
an Dryness	7°.9	6°.8	6°.9

ind. E. 2 days; S. 1; N.W. 2; N.N.W. 1; W. 1.
Rain on 4 Days.

1842.

Temperature. §	Weeks ending July 16th	July 23rd	July 1831-40.
Highest....	83°	78°	87°
Lowest....	53°	53°	46°
Daily Mean	66°	65°	65°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	4 Years 1838-9-40-1
Small Pox	9	..	..	9	29	32
Measles	27	..	..	27	28	23
Scarlatina	22	1	..	23	35	32
Hooping Cough	9	..	..	9	21	31
Croup	7	..	..	7	6	7
Thrush	7	..	..	7	9	5
Diarrhœa	11	1	..	12	17	8
Dysentery	4	1	..	5	2	2
Cholera	1	1	1	3	2	1
Influenza	2	..	..	2	1	2
Typhus	5	9	1	15	35	40
Erysipelas	2	..	1	3	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	106	13	3	122	191	190
Encephalitis	17	4	1	22	11	11
Hydrocephalus	43	2	..	45	35	34
Apoplexy	1	8	7	16	16	17
Paralysis	1	4	9	14	12	15
Convulsions	56	..	..	56	64	59
Epilepsy	..	1	1	2	3	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	3	5	..	8	7	7
Diseases of the Brain, Nerves, and Senses.	121	27	18	166	150	149
Quinsey	..	..	..	..	1	1
Bronchitis	1	1	2	4	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	31	7	3	41	49	72
Hydrothorax	..	..	..	..	3	5
Asthma	1	2	4	7	9	25
Consumption	47	96	7	150	141	141
Dis. of Lungs, &c. (1)	3	2	6	11	9	12
Diseases of the Lungs, and other Organs of Respiration	83	108	22	213	219	268
Pericarditis	1	..	..	1	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	1	10	1	12	15	17
Diseases of the Heart and Bloodvessels.	2	10	1	13	16	18
Teething	18	..	..	18	21	17
Gastritis—Enteritis	25	6	3	34	25	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	2	..	..	2	5	4
Ascites	..	..	..	..	1	.4
Ulceration	..	2	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	2	3	1	6	2	2
Dis. of Stomach, &c. (2)	1	4	..	5	7	5
Hepatitis	..	1	1	2	1	1
Jaundice	2	..	1	3	2	2
Dis. of Liver, &c.	..	5	2	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	50	22	8	80	76	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	4 Years 1838-9-40-1
Nephritis	..	1	..	1	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	..	1	..	1	1	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c. (3)	..	..	2	2	2	2
Diseases of the Kidneys, &c.	..	2	2	4	4	4
Childbed	..	7	..	7	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	..	1	1	2	2
Childbed, Diseases of the Uterus, &c.	..	7	1	8	8	10
Rheumatism	1	1	..	2	2	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	1	2	..	3	5	6
Ulcer	..	1	..	1	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	1	..	1	1	1
Inflammation	2	1	..	3	9	10
Hæmorrhage	..	2	..	2	3	3
Dropsy	3	11	9	23	29	34
Abscess	..	..	..	..	4	4
Mortification	..	1	..	1	4	4
Scrofula	1	..	..	1	2	2
Carcinoma	1	4	4	9	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	5	1	..	6	7	5
Debility	15	1	3	19	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	1	1	4	6	10	14
Diseases of Uncertain Seat	28	22	20	70	95	104
Old Age, or Natural Decay	..	..	43	43	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	7	10	2	19	22	24
Deaths by Violence, Privation, or Intemperance	7	10	2	19	23	25
Causes not specified	1	1	..	2	6	7
Deaths from all Causes	399	225	120	744	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Laryngitis 1, Age 3.
(2) Hematemesis 1, Age 16.
(3) Cystitis 1, Age 60.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	104
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	144
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	157
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	164
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	175
TOTAL.	Males, 371. Females, 373. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	744

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, July 28th, 1842.

§	Weeks ending July 23rd	July 30th*	July 1831 40.
Mean height of Barometer	in. 29.858	in. 30.195	in 29.902
Rain (weekly)	.132	.49	.436
Mean Dryness	67.8	59.1	62.9

* Wind N. 2 days; N.W. 1; N.N.W. 1; W. 1; E. 2. Rain on 3 Days. July 27th, Thunder and Lightning throughout the Night.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th July, 1842.

1842.

Temperature. §	Weeks ending July 23rd	July 30th	July 1831 40.
Highest ...	78°	80°	87°
Lowest....	53°	50°	46°
Daily Mean	65°	63°	65°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summrs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	16	..	..	16	29	32
Measles	18	..	..	18	28	23
Scarlatina	27	1	..	28	35	32
Hooping Cough	18	..	..	18	21	31
Croup	7	..	..	7	6	7
Thrush	10	..	..	10	9	5
Diarrhœa	19	2	3	24	17	8
Dysentery	2	2	2	6	2	2
Cholera	2	..	..	2	2	1
Influenza	..	..	1	1	1	2
Typhus	9	11	4	24	35	40
Erysipelas	1	2	1	4	5	6
Syphilis	..	1	..	1	1	.5
Hydrophobia	1	..	..	1	..	.1
Epidemic, Endemic, & Contagious Diseases	130	19	11	160	191	190
Cephalitis	9	3	..	12	11	11
Hydrocephalus	47	..	..	47	35	34
Apoplexy	..	6	12	18	16	17
Paralysis	1	6	9	16	12	15
Convulsions	57	..	..	57	64	59
Epilepsy	..	3	..	3	3	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	2	4	..	6	7	7
Diseases of the Brain, Nerves, and Senses.	116	24	22	162	150	149
Quinsey	..	1	..	1	1	1
Bronchitis	..	2	4	6	6	10
Pleurisy	..	..	1	1	1	2
Pneumonia	34	4	2	40	49	72
Hydrothorax	..	3	1	4	3	5
Asthma	..	2	4	6	9	25
Consumption	33	115	8	156	141	141
Dis. of Lungs, &c.	4	5	4	13	9	12
Diseases of the Lungs, and other Organs of Respiration	71	132	24	227	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	2	9	4	15	15	17
Diseases of the Heart and Bloodvessels.	2	9	4	15	16	18
Teething	21	..	..	21	21	17
Gastritis—Enteritis	29	4	2	‡36	25	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	5	1	..	6	5	4
Ascites	..	..	..	..	1	.4
Ulceration	..	1	..	1	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	1	..	2	2	2
Dis. of Stomach, &c.	1	3	4	8	7	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	1	2	2	2
Dis. of Liver, &c.	1	5	3	9	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	58	19	10	‡88	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summrs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	..	..	1	1	1	.4
Stricture	..	..	..	..	.3	.5
Dis. of Kidneys, &c.	..	3	3	6	2	2
Diseases of the Kidneys, &c	..	3	4	7	4	4
Childbed	..	6	..	6	5	7
Ovarian Dropsy	..	2	..	2	.4	.3
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	8	..	8	8	10
Rheumatism	..	..	..	..	2	3
Dis of Joints, &c.	1	5	..	6	3	3
Diseases of the Joints, Bones and Muscles	1	5	..	6	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	4	2	..	6	9	10
Hæmorrhage	1	2	1	4	3	3
Dropsy	1	14	13	28	29	34
Abscess	2	2	1	5	4	4
Mortification	..	..	1	1	4	4
Scrofula	1	..	..	1	2	2
Carcinoma	..	11	3	14	7	7
Tumor	..	2	1	3	2	2
Gout	..	..	1	1	1	1
Atrophy	11	..	2	13	7	5
Debility	15	5	4	24	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	5	15	3	23	10	14
Diseases of Uncertain Seat	40	53	30	123	95	104
Old Age, or Natural Decay	..	..	56	56	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	1	1	.2	.5
Violent Deaths (1)	8	10	4	22	22	24
Deaths by Violence, Privation, or Intemperance	8	10	5	23	23	25
Causes not specified	2	3	2	7	6	7
Deaths from all Causes	428	285	168	‡882	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Lightning 1, Age 60.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	175
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	181
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	189
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	201
TOTAL	Males. 451. Females. 431. (Weekly average 1838-9-40-1, Males, 467. Females. 445.)	1,870,727	912	848	882

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one Person who died of "Enteritis" was not stated.

General Register Office, August 4th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th August, 1842.

§	Weeks ending July 30th	Weeks ending Aug. 6th*	Aug. 1831-40.
Mean height of Barometer	in. 30.195	in. 29.990	in. 29.872
Rain (weekly)	.490		.343
Mean Dryness	5°.1	5°.0	5°.7

Wind. N. 3 days; N.W. 1; 2; S.S.E. 1.

1842.

Temperature. §	Weeks ending July 30th	Weeks ending Aug. 6th	Aug. 1831-40.
Highest....	80°	82°	84°
Lowest....	50°	55°	45°
Daily Mean	63°	66°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	6	..	..	6	29	32
Measles	32	..	..	32	28	23
Scarlatina	28	3	..	31	35	32
Hooping Cough	18	..	..	18	21	31
Croup	8	..	..	8	6	7
Thrush	13	..	..	13	9	5
Diarrhœa	31	4	5	40	17	8
Dysentery	4	3	1	8	2	2
Cholera	3	3	3	9	2	1
Influenza	1	..	..	1	1	2
Typhus (1)	12	13	5	30	35	40
Erysipelas	..	1	1	2	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	156	27	15	198	191	190
Cephalitis	8	..	..	8	11	11
Hydrocephalus	33	2	..	35	35	34
Apoplexy	1	3	5	9	16	17
Paralysis	1	8	8	17	12	15
Convulsions	62	..	..	62	64	59
Epilepsy	1	1	1	3	3	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	3	7	1	11	7	7
Diseases of the Brain, Nerves, and Senses.	109	22	16	147	150	149
Quinsey	1	..	..	1	1	1
Bronchitis	2	3	2	7	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	45	4	4	53	49	72
Hydrothorax	1	..	..	1	3	5
Asthma	..	2	3	5	9	25
Consumption	35	101	5	141	141	141
Dis. of Lungs, &c.	2	5	5	12	9	12
Diseases of the Lungs, and other Organs of Respiration	86	115	19	220	219	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	3	13	3	19	15	17
Diseases of the Heart and Bloodvessels.	3	14	3	20	16	18
Teething	23	..	..	23	21	17
Gastritis—Enteritis	27	7	3	37	25	18
Peritonitis	..	1	1	2	1	1
Tabes Mesenterica	8	..	..	8	5	4
Ascites	..	1	..	1	1	.4
Ulceration	1	1	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	..	1	2	2	2
Dis. of Stomach, &c.	..	..	1	1	7	5
Hepatitis	..	..	1	1	1	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c.	1	5	4	10	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	61	16	11	88	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	1	..	1	.2	.3
Stone	..	..	..	..	1	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c.	..	4	2	6	2	2
Diseases of the Kidneys, &c.	..	5	2	7	4	4
Childbed	..	4	..	4	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	5	..	5	8	10
Rheumatism	..	3	1	4	2	3
Dis. of Joints, &c.	..	..	..	..	3	3
Diseases of the Joints, Bones and Muscles	..	3	1	4	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	2	1	..	3	.3	.3
Diseases of the Skin, &c.	2	1	..	3	1	1
Inflammation	3	1	1	5	9	10
Hæmorrhage	1	..	..	1	3	3
Dropsy	3	20	14	37	29	34
Abscess	1	1	..	2	4	4
Mortification	..	1	2	3	4	4
Scrofula (2)	2	..	1	3	2	2
Carcinoma	..	7	2	9	7	7
Tumor	..	1	1	2	2	2
Gout	..	..	2	2	1	1
Atrophy	7	2	1	10	7	5
Debility	20	5	5	30	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	2	4	4	10	10	14
Diseases of Uncertain Seat	39	42	33	114	95	104
Old Age, or Natural Decay	..	..	56	56	54	69
Intemperance	..	1	..	1	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	14	8	3	25	22	24
Deaths by Violence, Privation, or Intemperance	14	9	3	26	23	25
Causes not specified	..	1	1	2	6	7
Deaths from all Causes	470	260	160	890	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague 1, Age 70.
(2) Purpura, 2, Ages 10 Months, and 70 Years.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	130
North districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	197
Central districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	165
East districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	225
South districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	173
TOTAL.	Males, 465. Females, 424. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	890

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, August 11th, 1842.

§	Weeks ending Aug. 6th	Aug. 13th*	Aug. 1831-40.
Mean height of barometer §	in. 29.990	in. 30.005	in 29.872
Rain (weekly)			.313
Mean Dryness	5°.0	7°.6	5°.7

*Wind S 2 days, S S E 1, S. E. 2, E.S.E. 1, E. 1. Aug. 10, Thunder & lightning at ½ past 12, p.m. † The Rain will be given at the end of Mo.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th August, 1842.

1842.

Temperature §	Weeks ending Aug. 6th	Aug. 13th	Aug. 1831-40.
Highest ...	82°	87°	84°
Lowest	55°	58°	45°
Daily Mean	66°	70°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	10	..	..	10	29	32
Measles	18	..	..	18	28	23
Scarlatina	18	1	..	19	35	32
Hooping Cough	14	..	..	14	21	31
Croup	9	..	1	10	6	7
Thrush	10	..	..	10	9	5
Diarrhœa	36	7	5	48	17	8
Dysentery	1	2	2	5	2	2
Cholera	4	3	1	8	2	1
Influenza	..	..	..	..	1	2
Typhus	2	15	1	18	35	40
Erysipelas	1	2	..	3	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	123	30	10	163	191	190
Cephalitis	10	3	..	13	11	11
Hydrocephalus	44	..	..	44	35	34
Apoplexy	1	4	4	9	16	17
Paralysis	..	5	9	14	12	15
Convulsions	81	..	..	81	64	59
Epilepsy	..	2	..	2	3	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c. (1)	4	2	..	6	7	7
Diseases of the Brain, Nerves, and Senses.	140	18	14	172	150	149
Quinsey	..	1	..	1	1	1
Bronchitis	1	2	1	4	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	40	5	2	47	49	72
Hydrothorax	..	1	..	1	3	5
Asthma	..	6	3	9	9	25
Consumption	47	94	3	144	141	141
Dis. of Lungs, &c. (2)	3	7	1	11	9	12
Diseases of the Lungs, and other Organs of Respiration	91	116	10	217	219	268
Pericarditis	1	..	..	1	.5	.6
Aneurism	..	2	..	2	.5	.6
Dis. of Heart, &c.	..	4	7	11	15	17
Diseases of the Heart and Bloodvessels.	1	6	7	14	16	18
Teething	24	..	..	24	21	17
Gastritis—Enteritis	24	6	4	34	25	18
Peritonitis	..	4	..	4	1	1
Tabes Mesenterica	6	..	..	6	5	4
Ascites	..	3	1	4	1	.4
Ulceration	1	..	..	1	1	1
Hernia	1	..	..	1	2	2
Colic or Ileus	2	1	..	3	2	2
Dis. of Stomach, &c (3)	3	3	..	6	7	5
Hepatitis	..	1	1	2	1	1
Jaundice	1	1	2	4	2	2
Dis. of Liver, &c.	2	2	3	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	64	21	11	96	76	61
Nephritis	..	..	..	..	.3	.4
Diabetes	..	1	..	1	.2	.3
Stone	..	2	..	2	1	.4
Stricture	..	1	..	1	.3	.3
Dis. of Kidneys, &c.	..	..	..	..	2	2
Diseases of the Kidneys, &c.	..	4	..	4	4	4
Childbed	..	4	..	4	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	6	..	6	8	10
Rheumatism	..	2	..	2	2	3
Dis. of Joints, &c.	3	..	..	3	3	3
Diseases of the Joints, Bones and Muscles	3	2	..	5	5	6
Ulcer	..	1	..	1	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	1	..	2	1	1
Inflammation	5	4	..	9	9	10
Hæmorrhage	..	7	1	8	3	3
Dropsy	7	20	13	40	29	34
Abscess	1	1	..	2	4	4
Mortification	1	..	1	2	4	4
Scrofula	..	..	..	..	2	2
Carcinoma	..	8	2	10	7	7
Tumor	..	2	1	3	2	2
Gout	..	..	1	1	1	1
Atrophy	6	..	6	12	7	5
Debility	13	4	5	22	16	17
Malformations	1	..	..	1	1	1
Sudden Deaths	5	4	2	11	10	14
Diseases of Uncertain Seat	39	50	32	121	95	104
Old Age, or Natural Decay	..	..	52	52	54	69
Intemperance	..	1	..	1	.7	.6
Privation	1	..	..	1	.2	.5
Violent Deaths	4	9	3	16	22	24
Deaths by Violence, Privation, or Intemperance	5	10	3	18	23	25
Causes not specified	1	1	2	4	6	7
Deaths from all Causes	468	265	141	874	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—

(1) Chorea 1, Age 6.
(2) Laryngitis, 1, Age 2.
(3) Worms 1, Age 4; Stricture of œsophagus 1, Age 2; Hematemesis 1, Age 4.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	124
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	164
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	179
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	192
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	215
TOTAL.	Males, 417. Females, 427. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	874

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, August 18th, 1842.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th August, 1842.

§	Weeks ending Aug. 13th	Weeks ending Aug. 20th*	Aug. 1831-40.
Mean height of Barometer	in. 30.005	in. 30.056	in. 29.872
Rain (weekly)			.343
Mean Dryness	7°.6	6°.5	5°.7

Wind E. 1 day, E.S.E. 2, E.N.E. W. 1, W.S.W. 1, W.N.W. 1. The Rain will be given at the end of the Month.

1842.

Temperature. §	Weeks ending Aug. 13th	Weeks ending Aug. 20th	Aug. 1831-40.
Highest....	87°	86°	84°
Lowest....	58°	61°	45°
Daily Mean	70°	72°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	9	3	..	12	29	32
Measles	25	..	..	25	28	23
Scarlatina	40	3	..	43	35	32
Hooping Cough	8	..	..	8	21	31
Croup	7	..	..	7	6	7
Thrush	6	..	..	6	9	5
Diarrhœa	52	5	13	70	17	8
Dysentery	..	2	..	2	2	2
Cholera	13	9	7	29	2	1
Influenza	..	3	..	3	1	2
Typhus (1)	9	14	3	26	35	40
Erysipelas	..	..	1	1	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	169	39	24	232	191	190
Cephalitis	9	1	..	10	11	11
Hydrocephalus	43	2	..	45	35	34
Apoplexy	3	6	7	16	16	17
Paralysis	..	4	3	7	12	15
Convulsions	45	1	..	46	64	59
Epilepsy	1	4	1	6	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	5	..	5	1	1
Dis. of Brain, &c.	5	3	1	9	7	7
Diseases of the Brain, Nerves, and Senses.	106	26	12	144	150	149
Quinsey	4	..	..	4	1	1
Bronchitis	2	1	1	4	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	49	5	3	57	49	72
Hydrothorax	..	..	1	1	3	5
Asthma	..	3	1	4	9	25
Consumption	41	92	7	140	141	141
Dis. of Lungs, &c.	3	6	3	12	9	12
Diseases of the Lungs, and other Organs of Respiration	99	107	16	222	219	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	1	..	1	.5	.6
Dis. of Heart, &c.	4	15	2	21	15	17
Diseases of the Heart and Bloodvessels.	4	17	2	23	16	18
Teething	37	..	..	37	21	17
Gastritis—Enteritis	30	7	6	43	25	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	9	..	..	9	5	4
Ascites	..	..	..	..	1	.4
Ulceration	3	1	..	4	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	3	..	..	3	2	2
Dis. of Stomach, &c (2)	5	3	1	9	7	5
Hepatitis	..	1	..	1	1	1
Jaundice	3	..	..	3	2	2
Dis. of Liver, &c.	2	8	1	11	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	92	21	8	121	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	2	..	2	.2	.3
Stone	..	..	..	..	1	.4
Stricture	..	1	3	4	.3	.3
Dis. of Kidneys, &c. (3)	1	..	4	5	2	2
Diseases of the Kidneys, &c.	1	3	7	11	4	4
Childbed	..	8	..	8	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	8	10
Rheumatism	..	1	..	1	2	3
Dis. of Joints, &c.	..	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	..	3	..	3	5	6
Ulcer	..	..	1	1	.2	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	1	1	3	1	1
Inflammation	5	2	..	7	9	10
Hæmorrhage	2	2	1	5	3	3
Dropsy	2	18	11	‡32	29	34
Abscess	1	2	..	3	4	4
Mortification	1	1	3	5	4	4
Scrofula	2	..	..	2	2	2
Carcinoma	1	4	3	8	7	7
Tumor	..	..	1	1	2	2
Gout	..	1	..	1	1	1
Atrophy	9	1	4	14	7	5
Debility	11	2	3	16	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	9	9	1	19	10	14
Diseases of Uncertain Seat	43	42	27	‡113	95	104
Old Age, or Natural Decay	..	..	60	60	54	69
Intemperance	..	1	..	1	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	2	10	4	16	22	24
Deaths by Violence, Privation, or Intemperance	2	11	4	17	23	25
Causes not specified	1	..	..	1	6	7
Deaths from all Causes	518	279	161	‡959	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Ague 1, Age 8. Remittent Fever 2, Ages 2.
(2) Worms, 2, Age 3. Stricture of œsophagus 1, Age 68.
(3) Ischuria 2, Ages 65 & 85.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	160
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	171
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	162
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	228
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	238
TOTAL.	Males, 490. Females, 469. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	959

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Dropsy was not stated.

General Register Office, August 25th, 1842.

§	Weeks ending Aug 20th	Aug. 27th*	Aug. 1831-40.
an height barometer	in. 30.056	in. 29.825	in. 29.872
in(weekly)			.343
an Dryness	6°.5	5°.4	5°.7

Wind S. 2 days; S.W. 1; N. 1; N.E. 1; N.E. 1; E.N.E. 1. Rain will be given at the end the Month.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th August, 1842.

1842.

Temperature. §	Weeks ending Aug. 20th	Aug. 27th	Aug. 1831-40.
Highest	86°	80°	84°
Lowest	61°	58°	45°
Daily Mean	72°	68°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	11	1	..	12	29	32
Measles	24	..	..	24	28	23
Scarlatina	28	..	..	28	35	32
Hooping Cough	10	..	..	10	21	31
Croup	3	..	..	3	6	7
Thrush	8	..	..	8	9	5
Diarrhœa	48	6	13	67	17	8
Dysentery	3	1	..	4	2	2
Cholera	7	5	4	16	2	1
Influenza	..	..	1	1	1	2
Typhus	3	9	3	15	35	40
Erysipelas	..	2	2	4	5	6
Syphilis	..	..	..	‡1	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	145	24	23	‡193	191	190
Cephalitis	11	5	..	16	11	11
Hydrocephalus	36	..	..	36	35	34
Apoplexy	..	14	6	20	16	17
Paralysis	..	2	6	8	12	15
Convulsions	61	..	..	61	64	59
Epilepsy	..	2	..	2	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	4	2	..	6	7	7
Diseases of the Brain, Nerves, and Senses.	112	27	12	151	150	149
Quinsey	2	..	..	2	1	1
Bronchitis	..	1	2	3	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	34	6	2	42	49	72
Hydrothorax	..	1	..	1	3	5
Asthma	..	2	3	5	9	25
Consumption	42	99	9	150	141	141
Dis. of Lungs, &c.	4	7	2	13	9	12
Diseases of the Lungs, and other Organs of Respiration	82	116	18	216	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	2	8	4	14	15	17
Diseases of the Heart and Bloodvessels.	2	8	4	14	16	18
Teething	32	..	..	32	21	17
Gastritis—Enteritis	27	7	3	37	25	18
Peritonitis	1	..	..	1	1	1
Mabes Mesenterica	7	..	..	7	5	4
Ascites	1	..	1	2	1	.4
Ulceration	2	..	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	2	3	5	2	2
Dis. of Stomach, &c (1)	1	2	1	4	7	5
Hepatitis	..	..	..	..	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c. (2)	2	8	..	10	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	73	20	9	102	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average 4 Summers 1838-9-40-1	Weekly Average 4 Years 1838-9-40-1
Nephritis	..	..	1	1	.3	.4
Diabetes	..	2	..	2	.2	.3
Stone	..	..	..	..	1	.4
Stricture	..	1	..	1	.3	.3
Dis. of Kidneys, &c.	..	1	..	1	2	2
Diseases of the Kidneys, &c.	..	4	1	5	4	4
Childbed	..	2	..	2	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	2	..	2	8	10
Rheumatism	1	2	..	3	2	3
Dis. of Joints, &c.	..	3	..	3	3	3
Diseases of the Joints, Bones and Muscles	1	5	..	6	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c. (3)	..	..	1	1	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	5	3	..	8	9	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	2	19	15	36	29	34
Abscess	..	1	1	2	4	4
Mortification	1	..	1	2	4	4
Scrofula	2	1	..	3	2	2
Carcinoma	1	3	3	7	7	7
Tumor	..	4	2	6	2	2
Gout	..	3	..	3	1	1
Atrophy	14	..	4	18	7	5
Debility	14	1	6	21	16	17
Malformations	1	..	..	1	1	1
Sudden Deaths	1	8	2	11	10	14
Diseases of Uncertain Seat	41	44	34	119	95	104
Old Age, or Natural Decay	..	..	61	61	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	9	12	2	23	22	24
Deaths by Violence, Privation, or Intemperance	9	12	2	23	23	25
Causes not specified	..	..	2	2	6	7
Deaths from all Causes	465	262	167	‡895	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Worms, 1, Age 5. Stricture of œsophagus 1, Age 50.
(2) Disease of Spleen 2, Ages 1 & 8.
(3) Carbuncle 1, Age 77.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	129
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	167
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	170
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	219
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	210
TOTAL.	Males, 470. Females, 425. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	895

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Syphilis was not stated.

General Register Office, September 1st, 1842.

§	Weeks ending Aug. 27th	Sep. 3rd*	Aug. 1831-40.
Mean height of barometer §	in. 29.825	in. 30.035	in. 29.872
Rain (weekly)	†	2.714	.343
Mean Dryness	5°.4	3°.2	5°.7

Wind N. 2 days; N.W. 2; N.N.E. 1; N.E. 1; S. 1. Rain on 5 days. Aug. 30. Heavy rain between 5 & 6 evening, with Thun. & Light.

† Rain during the Four Weeks ending Aug. 27. 1.563.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd September, 1842.

1842.

Temperature. §	Weeks ending Aug. 27th	Sep. 3rd	Aug. 1831-40.
Highest....	80°	76°	84°
Lowest....	58°	50°	45°
Daily Mean	68°	64°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	8	1	..	9	29	32
Measles	18	..	..	18	28	23
Scarlatina	35	2	1	38	35	32
Hooping Cough	6	..	..	6	21	31
Croup	6	..	..	6	6	7
Thrush	7	..	..	7	9	5
Diarrhœa	51	4	8	63	17	8
Dysentery	2	5	..	7	2	2
Cholera	9	..	9	18	2	1
Influenza	..	..	..	..	1	2
Typhus	7	14	5	26	35	40
Erysipelas	2	1	2	5	5	6
Syphilis	1	2	..	3	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	152	29	25	206	191	190
Cephalitis	8	4	..	12	11	11
Hydrocephalus	36	..	..	36	35	34
Apoplexy	..	4	2	6	16	17
Paralysis	1	6	6	13	12	15
Convulsions	64	..	..	64	64	59
Epilepsy	1	1	2	4	3	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c. (1)	2	10	..	12	7	7
Diseases of the Brain, Nerves, and Senses.	112	27	10	149	150	149
Quinsey	1	..	..	1	1	1
Bronchitis	..	1	1	2	6	10
Pleurisy	1	..	..	1	1	2
Pneumonia	31	2	1	34	49	72
Hydrothorax	1	1	1	3	3	5
Asthma	..	2	2	4	9	25
Consumption	21	101	6	128	141	141
Dis. of Lungs, &c. (2)	4	3	1	8	9	12
Diseases of the Lungs, and other Organs of Respiration	59	110	12	181	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	2	..	2	.5	.6
Dis. of Heart, &c.	2	14	2	18	15	17
Diseases of the Heart and Bloodvessels.	2	16	2	20	16	18
Teething	18	..	..	18	21	17
Gastritis—Enteritis	21	5	3	29	25	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	5	..	..	5	5	4
Ascites	..	..	..	..	1	.4
Ulceration	1	1	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	2	1	..	3	2	2
Dis. of Stomach, &c (3)	..	1	1	2	7	5
Hepatitis	..	..	..	..	1	1
Jaundice	2	1	1	4	2	2
Dis. of Liver, &c.	1	5	1	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	50	15	6	71	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summers 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	1	..	1	.2	.3
Stone	..	..	1	1	1	.4
Stricture	..	2	..	2	.3	.3
Dis. of Kidneys, &c.	1	2	1	4	2	2
Diseases of the Kidneys, &c.	1	5	2	8	4	4
Childbed	..	3	..	3	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c. (4)	..	5	..	5	2	2
Childbed, Diseases of the Uterus, &c.	..	8	..	8	8	10
Rheumatism	..	1	..	1	2	3
Dis. of Joints, &c.	2	2	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	3	..	5	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c. (5)	..	..	1	1	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	3	..	..	3	9	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	1	18	8	27	29	34
Abscess	1	1	..	2	4	4
Mortification	2	1	1	4	4	4
Scrofula	..	..	1	1	2	2
Carcinoma	..	6	3	9	7	7
Tumor	..	..	2	2	2	2
Gout	..	..	2	2	1	1
Atrophy	12	1	5	18	7	5
Debility	19	5	2	26	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	5	6	4	15	10	14
Diseases of Uncertain Seat	43	39	28	110	95	104
Old Age, or Natural Decay	..	..	49	49	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	5	12	2	19	22	24
Deaths by Violence, Privation, or Intemperance	5	12	2	19	23	25
Causes not specified	..	..	..	..	6	7
Deaths from all Causes	426	264	137	827	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—

(1) Tetanus, 2, Ages 28 & 40.
(2) Laryngitis 2, Ages 3 & 12.
(3) Stricture of œsophagus 1, Age 39.
(4) Paramenia 2, Ages 34 & 47.
(5) Carbuncle 1, Age 67.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	122
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	159
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	164
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	188
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	194
TOTAL.	Males, 412. Females, 415. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	827

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, September 8th, 1842.

§	Weeks ending Sep 3rd	Sep. 10th	Sep. 1831-40.
height of Barometer	in. 30.035	in. 29.760	in. 29.813
(weekly)	2.714	.990	.436
Dryness	3°.2	6°.4	4°.3

and S. 2 days; S.W. 2; S.S. S.E. 1; E. 1. Rain on 3 Sep. 7. Thunder and Light.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th September, 1842.

1842.

Temperature §	Weeks ending Sep. 3rd	Sep. 10 h	Sep 183 40
Highest ..	76°	71°	76°
Lowest....	50°	55°	41°
Daily Mean	64°	63°	58°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Summrs 1838-9-40-1	4 Years
Small Pox	12	1	..	13	29	32
Measles	21	..	..	21	28	23
Scarlatina	27	2	1	30	35	32
Hooping Cough	15	..	..	15	21	31
Croup	7	..	..	7	6	7
Thrush	10	..	..	10	9	5
Diarrhœa	41	2	5	48	17	8
Dysentery	2	3	3	8	2	2
Cholera	3	..	1	4	2	1
Influenza	..	..	..	..	1	2
Typhus	6	12	2	20	35	40
Erysipelas	3	2	1	6	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.	.1
Epidemic, Endemic, & Contagious Diseases	147	22	13	182	191	190
Encephalitis	6	1	..	7	11	11
Hydrocephalus	40	1	..	41	35	34
Apoplexy	2	5	7	14	16	17
Paralysis	2	1	11	14	12	15
Convulsions	55	..	..	55	64	59
Epilepsy	..	8	1	9	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	4	5	..	9	7	7
Diseases of the Brain, Nerves, and Senses.	109	22	19	150	150	149
Quinsey	3	..	..	3	1	1
Bronchitis	1	3	3	7	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	34	6	3	43	49	72
Hydrothorax	..	..	4	4	3	5
Asthma	..	4	3	7	9	2[illegible]
Consumption	43	90	5	138	141	141
Dis. of Lungs, &c.	1	6	2	9	9	12
Diseases of the Lungs, and other Organs of Respiration	82	109	20	211	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	2	4	2	8	15	17
Diseases of the Heart and Bloodvessels.	2	4	2	8	16	18
Teething	34	..	..	34	21	17
Gastritis—Enteritis	22	4	5	31	25	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	12	..	..	12	5	4
Ascites	..	..	..	..	1	.4
Ulceration	2	..	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	2	..	2	2	2
Dis. of Stomach, &c (1)	1	2	1	4	7	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	3	1	4	2	2
Dis. of Liver, &c.	..	3	1	4	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	71	17	8	96	76	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Summrs 1838-9-40-1	4 Years
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	..	1	..	1	1	.4
Stricture	..	..	..	..	.3	3
Dis. of Kidneys, &c. (2)	2	..	1	3	2	2
Diseases of the Kidneys, &c	2	1	1	4	4	4
Childbed	..	10	..	10	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	.	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	8	10
Rheumatism	..	1	1	2	2	3
Dis. of Joints, &c.	3	..	.	3	3	3
Diseases of the Joints, Bones and Muscles	3	1	1	5	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	1	1	2	.3	.3
Diseases of the Skin, &c.	..	1	1	2	1	1
Inflammation	1	..	1	2	9	10
Hæmorrhage	..	3	..	3	3	3
Dropsy	3	25	9	37	29	34
Abscess	..	1	..	1	4	4
Mortification	1	..	1	2	4	4
Scrofula	2	1	..	3	2	2
Carcinoma	1	4	3	8	7	7
Tumor	1	2	1	4	2	2
Gout	..	1	1	2	1	1
Atrophy	12	1	3	16	7	5
Debility	17	4	4	25	16	17
Malformations	1	..	..	1	1	1
Sudden Deaths	2	6	5	‡14	10	14
Diseases of Uncertain Seat	41	48	28	‡118	95	104
Old Age, or Natural Decay	..	..	47	47	54	69
Intemperance	..	1	..	1	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	7	9	1	‡18	22	24
Deaths by Violence, Privation, or Intemperance	7	10	1	19	23	25
Causes not specified	1	5	5	11	6	7
Deaths from all Causes	465	251	146	‡864	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Hematemesis, 1, Age 50.
(2) Cystitis 1, Age 3.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	167
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	170
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	194
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	197
TOTAL.	Males, 407. Females, 457. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	864

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons, one of whom died Suddenly, and the other by Violence, were not stated.

General Register Office, September 15th, 1842.

§	Weeks ending Sep. 10th	Sep. 17th*	Sep. 1831-40.
n height rometer	in. 29.760	in. 29.936	in. 29.813
(weekly)	.999	.052	.436
n Dryness	6°.4	4°.9	4°.3

Vind N. 3 days; N.W. 1; 1; E. 2. Rain on 1 day.

A TABLE OF MORTALITY

FOR THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th September, 1842.

1842.

Temperature §	Weeks ending Sep. 10th	Sep. 17th	Sep. 1831-40.
Highest....	71°	70°	76°
Lowest....	55°	52°	41°
Daily Mean	63°	61°	58°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summrs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	8	..	..	8	29	32
Measles	20	..	..	20	28	23
Scarlatina	32	3	..	35	35	32
Hooping Cough	15	..	..	15	21	31
Croup	7	..	..	7	6	7
Thrush	9	..	..	9	9	5
Diarrhœa	31	2	7	40	17	8
Dysentery	4	1	..	5	2	2
Cholera	2	2	1	5	2	1
Influenza	..	1	..	1	1	2
Typhus	8	22	2	32	35	40
Erysipelas	2	1	..	3	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	138	32	10	180	191	190
Cephalitis	14	3	..	17	11	11
Hydrocephalus	29	..	..	29	35	34
Apoplexy	..	7	2	9	16	17
Paralysis	1	4	6	11	12	15
Convulsions	57	1	1	59	64	59
Epilepsy	..	..	1	1	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c.	4	1	3	8	7	7
Diseases of the Brain, Nerves, and Senses.	105	16	13	134	150	149
Quinsey	..	..	..	..	1	1
Bronchitis	3	2	1	6	6	10
Pleurisy	1	..	..	1	1	2
Pneumonia	41	5	2	48	49	72
Hydrothorax	..	2	1	3	3	5
Asthma	..	4	4	8	9	2[illegible]
Consumption	50	85	6	141	141	141
Dis. of Lungs, &c.	1	7	1	9	9	12
Diseases of the Lungs, and other Organs of Respiration	96	105	15	216	219	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	3	11	8	22	15	17
Diseases of the Heart and Bloodvessels.	3	12	8	23	16	18
Teething	27	..	..	27	21	17
Gastritis—Enteritis	16	9	2	27	25	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	5	..	..	5	5	4
Ascites	..	1	1	2	1	.4
Ulceration	1	..	2	3	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	1	..	2	2	2
Dis. of Stomach, &c (1)	..	4	2	6	7	5
Hepatitis	1	..	..	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	4	7	3	14	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	55	24	10	89	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summrs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	.3	.4
Diabetes	..	1	..	1	.2	.3
Stone	..	..	..	..	1	.4
Stricture	..	1	..	1	.3	.3
Dis. of Kidneys, &c.	..	1	4	5	2	2
Diseases of the Kidneys, &c.	..	4	4	8	4	4
Childbed	..	2	..	2	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	4	..	4	8	10
Rheumatism	..	3	..	3	2	3
Dis. of Joints, &c.	3	..	1	4	3	3
Diseases of the Joints, Bones and Muscles	3	3	1	7	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	3	..	..	3	9	10
Hæmorrhage	2	2	..	4	3	3
Dropsy	5	19	14	38	29	34
Abscess	3	..	..	3	4	4
Mortification	2	..	1	3	4	4
Scrofula	3	..	..	3	2	2
Carcinoma	..	6	2	8	7	7
Tumor	1	1	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	11	..	1	12	7	5
Debility	23	7	2	32	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	5	9	3	17	10	14
Diseases of Uncertain Seat	58	44	23	125	95	104
Old Age, or Natural Decay	..	..	48	48	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	2	21	3	‡27	22	24
Deaths by Violence, Privation, or Intemperance	2	21	3	27	23	25
Causes not specified	..	2	1	3	6	7
Deaths from all Causes	460	267	136	‡864	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—

(1) Stricture of œsophagus 1, Age 59. Hematemesis, 1, Age 38.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	124
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	147
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	178
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	205
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	210
TOTAL	Males. 443. Females. 421. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	864

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died by Violence was not stated.

General Register Office, September 22nd, 1842.

§	Weeks ending Sep 17th	Sep. 24th*	Sep. 1831-40.
	in.	in.	in.
Barometer height (corrected)	29.936	29.502	29.815
Rain (weekly)	.052	1.192	.436
Mean Dryness	4°.9	4°.5	4°.3

Wind S. 2 days; S.S.W. 1; S.W. 1; W. 1; N. 1; E. 1. Rain 5 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th September, 1842.

1842.

Temperature. §	Weeks ending Sep. 17th	Sep. 24th	Sep. 1831-40.
Highest	70°	71°	76°
Lowest	52°	44°	41°
Daily Mean	61°	57°	58°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summrs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	5	2	..	7	29	32
Measles	25	..	..	25	28	23
Scarlatina	28	1	..	29	35	32
Hooping Cough	14	..	..	14	21	31
Croup	6	..	..	6	6	7
Thrush	8	..	..	8	9	5
Diarrhœa	20	4	3	27	17	8
Dysentery	5	1	3	9	2	2
Cholera	..	2	2	4	2	1
Influenza	1	..	..	1	1	2
Typhus	10	13	1	24	35	40
Erysipelas	4	..	..	4	5	6
Syphilis	1	1	..	2	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	127	24	9	160	191	190
Cephalitis	6	4	..	10	11	11
Hydrocephalus	36	..	..	36	35	34
Apoplexy	..	6	4	10	16	17
Paralysis	..	4	7	11	12	15
Convulsions	47	..	..	47	64	59
Epilepsy	1	..	1	2	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	2	2	2	6	7	7
Diseases of the Brain, Nerves, and Senses.	92	18	14	124	150	149
Quinsey	1	..	..	1	1	1
Bronchitis	1	4	1	6	6	10
Pleurisy	..	..	..	..	1	2
Pneumonia	44	7	2	53	49	72
Hydrothorax	..	2	1	3	3	5
Asthma	..	5	2	7	9	2[illegible]
Consumption	28	90	6	124	141	141
Dis. of Lungs, &c. (1)	4	10	1	15	9	12
Diseases of the Lungs, and other Organs of Respiration	78	118	13	209	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.5	.6
Dis. of Heart, &c.	2	7	1	10	15	17
Diseases of the Heart and Bloodvessels.	2	7	1	10	16	18
Teething	21	..	..	21	21	17
Gastritis—Enteritis	6	5	3	14	25	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	8	..	..	8	5	4
Ascites	..	..	..	..	1	.4
Ulceration	1	..	..	1	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus (2)	1	1	1	3	2	2
Dis. of Stomach, &c (3)	..	2	1	3	7	5
Hepatitis	..	..	1	1	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c.	1	10	1	12	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	39	21	8	68	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Summrs 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	..	..	..	..	1	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c.	..	3	1	4	2	2
Diseases of the Kidneys, &c.	..	3	1	4	4	4
Childbed	..	7	..	7	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	8	10
Rheumatism	1	5	1	7	2	3
Dis. of Joints, &c.	..	4	..	4	3	3
Diseases of the Joints, Bones and Muscles	1	9	1	11	5	6
Ulcer	..	..	..	..	.2	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	2	1	..	3	9	10
Hæmorrhage	..	..	..	..	3	3
Dropsy	3	14	12	29	29	34
Abscess	4	1	..	5	4	4
Mortification	..	4	3	7	4	4
Scrofula	1	..	..	1	2	2
Carcinoma	..	3	5	8	7	7
Tumor	..	..	..	..	2	2
Gout	..	1	..	1	1	1
Atrophy	7	1	3	11	7	5
Debility	13	2	6	21	16	17
Malformations	2	..	..	2	1	1
Sudden Deaths	7	6	2	15	10	14
Diseases of Uncertain Seat	39	33	31	103	95	104
Old Age, or Natural Decay	..	..	47	47	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	1	..	1	.2	.5
Violent Deaths	2	13	4	19	22	24
Deaths by Violence, Privation, or Intemperance	2	14	4	20	23	25
Causes not specified	..	2	..	2	6	7
Deaths from all Causes	381	256	129	766	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Laryngitis 1, Age 42.
(2) Intussusception 1, Age 71.
(3) Stricture of œsophagus 1, Age 32.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	118
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	158
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	174
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	177
TOTAL.	Males, 404. Females, 362. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	766

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, September 29th, 1842.

§	Weeks ending Sep. 24th	Oct. 1st*	Sep. 1831-40.
Mean height of Barometer	in. 29.502	29.952	in. 29.813
Rain (weekly)	1.192	.325	.436
Mean Dryness	4°.5	3°.9	4°.3

Wind N. 4 days; N.N.E. 1; E. 1; N.W. 1. Rain on 4 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st October, 1842.

1842.

Temperature. §	Weeks ending Sep. 24th	Oct. 1st	Sep. 1831-40.
Highest	71°	63°	76°
Lowest	41°	47°	41°
Daily Mean	57°	54°	58°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Summrs 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Small Pox	10	..	..	10	29	32
Measles	25	..	..	25	28	23
Scarlatina	31	..	..	31	35	32
Hooping Cough	15	..	..	15	21	31
Croup	7	..	..	7	6	7
Thrush	5	..	..	5	9	5
Diarrhœa	9	2	2	13	17	8
Dysentery	3	2	5	10	2	2
Cholera	1	1	..	2	2	1
Influenza	..	..	..	..	1	2
Typhus (1)	17	15	6	38	35	40
Erysipelas	..	1	1	2	5	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	..	.1
Epidemic, Endemic, & Contagious Diseases	123	21	14	158	191	190
Cephalitis	12	2	..	14	11	11
Hydrocephalus	38	..	..	38	35	34
Apoplexy	2	4	8	14	16	17
Paralysis	1	8	6	15	12	15
Convulsions	48	..	..	48	64	59
Epilepsy	1	1	..	2	3	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c. (2)	9	7	2	18	7	7
Diseases of the Brain, Nerves, and Senses.	111	25	16	152	150	149
Quinsey	..	..	..	..	1	1
Bronchitis	2	1	1	4	6	10
Pleurisy	..	1	..	1	1	2
Pneumonia	58	11	6	75	49	72
Hydrothorax	1	..	..	1	3	5
Asthma	..	5	2	7	9	2[illegible]
Consumption	39	119	8	166	141	141
Dis. of Lungs, &c.	2	6	3	11	9	12
Diseases of the Lungs, and other Organs of Respiration	102	143	20	265	219	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	2	..	2	.5	.6
Dis. of Heart, &c.	2	11	9	22	15	17
Diseases of the Heart and Bloodvessels.	2	13	9	24	16	18
Teething	26	..	..	26	21	17
Gastritis—Enteritis	16	12	2	30	25	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	4	..	..	4	5	4
Ascites	..	1	..	1	1	.4
Ulceration	..	2	..	2	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c	3	..	..	3	7	5
Hepatitis	1	..	..	1	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	1	6	..	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	51	24	4	79	76	61
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	..	..	..	..	1	.4
Stricture	..	..	..	..	.3	.3
Dis. of Kidneys, &c. (3)	1	1	2	4	2	2
Diseases of the Kidneys, &c.	1	1	2	4	4	4
Childbed	..	5	..	5	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c.	..	2	2	4	2	2
Childbed, Diseases of the Uterus, &c.	..	7	2	9	8	10
Rheumatism	1	..	..	1	2	3
Dis. of Joints, &c.	1	1	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	1	..	3	5	6
Ulcer	..	2	..	2	.2	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	3	..	3	1	1
Inflammation	7	1	..	8	9	10
Hæmorrhage	1	4	..	5	3	3
Dropsy	2	19	10	31	29	34
Abscess	3	..	..	3	4	4
Mortification	..	1	2	3	4	4
Scrofula (4)	3	1	1	5	2	2
Carcinoma	..	1	5	6	7	7
Tumor	..	2	..	2	2	2
Gout	..	1	..	1	1	1
Atrophy	13	1	3	17	7	5
Debility	15	2	..	17	16	17
Malformations	2	..	..	2	1	1
Sudden Deaths	5	6	10	21	10	14
Diseases of Uncertain Seat	51	39	31	121	95	104
Old Age, or Natural Decay	..	..	64	64	54	69
Intemperance	..	2	..	2	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	12	16	6	34	22	24
Deaths by Violence, Privation, or Intemperance	12	18	6	36	23	25
Causes not specified	2	4	..	6	6	7
Deaths from all Causes	457	299	168	924	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—

(1) Remittent Fever 2, Ages 5 & 10.
(2) Chorea 1, Age 15.
(3) Ischuria 1, Age 70.
(4) Purpura hæmorrhagica 2. Ages under 1 & 30.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	125
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	182
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	182
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	221
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	214
TOTAL.	Males, 452. Females, 472. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	924

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, October 6th, 1842.

§	Weeks ending Oct. 1st	Oct. 8th*	Sep. 1831-40.
height meter	in. 29.952	in. 30.200	in. 29.813
weekly)	.825	.	.436
Dryness	3°.9	3°.6	4°.3

nd N.N.W. 4 days; N.W. 1; W. 1; N. 1.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th October, 1842.

1842.

Temperature. §	Weeks ending Oct. 1st	Oct. 8th	Sep. 1831-40.
Highest....	63°	61	76°
Lowest....	47°	42°	41°
Daily Mean	54°	51°	58°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly† Average during 4 Summrs 1838-9-40-1	Weekly† Average during 4 Years 1838-9-40-1
mall Pox	5	1	..	6	29	32
easles	18	..	..	18	28	23
arlatina	45	2	..	47	35	32
oping Cough	22	..	..	22	21	31
roup	7	..	..	7	6	7
hrush	8	..	..	8	9	5
iarrhœa	14	..	1	15	17	8
ysentery	4	7	1	12	2	2
holera	1	..	1	2	2	1
fluenza	..	..	..	..	1	2
yphus (1)	16	17	3	36	35	40
ysipelas	1	3	..	4	5	6
phillis	..	..	..	..	1	.5
ydrophobia	..	..	..	..	..	.1
pidemic, Endemic, & Contagious Diseases	141	30	6	177	191	190
phalitis	8	3	1	12	11	11
ydrocephalus	31	1	..	32	35	34
poplexy	1	10	7	18	16	17
aralysis	..	7	10	17	12	15
onvulsions	46	1	..	47	64	59
pilepsy	..	1	1	2	3	4
sanity	..	..	..	..	1	1
elirium Tremens	..	3	..	3	1	1
is. of Brain, &c. (2)	4	1	1	6	7	7
iseases of the Brain, Nerves, and Senses.	90	27	20	137	150	149
hinsey	2	1	..	3	1	1
ronchitis	2	5	4	11	6	10
eurisy	..	..	..	..	1	2
neumonia	53	7	5	65	49	72
ydrothorax	..	..	3	3	3	5
sthma	..	3	4	7	9	25
onsumption	39	86	11	136	141	141
is. of Lungs, &c.	1	4	4	9	9	12
eases of the Lungs, and other Organs of Respiration	97	106	31	234	219	268
ericarditis	..	..	..	..	.5	.6
neurism	..	..	..	..	.5	.6
is. of Heart, &c.	6	15	1	22	15	17
iseases of the Heart and Bloodvessels.	6	15	1	22	16	18
eething	20	..	..	20	21	17
astritis—Enteritis	11	4	1	16	25	18
eritonitis	1	1	1	3	1	1
abes Mesenterica	5	..	..	5	5	4
scites	..	1	..	1	1	.4
lceration	..	2	..	2	1	1
ernia	1	..	1	2	2	2
olic or Ileus	..	..	2	2	2	2
is. of Stomach, &c (3)	2	6	1	9	7	5
epatitis	..	..	..	..	1	1
undice	..	1	..	1	2	2
is. of Liver, &c.	3	6	2	11	8	8
iseases of the Stomach, Liver, and other Organs of Digestion	43	21	8	72	76	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly† Average during 4 Summrs 1838-9-40-1	Weekly† Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	.3	.4
Diabetes	..	..	..	..	.2	.3
Stone	..	..	1	1	1	.4
Stricture	..	..	1	1	.3	.3
Dis. of Kidneys, &c. (4)	1	4	..	5	2	2
Diseases of the Kidneys, &c.	1	4	2	7	4	4
Childbed	..	7	..	7	5	7
Ovarian Dropsy	..	..	..	..	.4	.3
Dis. of Uterus, &c. (5)	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	10	..	10	8	10
Rheumatism	..	1	..	1	2	3
Dis. of Joints, &c.	2	..	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	1	..	3	5	6
Ulcer	..	..	1	1	.2	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	2	2	1	1
Inflammation	1	..	..	1	9	10
Hæmorrhage	..	3	1	4	3	3
Dropsy	6	19	9	34	29	34
Abscess	1	..	..	1	4	4
Mortification	..	3	2	5	4	4
Scrofula	2	2	..	4	2	2
Carcinoma	..	6	2	8	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	2	2	1	1
Atrophy	3	..	1	4	7	5
Debility	13	3	..	16	16	17
Malformations	..	..	..	..	1	1
Sudden Deaths	2	6	5	13	10	14
Diseases of Uncertain Seat	28	42	22	92	95	104
Old Age, or Natural Decay	..	..	68	68	54	69
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	9	10	..	19	22	24
Deaths by Violence, Privation, or Intemperance	9	10	..	19	23	25
Causes not specified	4	1	..	5	6	7
Deaths from all Causes	421	267	160	848	848	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague 3, 2, under 3, & 1 under 5.
(2) Tetanus 1, Age 60.
(3) Hematemesis 3, 2, under 50—1, Age 69.
(4) Cystitis 1, Age 50.
(5) Paramenia 1, Age 50.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	112
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	149	141
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	174	204
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	198	198
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	203	193
TOTAL.	Males, 409. Females, 439. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	848	848

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, e City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; ensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow: Camberell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Summers by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" emperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the fference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

General Register Office, October 13th, 1842.

§	Weeks ending Oct 8th	Weeks ending Oct 15th*	Oct. 1831-40.
Weight of Atmosphere	in 10 200	in 3)310	in 29.877
Weekly Rain	.	.	.406
Dryness	3°.6	3°.3	3°.3

Wind, N. 3 days; N.N.W. 3; W. 1.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th October, 1842.

1842.

Temperature. §	Weeks ending Oct. 8th	Weeks ending Oct. 15th	Oct. 1831-40.
Highest ...	61°	60°	70°
Lowest....	42°	46°	30°
Daily Mean	51°	52°	52°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Autumns 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Small Pox	6	..	..	6	33	32
Measles	21	..	..	21	26	23
Scarlatina	35	1	..	36	41	32
Hooping Cough	18	..	..	18	27	31
Croup	8	..	..	8	8	7
Thrush	5	..	..	5	4	5
Diarrhœa	8	3	3	14	6	8
Dysentery	1	1	2	4	1	2
Cholera	..	..	..	..	.3	1
Influenza	..	..	..	..	1	2
Typhus (1)	9	13	7	29	35	40
Erysipelas	3	5	2	10	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	114	23	14	151	190	190
Encephalitis	8	2	..	10	10	11
Hydrocephalus	23	..	..	23	31	34
Apoplexy	1	8	5	14	18	17
Paralysis	..	6	6	12	15	15
Convulsions	48	..	..	48	52	59
Epilepsy	..	..	..	..	4	4
Insanity	..	2	2	4	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	3	5	..	8	7	7
Diseases of the Brain, Nerves, and Senses.	83	23	13	119	140	149
Hoarsey	2	..	..	2	2	1
Bronchitis	5	1	5	11	9	10
Laryngitis	..	..	..	..	2	2
Pneumonia	69	6	3	78	87	72
Hydrothorax	1	1	..	2	5	5
Asthma	..	7	8	15	26	25
Consumption	30	84	6	120	131	141
Dis. of Lungs, &c.	5	6	7	18	13	12
Diseases of the Lungs, and other Organs of Respiration	112	105	29	246	275	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	..	..	..	.6	.6
Dis. of Heart, &c.	4	7	4	15	18	17
Diseases of the Heart and Bloodvessels.	4	8	4	16	19	18
Teething	13	..	..	13	17	17
Gastritis—Enteritis	8	3	3	14	16	18
Peritonitis	..	4	..	4	1	1
Tabes Mesenterica	7	..	..	7	4	4
Ascites	1	1	..	2	1	.4
Ulceration	..	1	..	1	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus (2)	1	1	1	3	2	2
Dis. of Stomach, &c. (3)	2	4	1	7	4	5
Hepatitis	..	3	..	3	1	1
Jaundice	2	..	2	4	2	2
Dis. of Liver, &c.	1	5	1	7	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	35	22	9	66	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Autumns 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	1	1	2	.4	.3
Dis. of Kidneys, &c. (4)	..	3	2	5	3	2
Diseases of the Kidneys, &c.	..	4	3	7	5	4
Childbed	..	11	..	11	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	10	10
Rheumatism	1	2	..	3	3	3
Dis. of Joints, &c.	..	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	1	4	..	5	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	2	4	..	6	10	10
Hæmorrhage	..	1	1	2	3	3
Dropsy	4	22	8	34	37	34
Abscess	1	2	..	3	4	4
Mortification	1	3	..	4	4	4
Scrofula	3	1	..	4	1	2
Carcinoma	..	6	4	10	7	7
Tumor	..	2	..	2	2	2
Gout	..	2	1	3	1	1
Atrophy	6	..	4	10	5	5
Debility	16	4	..	20	18	17
Malformations	..	..	..	..	.7	1
Sudden Deaths	5	9	1	‡16	14	14
Diseases of Uncertain Seat	38	56	19	‡114	106	104
Old Age, or Natural Decay	..	..	67	67	69	69
Intemperance	..	..	..	..	.5	.6
Privation	1	..	..	1	.5	.5
Violent Deaths	5	9	3	17	23	24
Deaths by Violence, Privation, or Intemperance	6	9	3	18	24	25
Causes not specified	..	1	2	3	8	7
Deaths from all Causes	394	266	163	‡824	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Remittent Fever 1, Age 80.
(2) Intussusception 1, Age 80.
(3) Hematemesis 1, Age 15.
(4) Ischuria 1, Age 40.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St James	300,705	135	131	114
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	149
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	174
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	193
South Districts	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	194
TOTAL.	Males. 411. Females. 413 (Weekly average 1838-9-40-1, Males. 467. Females. 445.)	1,870,727	912	912	824

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died suddenly was not stated.

General Register Office, October 20th, 1842.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd October, 1842.

§	Weeks ending Oct 15th	Oct. 22nd	Oct. 1831-40.
Mean height of Barometer	in. 30.310	29.687	in 29.877
Rain (weekly)	.	.488	.400
Mean Dryness	3°.3	3°.3	2°.3

Wind, W. 3 days; N.W. 1; S.W. 1; S. 2. Rain on 1 day.

1842.

Temperature. §	Weeks ending Oct. 15th	Oct. 22nd	Oct. 1831-40.
Highest ...	60°	58°	70°
Lowest....	46°	33°	30°
Daily Mean	52°	47°	52°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	6	4	..	‖10	33	32
Measles	17	..	..	17	26	23
Scarlatina	39	2	..	41	41	32
Hooping Cough	25	..	..	25	27	31
Croup	5	..	..	5	8	7
Thrush	8	..	..	8	4	5
Diarrhœa	5	4	2	11	6	8
Dysentery	1	..	2	3	1	2
Cholera	..	1	1	‡3	.3	1
Influenza	1	..	..	1	1	2
Typhus (1)	10	20	1	31	35	40
Erysipelas	..	1	..	1	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	1	..	..	1	.1	.1
Epidemic, Endemic, & Contagious Diseases	118	32	6	‡157	190	190
Cephalitis	11	1	1	13	10	11
Hydrocephalus	39	..	..	39	31	34
Apoplexy	..	2	14	16	18	17
Paralysis	..	2	10	12	15	15
Convulsions	45	..	..	45	52	59
Epilepsy	..	1	..	1	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens ..	..	1	..	1	2	1
Dis. of Brain, &c. ..	2	5	2	9	7	7
Diseases of the Brain, Nerves, and Senses.	97	12	27	136	140	149
Hoarsey	1	..	..	1	2	1
Bronchitis	3	3	9	15	9	10
Pleurisy	..	..	..	..	2	2
Pneumonia	82	7	3	92	87	72
Hydrothorax	..	1	..	1	5	5
Asthma	..	6	8	14	26	2[illegible]
Consumption	17	100	4	121	131	141
Dis. of Lungs, &c. (2)	5	12	4	21	13	12
Diseases of the Lungs, and other Organs of Respiration	108	129	28	265	275	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.6	.6
Dis. of Heart, &c. ..	2	10	9	21	18	17
Diseases of the Heart and Bloodvessels.	2	10	9	21	19	18
Teething	19	..	..	19	17	17
Gastritis—Enteritis..	5	7	1	13	16	18
Peritonitis	..	..	2	2	1	1
Tabes Mesenterica ..	7	..	..	7	4	4
Ascites	..	..	..	..	1	.4
Ulceration	1	1	..	2	1	1
Hernia	..	2	..	2	2	2
Colic or Ileus (3)	3	1	1	5	2	2
Dis. of Stomach, &c. (4)	..	2	2	4	4	5
Hepatitis	..	2	..	2	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c. ..	1	1	..	2	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion ..	37	17	6	60	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	1	..	1	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	..	..	..	.4	.3
Dis. of Kidneys, &c. ..	..	1	1	2	3	2
Diseases of the Kidneys, &c.	..	2	1	3	5	4
Childbed	..	5	..	5	8	7
Ovarian Dropsy ..	..	2	..	2	.2	.3
Dis. of Uterus, &c. (5)	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c. ..	..	10	..	10	10	10
Rheumatism	..	4	1	5	3	3
Dis. of Joints, &c. ...	2	2	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	6	1	9	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	2	..	..	2	.3	.3
Diseases of the Skin, &c.	2	..	1	3	1	1
Inflammation	3	1	3	7	10	10
Hæmorrhage	..	2	..	2	3	3
Dropsy	7	26	13	46	37	34
Abscess	1	3	..	4	4	4
Mortification	..	1	..	1	4	4
Scrofula (6)	1	2	..	3	1	2
Carcinoma	1	9	5	15	7	7
Tumor	..	2	..	2	2	2
Gout	..	1	..	1	1	1
Atrophy	6	1	2	9	5	5
Debility	14	3	4	21	18	17
Malformations	2	..	..	2	.7	1
Sudden Deaths	5	8	4	17	14	14
Diseases of Uncertain Seat	40	59	31	130	106	104
Old Age, or Natural Decay	..	..	45	45	69	69
Intemperance	..	..	..	..	.5	.6
Privation	1	..	..	1	.5	.5
Violent Deaths	9	11	2	‡23	23	24
Deaths by Violence, Privation, or Intemperance	10	11	2	24	24	25
Causes not specified ..	1	2	..	3	8	7
Deaths from all Causes	417	290	157	‡866	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague 2, Ages 13 & 60. Remittent Fever 1, Age 2.
(2) Laryngitis 1, Age 1.
(3) Intussusception 1, Age 5 Months.
(4) Stricture of œsophagus 2, Ages 51 & 62.
(5) Paramenia 1, Age 50.
(6) Purpura 1, Age 30.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	167
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	165
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	200
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	198
TOTAL.	Males, 424. Females, 442. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	866

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The ages of two persons were not stated; one died of Cholera, and one by Violence.

‖ Of the ten persons who died from Small Pox, six had not been Vaccinated.

General Register Office, October 27th, 1842.

§	Weeks ending Oct. 22nd	Oct. 29th*	Oct. 1831-40.
Barometer	in. 29.687	in. 29.458	in 29.877
Rain (weekly)	.488	.801	.406
Mean Dryness	3°.3	2°.3	3°.3

* Wind, S. 3 days; S.S.E. 1; S.W. 1; W. 2. Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th October, 1842.

1842.

Temperature. §	Weeks ending Oct. 22nd	Oct. 29th	Oct. 1831-40.
Highest....	58°	51°	70°
Lowest....	33°	34°	30°
Daily Mean	47°	43°	52°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	1	..	..	‖1	33	32
Measles	23	..	..	23	26	23
Scarlatina	45	1	..	46	41	32
Hooping Cough	27	..	..	27	27	31
Croup	11	..	..	11	8	7
Thrush	5	..	..	5	4	5
Diarrhœa	3	..	1	4	6	8
Dysentery	..	5	3	8	1	2
Cholera	..	1	..	1	.3	1
Influenza	..	..	..	..	1	2
Typhus	19	24	1	44	35	40
Erysipelas	2	2	1	5	7	6
Syphilis	1	..	..	1	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	137	33	6	176	190	190
Cephalitis	10	1	1	12	10	11
Hydrocephalus	32	..	..	32	31	34
Apoplexy	..	9	12	21	18	17
Paralysis	..	4	5	9	15	15
Convulsions	55	..	..	55	52	59
Epilepsy	..	3	1	4	4	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	1	7	1	9	7	7
Diseases of the Brain, Nerves, and Senses.	98	26	20	144	140	149
Quinsey	..	..	..	..	2	1
Bronchitis	4	1	8	13	9	10
Pleurisy	1	1	2	4	2	2
Pneumonia	112	15	3	‡131	87	72
Hydrothorax	2	2	..	4	5	5
Asthma	1	16	12	29	26	26
Consumption	37	104	9	150	131	141
Dis. of Lungs, &c.	5	10	5	20	13	12
Diseases of the Lungs, and other Organs of Respiration	162	149	39	‡351	275	268
Pericarditis	..	2	..	2	.5	.6
Aneurism	..	..	1	1	.6	.6
Dis. of Heart, &c.	4	10	5	19	18	17
Diseases of the Heart and Bloodvessels.	4	12	6	22	19	18
Teething	14	..	..	14	17	17
Gastritis—Enteritis	9	8	6	23	16	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	6	..	..	6	4	4
Ascites	..	..	..	..	1	.4
Ulceration	..	..	1	1	1	1
Hernia	..	2	..	2	2	2
Colic or Ileus	2	2	..	4	2	2
Dis. of Stomach, &c.	..	1	..	1	4	5
Hepatitis	..	..	1	1	1	1
Jaundice	..	4	1	5	2	2
Dis. of Liver, &c.	2	5	4	11	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	33	22	13	68	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	1	..	1	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	..	..	..	.4	.3
Dis. of Kidneys, &c.	1	1	3	5	3	2
Diseases of the Kidneys, &c.	1	2	3	6	5	4
Childbed	..	10	..	10	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	5	..	5	2	2
Childbed, Diseases of the Uterus, &c.	..	15	..	15	10	10
Rheumatism	..	2	1	3	3	3
Dis. of Joints, &c.	2	..	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	2	1	5	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	6	2	1	9	10	10
Hæmorrhage	..	2	2	4	3	3
Dropsy	5	12	15	32	37	34
Abscess	2	2	..	4	4	4
Mortification	3	1	..	4	4	4
Scrofula	2	2	..	4	1	2
Carcinoma	1	6	1	8	7	7
Tumor	..	1	..	1	2	2
Gout	..	3	..	3	1	1
Atrophy	4	1	2	7	5	5
Debility	15	3	4	22	18	17
Malformations	1	..	..	1	.7	1
Sudden Deaths	4	3	..	7	14	14
Diseases of Uncertain Seat	43	38	25	106	106	104
Old Age, or Natural Decay	..	..	61	61	69	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	7	3	1	11	23	24
Deaths by Violence, Privation, or Intemperance	7	3	1	11	24	25
Causes not specified	..	1	..	1	8	7
Deaths from all Causes	488	303	175	‡967	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	140
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	174
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	187
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	229
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	237
TOTAL.	Males, 504. Females, 463. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	967

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bone; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ The age of one person who died of Pneumonia was not stated.

‖ The person who died of Small Pox had not been Vaccinated.

General Register Office, November 3rd, 1842.

§	Weeks ending Oct. 29th	Nov. 5th*	Nov. 1831-40.
an height barometer	in. 29.458	in. 30.102	in. 29.726
n(weekly)	.801	.033	.417
an Dryness	2°.3	2°.2	2°.1

Wind, N. 2 days; N.N.W. 1; W. 1; S.S.W. 1; S. 1; E. 1. in on 1 day.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th November, 1842.

1842.

Temperature. §	Weeks ending Oct. 29th	Nov. 5th	Nov. 1831-40.
Highest....	51°	53°	62°
Lowest....	34°	35°	28°
Daily Mean	43°	45°	45°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	4 Years 1838-9-40-1
Small Pox	8	..	..	8	33	32
Measles	22	..	..	22	26	23
Scarlatina	42	2	..	44	41	32
Hooping Cough	21	..	..	21	27	31
Croup	6	1	..	7	8	7
Thrush	2	..	..	2	4	5
Diarrhœa	3	1	1	5	6	8
Dysentery	..	2	..	2	1	2
Cholera	..	..	..	..	.3	1
Influenza	1	..	..	1	1	2
Typhus	9	11	5	25	35	40
Erysipelas	2	3	..	5	7	6
Syphilis	..	1	..	1	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	116	21	6	143	190	190
Cephalitis	4	1	1	6	10	11
Hydrocephalus	26	..	..	26	31	34
Apoplexy	2	7	8	17	18	17
Paralysis	..	5	9	14	15	15
Convulsions	58	..	..	58	52	59
Epilepsy	..	1	1	2	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	4	5	..	9	7	7
Diseases of the Brain, Nerves, and Senses.	94	21	19	134	140	149
Quinsey	3	..	..	3	2	1
Bronchitis	4	3	5	12	9	10
Pleurisy	1	1	..	2	2	2
Pneumonia	111	16	6	133	87	72
Hydrothorax	2	2	4	8	5	5
Asthma	..	10	10	20	26	2[illegible]
Consumption	26	100	8	134	131	141
Dis. of Lungs, &c.	2	7	2	11	13	12
Diseases of the Lungs, and other Organs of Respiration	149	139	35	323	275	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.6	.6
Dis. of Heart, &c.	5	11	10	26	18	17
Diseases of the Heart and Bloodvessels.	5	11	10	26	19	18
Teething	23	..	..	23	17	17
Gastritis—Enteritis	4	4	2	10	16	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	2	..	..	2	4	4
Ascites	..	..	..	..	1	.4
Ulceration	..	..	..	..	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	..	2	..	2	2	2
Dis. of Stomach, &c(1)	1	1	1	3	4	5
Hepatitis	..	1	..	1	1	1
Jaundice	1	..	2	3	2	2
Dis. of Liver, &c.	..	1	..	1	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	31	10	6	47	59	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	1	..	1	.3	.4
Stricture	..	..	..	..	.4	.3
Dis. of Kidneys, &c.	1	3	1	5	3	2
Diseases of the Kidneys, &c.	1	4	1	6	5	4
Childbed	..	9	..	9	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	..	10	1	11	10	10
Rheumatism	2	1	..	3	3	3
Dis. of Joints, &c.	2	3	.	5	3	3
Diseases of the Joints, Bones and Muscles	4	4	..	8	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	..	1	1	1
Inflammation	9	4	..	13	10	10
Hæmorrhage	..	2	1	3	3	3
Dropsy	2	18	15	35	37	34
Abscess	..	..	..	..	4	4
Mortification	..	..	1	1	4	4
Scrofula (2)	2	1	..	3	1	2
Carcinoma	1	3	4	8	7	7
Tumor	..	2	..	2	2	2
Gout	..	1	..	1	1	1
Atrophy	8	1	..	9	5	5
Debility	21	12	2	35	18	17
Malformations	..	..	..	..	.7	1
Sudden Deaths	3	7	6	‡17	14	14
Diseases of Uncertain Seat	46	51	29	127	106	104
Old Age, or Natural Decay	..	..	85	85	69	69
Intemperance	..	2	..	2	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	16	24	1	41	23	24
Deaths by Violence, Privation, or Intemperance	16	26	1	43	24	25
Causes not specified	1	1	..	2	8	7
Deaths from all Causes	464	298	193	‡956	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Stricture 1, Age 60.
(2) Purpura 1, Age 50.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	137
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	164
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	187
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	182
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	286
TOTAL.	Males, 467. Females, 489. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	956

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ One Sudden Death whose age is not stated.

‖ The 8 persons who died of Small Pox had not been Vaccinated. One aged 9 years is said to have died of a second attack.

General Register Office, November 10th, 1842.

§	Weeks ending Nov. 5th	Nov. 12th*	Nov. 1831-40.
Mean height of Barometer	in. 30.102	in. 29.700	in. 29.726
Rain (weekly)	.033	.318	.417
Mean Dryness	2°.2	2°.4	2°.1

Wind, S. 3 days; N. 1; N.W. 2; E. 1; Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th November, 1842.

1842.

Temperature. §	Weeks ending Nov. 5th	Nov. 12th	Nov. 1831-40.
Highest....	53°	55°	62°
Lowest....	35°	37°	28°
Daily Mean	45°	45°	45°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Autumns 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Small Pox	5	3	..	‖8	33	32
Measles	24	..	..	24	26	23
Scarlatina	36	3	..	39	41	32
Hooping Cough	17	..	..	17	27	31
Croup	9	..	..	9	8	7
Thrush	6	..	..	6	4	5
Diarrhœa	2	1	3	6	6	8
Dysentery	2	1	3	6	1	2
Cholera	..	..	..	..	.3	1
Influenza	1	..	1	2	1	2
Typhus (1)	12	18	3	33	35	40
Erysipelas	2	6	2	10	7	6
Syphilis	..	1	..	1	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	116	33	12	161	190	190
Cephalitis	5	3	..	‡9	10	11
Hydrocephalus	25	1	..	26	31	34
Apoplexy	3	9	3	15	18	17
Paralysis	..	7	4	11	15	15
Convulsions	52	2	..	54	52	59
Epilepsy	..	1	..	1	4	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	2	1	3	2	1
Dis. of Brain, &c.	2	3	2	7	7	7
Diseases of the Brain, Nerves, and Senses.	87	30	10	128	140	149
Quinsey	..	..	..	..	2	1
Bronchitis	9	9	9	27	9	10
Pleurisy	..	1	2	3	2	2
Pneumonia	121	11	11	143	87	72
Hydrothorax	..	1	2	3	5	5
Asthma	..	10	15	25	26	2[illegible]
Consumption	25	93	6	124	131	141
Dis. of Lungs, &c.	7	4	5	16	13	12
Diseases of the Lungs, and other Organs of Respiration	162	129	50	341	275	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	1	..	1	.6	.6
Dis. of Heart, &c.	4	13	8	25	18	17
Diseases of the Heart and Bloodvessels.	4	15	8	27	19	18
Teething	12	..	..	12	17	17
Gastritis—Enteritis	6	7	1	14	16	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	4	..	..	4	4	4
Ascites	..	1	..	1	1	.4
Ulceration	2	1	1	4	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	1	2	..	3	2	2
Dis. of Stomach, &c.	2	8	2	12	4	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	..	4	1	5	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	27	27	7	61	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 4 Autumns 1838-9-40-1	Weekly Average† during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	..	2	2	.4	.3
Dis. of Kidneys, &c.	..	..	..	..	3	2
Diseases of the Kidneys, &c.	..	1	2	3	5	4
Childbed	..	7	..	7	8	7
Ovarian Dropsy	..	1	..	1	.2	.3
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	10	10
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	..	1	1	2	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	1	1	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	7	2	..	9	10	10
Hæmorrhage	1	..	1	2	3	3
Dropsy	4	12	8	24	37	34
Abscess	2	..	..	2	4	4
Mortification	..	3	2	5	4	4
Scrofula	3	2	..	5	1	2
Carcinoma	..	5	1	6	7	7
Tumor	..	2	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	4	2	3	9	5	5
Debility	14	4	..	18	18	17
Malformations	1	..	..	1	.7	1
Sudden Deaths	4	5	5	14	14	14
Diseases of Uncertain Seat	40	37	20	97	106	104
Old Age, or Natural Decay	..	..	78	78	69	69
Intemperance	..	..	1	1	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	6	9	..	15	23	24
Deaths by Violence, Privation, or Intemperance	6	9	1	16	24	25
Causes not specified	2	3	..	5	8	7
Deaths from all Causes	444	296	190	‡931	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Intermittent Fever 1, Age 30.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	159
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	171
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	228
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	246
TOTAL.	Males, 459. Females, 472. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	931

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ Age of one person who died of Cephalitis not stated.

‖ All the cases of Small Pox are of persons Unvaccinated.

General Register Office, November 17th, 1842.

	Weeks ending Nov. 12th	Nov. 19th*	Nov. 1831-40.
...ight ...ter (...weekly)	in. 29.700	in. 29.903	in. 29.726
	.318	1.773	.417
Dryness	2°.4	2°.3.	2°.1

...d, E. 2 days; N.E. 1; N.N. N.E. 1; S. 1; W. 1. Rain ...ays.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th November, 1842.

1842.

Temperature. §	Weeks ending Nov. 12th	Nov. 19th	Nov. 1831-40.
Highest....	55°	56°	62°
Lowest....	37°	39°	28°
Daily Mean	45°	46°	45°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Autumns 1838-9-40-1	4 Years 1838-9-40-1
...all Pox ‖	7	..	..	7	33	32
...easles	20	..	..	20	26	23
...arlatina	48	2	..	50	41	32
...oping Cough	28	..	..	28	27	31
...oup	6	..	..	6	8	7
...rush	2	..	..	2	4	5
...arrhœa	..	2	1	3	6	8
...sentery	..	1	..	1	1	2
...olera	..	..	..	..	.3	1
...luenza	3	1	..	4	1	2
...phus (1)	8	7	3	18	35	40
...ysipelas	3	4	..	7	7	6
...philis	1	..	..	1	1	.5
...drophobia	..	..	..	..	.1	.1
...idemic, Endemic, & ...ontagious Diseases	126	17	4	147	190	190
...phalitis	7	2	..	9	10	11
...drocephalus	22	1	..	23	31	34
...oplexy	2	7	9	18	18	17
...ralysis	..	3	15	18	15	15
...nvulsions	67	..	..	67	52	59
...ilepsy	1	1	1	3	4	4
...anity	..	..	..	..	1	1
...lirium Tremens	..	1	..	1	2	1
...s. of Brain, &c.	3	..	..	3	7	7
...seases of the Brain, Nerves, and Senses.	102	15	25	142	140	149
...hinsey (2)	2	1	1	4	2	1
...onchitis	8	8	7	23	9	10
...eurisy	..	1	..	1	2	2
...eumonia	83	14	6	103	87	72
...ydrothorax	2	..	1	3	5	5
...thma	..	12	10	22	26	2.
...onsumption	21	94	4	119	131	141
...s. of Lungs, &c.	1	2	7	10	13	12
...eases of the Lungs, and other Organs of Respiration	117	132	36	285	275	268
...ericarditis	..	..	..	..	.5	.6
...neurism	..	1	..	1	.6	.6
...s. of Heart, &c.	4	11	5	20	18	17
...iseases of the Heart and Bloodvessels.	4	12	5	21	19	18
...ething	3	..	..	3	17	17
...astritis—Enteritis	14	8	2	24	16	18
...eritonitis	1	1	..	2	1	1
...ses Mesenterica	1	..	..	1	4	4
...scites	..	..	..	..	1	.4
...ceration	..	..	..	..	1	1
...ernia	..	..	..	..	2	2
...olic or Ileus	2	1	..	3	2	2
...s. of Stomach, &c (3)	6	3	..	9	4	5
...epatitis	..	1	..	1	1	1
...aundice	1	3	2	6	2	2
...s. of Liver, &c.	..	3	1	4	8	8
...iseases of the Stomach, Liver, and other Organs of Digestion	28	20	5	53	59	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Autumns 1838-9-40-1	4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	1	..	..	1	.3	.4
Stricture	..	..	..	..	.4	.3
Dis. of Kidneys, &c. (4)	..	3	2	5	3	2
Diseases of the Kidneys, &c.	1	3	2	6	5	4
Childbed	..	11	..	11	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	4	1	5	2	2
Childbed, Diseases of the Uterus, &c.	..	15	1	16	10	10
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	4	..	..	4	3	3
Diseases of the Joints, Bones and Muscles	4	1	..	5	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	1	1	..	2	10	10
Hæmorrhage	..	3	..	3	3	3
Dropsy	6	11	13	30	37	34
Abscess	1	2	..	3	4	4
Mortification	2	2	1	5	4	4
Scrofula	2	..	..	2	1	2
Carcinoma	..	5	4	9	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	1	1	1	1
Atrophy	9	..	1	10	5	5
Debility	12	1	1	14	18	17
Malformations	1	..	..	1	.7	1
Sudden Deaths	6	14	4	24	14	14
Diseases of Uncertain Seat	40	40	25	105	106	104
Old Age, or Natural Decay	..	..	79	79	69	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	8	12	2	22	23	24
Deaths by Violence, Privation, or Intemperance	8	12	2	22	24	25
Causes not specified	1	3	1	5	8	7
Deaths from all Causes	431	270	185	886	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Intermittent Fever 1, Age 2.
(2) Laryngitis 2, Ages 40 & 70.
(3) Worms, 3, Ages 1, 3, & 5.
(4) Cystitis 1, Age 70.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
...West ...stricts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	124
...North ...stricts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	206
...Central ...stricts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	183
...East ...stricts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	178
...South ...stricts	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	195
TOTAL	Males. 433. Females. 453 (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	886

* Under the term Metropolis are comprised the 35 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of the 7 cases of Small Pox, 4 are Unvaccinated.

General Register Office, November 24th, 1842.

§	Weeks ending Nov. 19th	Nov. 26th*	Nov. 1831-40.
Mean height of barometer	in. 29.903	in. 29.319	in. 29.726
Rain (weekly)	1.773	1.608	.417
Mean Dryness	2°.3	2°.2	2°.1

Wind, N. 2 days; S. 3; S.E. 1; S.E. 1. Rain on 6 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 26th November, 1842.

1842.

Temperature §	Weeks ending Nov. 19th	Nov. 26th	Nov. 1831-40.
Highest....	56°	53°	62°
Lowest....	39°	36°	28°
Daily Mean	46°	43°	45°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox	7	1	..	‖8	33	32
Measles	34	..	..	34	26	23
Scarlatina	40	3	..	43	41	32
Hooping Cough	12	..	..	12	27	31
Croup	9	..	..	9	8	7
Thrush	4	..	..	4	4	5
Diarrhœa	2	1	1	4	6	8
Dysentery	..	2	1	3	1	2
Cholera	..	..	..	..	.3	1
Influenza	1	..	..	1	1	2
Typhus	12	10	2	24	35	40
Erysipelas (1)	1	4	..	5	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	122	21	4	147	190	190
Cephalitis	10	4	..	14	10	11
Hydrocephalus	24	..	..	24	31	34
Apoplexy	1	5	7	13	18	17
Paralysis	1	4	11	16	15	15
Convulsions	60	1	..	61	52	59
Epilepsy	..	2	1	3	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	1	1	2	2	1
Dis. of Brain, &c. (2)	2	3	..	5	7	7
Diseases of the Brain, Nerves, and Senses.	98	21	20	139	140	149
Quinsey	2	..	..	2	2	1
Bronchitis	5	5	9	19	9	10
Pleurisy	..	1	1	2	2	2
Pneumonia	72	8	2	82	87	72
Hydrothorax	1	3	1	5	5	5
Asthma	..	7	13	20	26	26
Consumption	22	88	5	115	131	141
Dis. of Lungs, &c.	4	12	3	19	13	12
Diseases of the Lungs, and other Organs of Respiration	106	124	34	264	275	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	..	..	..	.6	.6
Dis. of Heart, &c.	2	11	7	20	18	17
Diseases of the Heart and Bloodvessels.	2	11	7	20	19	18
Teething	13	..	..	13	17	17
Gastritis—Enteritis	8	5	..	13	16	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	1	..	8	4	4
Ascites	..	1	..	1	1	.4
Ulceration	1	1	..	2	1	1
Hernia	1	..	1	2	2	2
Colic or Ileus	2	..	..	2	2	2
Dis. of Stomach, &c	1	4	..	5	4	5
Hepatitis	..	..	1	1	1	1
Jaundice	1	..	1	2	2	2
Dis. of Liver, &c.	..	8	..	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	34	21	3	58	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	2	1	3	.4	.3
Dis. of Kidneys, &c. (3)	1	3	3	7	3	2
Diseases of the Kidneys, &c.	1	5	4	10	5	4
Childbed	..	10	..	10	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	10	10
Rheumatism	1	2	..	3	3	3
Dis. of Joints, &c.	1	..	..	1	3	3
Diseases of the Joints, Bones and Muscles	2	2	..	4	6	6
Ulcer	..	..	1	1	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	1	..	1	2	1	1
Inflammation	3	..	..	3	10	10
Hæmorrhage	..	3	2	5	3	3
Dropsy	4	21	9	34	37	34
Abscess	1	1	..	2	4	4
Mortification	1	1	1	3	4	4
Scrofula	..	1	..	1	1	2
Carcinoma	1	7	6	14	7	7
Tumor	..	2	..	2	2	2
Gout	..	..	1	1	1	1
Atrophy	4	..	2	6	5	5
Debility	16	4	..	20	18	17
Malformations	2	..	..	2	.7	1
Sudden Deaths	2	12	5	19	14	14
Diseases of Uncertain Seat	34	52	26	112	106	104
Old Age, or Natural Decay	..	..	68	68	69	69
Intemperance	..	1	..	1	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	5	8	1	‡15	23	24
Deaths by Violence, Privation, or Intemperance	5	9	1	‡16	24	25
Causes not specified	..	..	2	2	8	7
Deaths from all Causes	405	277	170	‡853	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined :—

(1) Erysipelas after Vaccination, 1, Age under 1.
(2) St. Vitus' Dance 1, Female, Age 17.
(3) Cystitis, 2, Ages 56 & 60.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	101
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	160
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	182
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	178
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	232
TOTAL.	Males, 429. Females, 424. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	853

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‡ One is included whose Age is not stated.

‖ Of 8 cases of Small Pox, 5 are not Vaccinated; in two cases the circumstance is not stated.

General Register Office, November 30th, 1842.

§	Weeks ending Nov. 26th	Dec. 3rd*	Nov. 1831-40.
an height barometer	in. 29.319	in. 29.673	in. 29.726
in (weekly)	1.608	.316	.417
an Dryness	[illegible]	[illegible]	[illegible]

Wind, S. 2 days; S.E. 3; S.S. 1; W. 1. Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd December, 1842.

1842.

Temperature. §	Weeks ending Nov. 26th.	Dec. 3rd	Nov. 1831-40.
Highest	53°	56°	62°
Lowest	36°	40°	28°
Daily Mean	43°	48°	45°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Autumns 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Small Pox	14	2	..	‖16	33	32
Measles	27	..	..	27	26	23
Scarlatina	29	1	..	30	41	32
Hooping Cough	21	..	..	21	27	31
Croup	7	..	..	7	8	7
Thrush	3	..	..	3	4	5
Diarrhœa	3	2	1	6	6	8
Dysentery	..	4	..	4	1	2
Cholera	..	..	..	..	.3	1
Influenza	1	..	1	2	1	2
Typhus (1)	9	12	3	24	35	40
Erysipelas	3	4	3	10	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	117	25	8	150	190	190
Cephalitis	9	2	..	11	10	11
Hydrocephalus	29	..	..	29	31	34
Apoplexy	2	13	9	24	18	17
Paralysis	..	11	7	18	15	15
Convulsions	61	1	..	62	52	59
Epilepsy	..	4	1	5	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	2	6	2	10	7	7
Diseases of the Brain, Nerves, and Senses.	103	39	19	161	140	149
Quinsey	2	..	..	2	2	1
Bronchitis	5	2	8	15	9	10
Pleurisy	..	..	..	..	2	2
Pneumonia	81	12	8	101	87	72
Hydrothorax	..	4	1	5	5	5
Asthma	1	11	12	24	26	22
Consumption	19	95	6	120	131	141
Dis. of Lungs, &c.	5	5	6	16	13	12
Diseases of the Lungs, and other Organs of Respiration	113	129	41	283	275	268
Pericarditis	..	1	..	1	.5	.6
Aneurism	..	..	..	..	.6	.6
Dis. of Heart, &c.	4	9	6	19	18	17
Diseases of the Heart and Bloodvessels.	4	10	6	20	19	18
Teething	9	..	..	9	17	17
Gastritis—Enteritis	7	6	1	14	16	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	5	..	..	5	4	4
Ascites	..	..	..	..	1	.4
Ulceration	..	1	..	1	1	1
Hernia	1	1	1	3	2	2
Colic or Ileus	2	1	2	5	2	2
Dis. of Stomach, &c (2)	3	5	4	12	4	5
Hepatitis	..	..	1	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c. (3)	1	6	1	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	28	21	10	59	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 4 Autumns 1838-9-40-1	Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	..	..	..	.4	.3
Dis. of Kidneys, &c. (4)	1	2	4	7	3	2
Diseases of the Kidneys, &c.	1	3	4	8	5	4
Childbed	..	5	..	5	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	10	10
Rheumatism	..	1	2	3	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
Diseases of the Joints, Bones and Muscles	2	2	2	6	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	1	1	1	1
Inflammation	4	1	..	5	10	10
Hæmorrhage	1	2	..	3	3	3
Dropsy	..	16	5	21	37	34
Abscess	1	..	..	1	4	4
Mortification	..	2	3	5	4	4
Scrofula (5)	..	1	1	2	1	2
Carcinoma	..	5	2	7	7	7
Tumor	1	..	..	1	2	2
Gout	..	1	..	1	1	1
Atrophy	4	1	2	7	5	5
Debility	8	1	..	9	18	17
Malformations	4	..	..	4	.7	1
Sudden Deaths	5	10	2	17	14	14
Diseases of Uncertain Seat	28	40	15	83	106	104
Old Age, or Natural Decay	..	..	70	70	69	69
Intemperance	..	..	..	..	.5	.6
Privation (6)	..	..	1	1	.5	.5
Violent Deaths	10	14	7	31	23	24
Deaths by Violence, Privation, or Intemperance	10	14	8	32	24	25
Causes not specified	2	..	..	2	8	7
Deaths from all Causes	408	290	184	882	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Intermittent Fever, 1, Age 11
(2) Infantile Fever 1, Age 1. Intussusception 1, Age 65.
(3) Diseased Spleen 1, Age 29.
(4) Cystitis 2, Ages 3 & 52.
(5) Purpura 1, Age 53.
(6) Natural death, accelerated by destitution and privation, 1, Age 60, [Male, (Inquest.)

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	129
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	193
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	160
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	193
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	207
TOTAL.	Males, 446. Females, 436. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	882

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 16 cases of Small Pox, 13 are Unvaccinated; in two the circumstance is not stated.

General Register Office, December 7th, 1842.

§	Weeks ending Dec. 3rd	Dec. 10th*	Dec. 1831-40.
Mean height of Barometer	in. 29.673	in. 30.313	in. 29.901
Rain (weekly)	.316	.	.235
Mean Dryness	1°.9	1°.6	1°.8

Wind, S.E. 1 day; S.S.E. 1; S.S.W. 1; W. 4.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th December, 1842.

1842.

Temperature. §	Weeks ending Dec. 3rd	Dec. 10th	Dec. 1831-40.
Highest....	56°	55°	56°
Lowest....	40°	36°	21°
Daily Mean	48°	43°	41°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox (1)	12	1	..	‖13	33	32
Measles	21	..	..	21	26	23
Scarlatina	33	1	..	‡35	41	32
Hooping Cough	21	..	..	21	27	31
Croup	9	..	..	9	8	7
Thrush	4	..	..	4	4	5
Diarrhœa	3	2	2	7	6	8
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	.3	1
Influenza	..	..	..	..	1	2
Typhus	5	8	2	15	35	40
Erysipelas	1	3	1	5	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	109	15	5	‡130	190	190
Cephalitis	5	3	1	9	10	11
Hydrocephalus	24	1	..	25	31	34
Apoplexy	1	5	7	13	18	17
Paralysis	..	7	11	18	15	15
Convulsions	45	..	..	45	52	59
Epilepsy	..	3	1	4	4	4
Insanity	..	2	1	3	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	5	6	2	13	7	7
Diseases of the Brain, Nerves, and Senses.	80	27	23	130	140	149
Quinsey (2)	5	..	..	5	2	1
Bronchitis	5	3	8	16	9	10
Pleurisy	..	2	..	2	2	2
Pneumonia	85	8	..	93	87	72
Hydrothorax	..	..	2	2	5	5
Asthma	..	7	11	18	26	2[illegible]
Consumption	24	108	4	136	131	141
Dis. of Lungs, &c.	2	10	5	17	13	12
Diseases of the Lungs, and other Organs of Respiration	121	138	30	289	275	268
Pericarditis	..	..	..	..	.5	.6
Aneurism	..	2	..	2	.6	.6
Dis. of Heart, &c.	2	9	2	13	18	17
Diseases of the Heart and Bloodvessels.	2	11	2	15	19	18
Teething	13	..	..	13	17	17
Gastritis—Enteritis	4	5	4	13	16	18
Peritonitis	2	1	..	3	1	1
Tabes Mesenterica	2	..	..	2	4	4
Ascites	..	..	..	..	1	.4
Ulceration	..	..	..	..	1	1
Hernia	..	4	..	4	2	2
Colic or Ileus	2	..	1	3	2	2
Dis. of Stomach, &c	..	2	1	3	4	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	1	1	2	2	2
Dis. of Liver, &c.	..	3	5	8	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion	23	17	12	52	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	1	..	1	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	..	1	1	.4	.3
Dis. of Kidneys, &c. (3)	..	2	1	3	3	2
Diseases of the Kidneys, &c.	..	3	2	5	5	4
Childbed	..	7	..	7	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	1	1	..	2	2	2
Childbed, Diseases of the Uterus, &c.	1	8	..	9	10	10
Rheumatism	2	4	1	7	3	3
Dis. of Joints, &c.	1	..	1	2	3	3
Diseases of the Joints, Bones and Muscles	3	4	2	9	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	3	..	..	3	10	10
Hæmorrhage	..	2	1	3	3	3
Dropsy	2	16	11	29	37	34
Abscess	..	1	..	1	4	4
Mortification	..	1	2	3	4	4
Scrofula (4)	2	2	..	4	1	2
Carcinoma	1	3	1	5	7	7
Tumor	..	..	..	..	2	2
Gout	..	1	..	1	1	1
Atrophy	4	..	..	4	5	5
Debility	13	6	..	19	18	17
Malformations	..	..	..	..	.7	1
Sudden Deaths	7	4	6	17	14	14
Diseases of Uncertain Seat	32	36	21	89	106	104
Old Age, or Natural Decay	..	..	65	65	69	69
Intemperance	..	..	..	..	.5	.6
Privation (5)	1	1	..	2	.5	.5
Violent Deaths	5	6	5	‡17	23	24
Deaths by Violence, Privation, or Intemperance	6	7	5	‡19	24	25
Causes not specified	..	2	1	3	8	7
Deaths from all Causes	377	268	168	‡815	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Chicken Pox 1, Age 11 Months, Female.
(2) Laryngitis 1, Age 1.
(3) Cystitis 1, Age 54.
(4) Purpura 1, Age 1.
(5) Natural death, accelerated by neglect and destitution, 2 Females, Ages 27 years; and 8 days.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	103
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	156
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	151
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	202
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	203
TOTAL.	Males, 409. Females, 406. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	815

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 12 cases of Small Pox, 8 are Unvaccinated; in one the circumstance is not stated.

‡ The total includes one case of Scarlatina, and another of Violence, of which the ages are not stated.

General Register Office, December 14th, 1842.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th December, 1842.

§	Weeks ending Dec. 10th	Dec. 17th*	Dec. 1831-40.
an height arometer	in. 30.313	in. 30.005	in. 29.901
in(weekly)	.	.319	.235
an Dryness	1°.6	2°.0	1°.8

Wind, S. 3 days; S.E. 2; E 1; S.S.W. 1. Rain on 2 days.

1842.

Temperature. §	Weeks ending Dec. 10th	Dec. 17th	Dec. 1831-40.
Highest....	55°	57°	56°
Lowest....	36°	37°	21°
Daily Mean	43°	49°	41°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Small Pox (1).....	8	..	..	‖8	33	32
Measles	36	..	..	36	26	23
Scarlatina.....	38	2	..	40	41	32
Hooping Cough	33	..	..	33	27	31
Croup	8	..	..	8	8	7
Thrush.....	2	..	..	2	4	5
Diarrhœa.....	..	1	1	2	6	8
Dysentery	..	..	..	..	1	2
Cholera	..	1	2	3	.3	1
Influenza	..	..	1	1	1	2
Typhus	12	12	3	‡28	35	40
Erysipelas	1	1	..	2	7	6
Syphilis	..	..	..	..	1	.5
Hydrophobia	..	..	..	..	.1	.1
Epidemic, Endemic, & Contagious Diseases	138	17	7	‡163	190	190
Cephalitis.....	14	3	..	17	10	11
Hydrocephalus.....	35	..	..	35	31	34
Apoplexy	..	9	9	18	18	17
Paralysis.....	..	9	12	21	15	15
Convulsions.....	52	..	..	52	52	59
Epilepsy	..	6	2	8	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens ..	..	1	..	1	2	1
Dis. of Brain, &c, ..	8	4	..	12	7	7
Diseases of the Brain, Nerves, and Senses.	109	32	23	164	140	149
Hoarsey (2).....	1	..	..	1	2	1
Bronchitis	4	4	4	12	9	10
Pleurisy	..	1	1	2	2	2
Pneumonia	97	9	3	109	87	72
Hydrothorax	5	1	3	9	5	5
Asthma	..	16	20	36	26	25
Consumption	25	95	8	‡129	131	141
Dis. of Lungs, &c. ..	6	8	2	16	13	12
Diseases of the Lungs, and other Organs of Respiration	138	134	41	‡314	275	268
Pericarditis	1	1	..	2	.5	.6
Aneurism	..	..	..	..	.6	.6
Dis. of Heart, &c. ..	3	10	3	16	18	17
Diseases of the Heart and Bloodvessels.	4	11	3	18	19	18
Teething	12	..	..	12	17	17
Gastritis—Enteritis..	8	3	1	12	16	18
Peritonitis	1	2	..	3	1	1
Tabes Mesenterica ..	5	..	..	5	4	4
Ascites.....	..	1	1	2	1	.4
Ulceration	..	1	1	2	1	1
Hernia.....	1	..	1	2	2	2
Colic or Ileus	1	..	..	1	2	2
Dis. of Stomach, &c (3)	1	1	..	2	4	5
Hepatitis	..	1	..	1	1	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c. ..	..	4	1	5	8	8
Diseases of the Stomach, Liver, and other Organs of Digestion ..	29	13	5	47	59	61

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 4 Autumns 1838-9-40-1	† Weekly Average during 4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	1	..	1	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	3	1	4	.4	.3
Dis. of Kidneys, &c. ..	1	5	1	7	3	2
Diseases of the Kidneys, &c.	1	9	2	12	5	4
Childbed	..	9	..	9	8	7
Ovarian Dropsy . ..	..	..	..	..	.2	.3
Dis. of Uterus, &c. (4)	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c. ..	..	11	1	12	10	10
Rheumatism	1	3	..	4	3	3
Dis. of Joints, &c. ...	2	..	..	2	3	3
Diseases of the Joints, Bones and Muscles	3	3	..	6	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	1	..	1	1	1
Inflammation	4	..	..	4	10	10
Hæmorrhage	..	2	..	2	3	3
Dropsy.....	8	22	17	47	37	34
Abscess	..	2	..	2	4	4
Mortification	2	..	4	6	4	4
Scrofula	1	..	..	1	1	2
Carcinoma	..	5	1	6	7	7
Tumor	..	1	..	1	2	2
Gout.....	..	2	2	4	1	1
Atrophy	3	..	..	3	5	5
Debility	9	6	1	16	18	17
Malformations	2	..	..	2	.7	1
Sudden Deaths.....	5	10	1	16	14	14
Diseases of Uncertain Seat	34	50	26	110	106	104
Old Age, or Natural Decay	..	..	83	83	69	69
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	15	14	3	‡33	23	24
Deaths by Violence, Privation, or Intemperance	15	14	3	‡33	24	25
Causes not specified ..	3	..	..	3	8	7
Deaths from all Causes	474	295	194	‡966	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Disease of Chest and Swine Pox 1, Age 1.
(2) Laryngitis 1, Age 2.
(3) Hematemesis 1, Age 39.
(4) Paramenia 1, Age 53.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	147
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	190
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	182
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	224
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	223
TOTAL.	Males, 472. Females, 494. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	966

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,390; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 7 cases of Small Pox, 6 are Unvaccinated.

‡ The total comprises 1 under Fever, 1 under Consumption, and 1 under Violence, of which the ages are not stated.

General Register Office, December 22nd, 1842.

§	Weeks ending Dec 17th	Dec. 24th*	Dec. 1831-40.
eight meter	in. 30.005	in. 30.109	in. 29.901
eekly)	.319	.172	.255
Dryness	2°.0	1°.2	1°.8

Wind, S. 5 days; W. 2. Rain on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th December, 1842.

1842.

Temperature. §	Weeks ending Dec. 17th	Dec. 24th	Dec. 1831-40.
Highest....	57°	56°	56°
Lowest.....	37°	36°	21°
Daily Mean	49°	46°	41°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Autumns 1838-9-40-1	4 Years
all Pox	7	2	..	‖9	33	32
usles	32	..	..	32	26	23
rlatina	32	1	..	33	41	32
oping Cough	31	..	..	31	27	31
up	7	..	..	7	8	7
ush	3	..	..	3	4	5
rrhœa	2	1	3	6	6	8
sentery	1	1	..	2	1	2
olera	..	..	..	..	.3	1
uenza	..	..	..	..	1	2
phus	8	18	3	29	35	40
sipelas	1	4	1	6	7	6
hilis	..	..	..	..	1	.5
drophobia	..	..	..	..	.1	.1
demic, Endemic, & ntagious Diseases	124	27	7	158	190	190
halitis	9	4	1	14	10	11
drocephalus	24	1	..	25	31	34
pplexy	1	8	10	19	18	17
alysis	..	6	8	14	15	15
vulsions	51	..	..	51	52	59
lepsy	..	1	..	1	.4	4
nity	..	..	1	1	1	1
irium Tremens	..	2	..	2	2	1
. of Brain, &c.	5	4	5	14	7	7
eases of the Brain, lerves, and Senses.	90	26	25	141	140	149
nsey (1)	..	1	1	2	2	1
nchitis	3	9	6	18	9	10
urisy	..	1	..	1	2	2
mmonia	69	11	4	84	87	72
drothorax	..	1	..	1	5	5
hma	..	7	11	‡19	26	2[illegible]
nsumption	19	81	6	106	131	141
. of Lungs, &c.	4	6	1	11	13	12
ses of the Lungs, and er Organs of Respiration	95	117	29	‡242	275	268
icarditis	..	..	..	..	.5	.6
eurism	..	2	..	2	.6	.6
. of Heart, &c.	3	9	5	17	18	17
ases of the Heart nd Bloodvessels.	3	11	5	19	19	18
thing	7	..	..	7	17	17
tritis—Enteritis	5	6	6	‡18	16	18
itonitis	..	3	..	3	1	1
es Mesenterica	5	..	..	5	4	4
ites	..	1	..	1	1	.4
eration	1	..	..	1	1	1
nia	1	..	..	1	2	2
ic or Ileus	1	1	..	2	2	2
. of Stomach, &c (2)	2	4	..	6	4	5
patitis	..	..	..	..	1	1
ndice	..	..	1	1	2	2
. of Liver, &c.	1	5	1	7	8	8
ases of the Stomach, iver, and other Organs of Digestion	23	20	8	‡52	59	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 4 Autumns 1838-9-40-1	4 Years
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.3	.4
Stricture	..	..	3	3	.4	.3
Dis. of Kidneys, &c. (3)	..	4	3	7	3	2
Diseases of the Kidneys, &c.	..	4	6	10	5	4
Childbed	..	7	..	7	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	10	..	10	10	10
Rheumatism	1	6	1	8	3	3
Dis. of Joints, &c.	..	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	1	8	1	10	6	6
Ulcer	..	..	..	..	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.3	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	4	..	..	4	10	10
Hæmorrhage	..	1	..	1	3	3
Dropsy	3	22	8	33	37	34
Abscess	2	..	..	2	4	4
Mortification	..	..	2	2	4	4
Scrofula	..	..	..	..	1	2
Carcinoma	..	7	3	10	7	7
Tumor	..	1	..	1	2	2
Gout	..	2	..	2	1	1
Atrophy	5	1	3	9	5	5
Debility	13	..	..	‡14	18	17
Malformations	2	..	..	2	.7	1
Sudden Deaths	5	9	6	20	14	14
Diseases of Uncertain Seat	34	43	22	‡100	106	104
Old Age, or Natural Decay	..	..	70	70	69	69
Intemperance	..	1	..	1	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	6	5	6	17	23	24
Deaths by Violence, Privation, or Intemperance	6	6	6	18	24	25
Causes not specified	3	..	..	3	8	7
Deaths from all Causes	379	272	179	‡833	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Chronic Laryngitis 2, Ages 54 & 66.
(2) Stricture of Rectum 1, Age 32. Stricture of Bowels 2, Ages 26 & 51.
(3) Inflammation of the Bladder 1, Age 75.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
st cts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	128
th cts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	144
ral cts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	149
st cts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	205
th cts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	207
TAL.	Males, 395. Females, 438. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	833

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; sington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camber- ; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 0,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was ...tained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" perations are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the rence in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 9 cases of Small Pox, 6 were Unvaccinated; in two the circumstance is not stated.

‡ The total comprises 1 under Asthma, 1 under Enteritis, and 1 under Debility, of which the ages are not stated.

General Register Office, December 29th, 1842.

§	Weeks ending Dec. 24th	Dec. 31st*	Dec. 1831-40.
height meter	in. 30.109	in. 29.860	in. 29.901
(weekly)	.172	.183	.235
Dryness	1°.2	1°.9	1°.8

d, S. 5 days; S.W. 1; W. 1. Rain on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 31st December, 1842.

1842.

Temperature. §	Weeks ending Dec. 24th	Dec. 31st	Dec. 1831-40.
Highest....	56°	55°	56°
Lowest....	36°	35°	21°
Daily Mean	46°	45°	41°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly† Average during 4 Autumns 1838-9-40-1	4 Years 1838-9-40-1
mall Pox	4	..	..	‖4	33	32
easles	45	..	..	45	26	23
arlatina	34	1	..	35	41	32
ooping Cough	31	..	..	31	27	31
roup	8	..	..	8	8	7
hrush	6	..	..	6	4	5
iarrhœa	1	2	..	3	6	8
ysentery	1	2	..	3	1	2
holera	..	2	..	2	.3	1
fluenza	2	..	1	3	1	2
yphus	13	16	1	30	35	40
ysipelas	..	4	2	6	7	6
philis	..	..	..	..	1	.5
ydrophobia	..	..	..	..	.1	.1
pidemic, Endemic, & Contagious Diseases	145	27	4	176	190	190
phalitis	6	2	..	‡9	10	11
ydrocephalus	25	..	1	26	31	34
oplexy	..	4	8	12	18	17
ralysis	..	8	8	16	15	15
nvulsions	50	2	..	52	52	59
ilepsy	..	8	3	11	4	4
anity	..	..	..	..	1	1
elirium Tremens	..	..	..	..	2	1
s. of Brain, &c.	3	7	1	11	7	7
seases of the Brain, Nerves, and Senses.	84	31	21	‡137	140	149
insey	..	1	1	2	2	1
onchitis	7	6	7	20	9	10
eurisy	..	3	..	3	2	2
eumonia	73	6	4	83	87	72
ydrothorax	..	..	2	2	5	5
thma	..	11	13	24	26	2[illegible]
nsumption	31	121	6	158	131	141
s. of Lungs, &c.	3	12	7	22	13	12
eases of the Lungs, and her Organs of Respiration	114	160	40	314	275	268
ricarditis	1	..	..	1	.5	.6
eurism	..	..	..	..	.6	.6
s. of Heart, &c.	4	21	10	35	18	17
seases of the Heart and Bloodvessels.	5	21	10	36	19	18
ething	15	..	..	15	17	17
stritis—Enteritis	8	8	..	16	16	18
ritonitis	1	1	..	2	1	1
bes Mesenterica	7	..	..	7	4	4
cites	..	..	..	..	1	.4
ceration	1	1	..	2	1	1
rnia	..	2	1	‡4	2	2
lic or Ileus	1	1	1	3	2	2
s. of Stomach, &c	4	1	1	6	4	5
patitis	1	..	..	1	1	1
ndice	..	..	1	1	2	2
s. of Liver, &c.	..	4	2	6	8	8
seases of the Stomach, Liver, and other Organs of Digestion	38	18	6	‡63	59	61

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly† Average during 4 Autumns 1838-9-40-1	4 Years 1838-9-40-1
Nephritis	..	..	..	..	1	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	1	..	1	.3	.4
Stricture	..	..	..	..	.4	.3
Dis. of Kidneys, &c.	..	8	3	11	3	2
Diseases of the Kidneys, &c.	..	9	3	12	5	4
Childbed	..	9	..	9	8	7
Ovarian Dropsy	..	..	..	..	.2	.3
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	10	10
Rheumatism	..	4	1	5	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
Diseases of the Joints, Bones and Muscles	2	5	1	8	6	6
Ulcer	1	..	..	1	.5	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.3	.3
Diseases of the Skin, &c.	2	..	..	2	1	1
Inflammation	3	2	..	5	10	10
Hæmorrhage	1	3	3	7	3	3
Dropsy	6	14	11	31	37	34
Abscess	2	..	..	2	4	4
Mortification	..	2	2	4	4	4
Scrofula	3	..	..	3	1	2
Carcinoma	..	6	3	9	7	7
Tumor	..	1	1	2	2	2
Gout	..	1	1	2	1	1
Atrophy	4	1	..	5	5	5
Debility	10	2	..	12	18	17
Malformations	..	..	..	..	.7	1
Sudden Deaths	8	22	10	40	14	14
Diseases of Uncertain Seat	37	54	31	122	106	104
Old Age, or Natural Decay	..	..	55	55	69	69
Intemperance	..	3	..	3	.5	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	12	26	5	‡46	23	24
Deaths by Violence, Privation, or Intemperance	12	29	5	‡49	24	25
Causes not specified	8	6	3	‡19	8	7
Deaths from all Causes	447	371	179	‡1004	912	912
Weekly Average, 1838-9-40-1	433	312	165	912		

N.B.—The following Disease is included under Typhus:—

Remittent Fever 1, Age 5.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1. 4 Years	4 Autumns	Deaths in the Week.
est ricts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	131	129
rth ricts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	161	190
ntral ricts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	188	185	194
ast ricts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	206	207	222
uth ricts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	221	228	269
TAL.	Males, 523. Females, 481. (Weekly average 1838-9-40-1, Males, 467. Females, 445.)	1,870,727	912	912	1004

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; nsington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camber-ll; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 70,727.

† The Weekly Average for 1838, 1839, 1840, 1841, was obtained by dividing the Deaths in the 4 years by 208, and the Deaths in the 4 Autumns by 52.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" mperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the ference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 4 cases of Small Pox, 3 were Unvaccinated.

‡ There are included, under several heads, 7 cases of which the ages are not stated.

General Register Office, January 4th, 1843.

	Area in Square Miles	Population, 1841	Deaths	Annual Rate of Mortality per Cent.
West Districts. Kensington—Chelsea—St. George, Hanover Square—Westminster—St. Martin-in-the-Fields—St. James	17.2	301,480	6,826	2.209
North Districts. St. Mary-le-bone—St. Pancras—Islington—Hackney	17.3	366,482	8,550	2.289
Central Districts. St. Giles and St. George—Strand—Holborn—Clerkenwell—St. Luke—East London—West London—City of London	2.8	374,640	8,873	2.363
East Districts. Shoreditch—Bethnal Green—Whitechapel—St. George in the East—Stepney—Poplar	8.8	393,448	9,947	2.493
South Districts. St. Saviour—St. Olave—Bermondsey—St. George, Southwark—Newington—Lambeth—Camberwell—Rotherhithe—Greenwich	23 9	439,448	11,076	2.476
Metropolis	70	1,875,493	45,272	2.381

Metropolis.

SUMMARY OF THE WEEKLY TABLES OF THE MORTALITY FOR 1842.

POPULATION—Males, 878,767—Females, 996,726—Total, 1,875,493.

Weeks ending / Causes of Death	Jan. 8th (1.)	Jan. 15th (2.)	Jan. 22nd (3.)	Jan. 29th (4.)	Feb. 5th (5.)	Feb. 12th (6.)	Feb. 19th (7.)	Feb. 26th (8.)	Mar. 5th (9.)	Mar. 12th (10.)	Mar. 19th (11.)	Mar. 26th (12.)	Apr. 2nd (13.)
Epidemic, Endemic, and Contagious Diseases													
Small Pox	5	3	12	12	8	7	5	5	4	1	3	3	3
Measles	32	39	33	25	12	19	31	26	19	16	17	16	23
Scarlatina	8	9	7	11	8	14	4	11	7	12	6	16	8
Hooping Cough	56	57	77	59	68	71	55	46	54	49	39	34	49
Croup	6	11	10	10	5	6	10	14	9	18	12	7	9
Thrush	3	2	2	1	2	5	2	4	5	3	3	2	..
Diarrhœa	3	13	5	9	7	5	4	6	7	7	6	5	2
Dysentery	2	..	2	3	3	1	..	1	3	..	3	2	1
Cholera	..	..	..	..	..	..	..	..	..	..	..	..	..
Influenza	2	..	1	2	2	6	4	4	4	2	..	1	3
Ague	1	..	1	1	2	..	..	..	1	..	..	1	..
Remittent Fever	..	1	2	..	..	..	..	..	..	1	1	..	..
Typhus	17	22	19	15	12	20	22	17	22	25	22	21	19
Erysipelas	4	5	6	9	3	6	6	3	6	1	1	3	5
Syphilis	..	..	2	2	..	1	1	1	..	..	1	..	3
Hydrophobia	..	..	..	..	..	..	..	..	..	..	1	..	..
Total	139	162	179	159	132	161	144	138	141	135	115	111	125
Sporadic Diseases. Of the Nervous System													
Cephalitis	6	6	11	19	12	10	15	13	7	9	7	11	13
Hydrocephalus	31	30	27	36	35	38	37	33	40	25	26	31	42
Apoplexy	14	31	24	17	18	24	14	12	20	20	12	23	16
Paralysis	23	17	23	17	12	21	13	14	16	22	21	16	10
Convulsions	53	55	52	64	48	52	41	54	61	46	43	42	42
Tetanus	1	2	1	1	1	1	..	..	1	1	..	..	..
Chorea	..	..	..	..	..	..	..	..	..	..	..	..	..
Epilepsy	5	10	2	6	5	4	1	4	3	4	10	4	3
Insanity	..	2	..	..	2	1	2	1	..	..	2	1	1
Delirium Tremens	2	..	1	3	3	4	..	2	..	..	1	..	1
Disease	8	12	11	13	16	6	8	5	10	7	7	11	12
Total	143	165	152	176	152	161	131	138	158	134	129	139	140
Of the Respiratory Organs													
Laryngitis	..	1	1	1	..	1	..	..	..	..	1	..	..
Quinsey	2	1	1	2	3	..	2	1	1	..	1	..	..
Bronchitis	20	29	24	24	41	36	25	14	18	11	18	17	9
Pleurisy	2	3	3	2	4	1	..	1	1	2	1	2	1
Pneumonia	84	115	134	115	123	94	94	104	102	88	85	74	58
Hydrothorax	7	5	8	8	7	13	1	7	9	5	6	3	4
Asthma	45	48	64	65	76	61	44	42	43	33	22	19	23
Consumption	141	141	114	159	129	142	115	140	134	149	118	120	146
Disease	17	13	25	31	26	17	15	18	20	17	17	18	11
Total	318	356	374	407	409	365	296	327	328	305	269	253	252
Of the Organs of Circulation													
Pericarditis	..	1	..	..	1	1	2	1	2	..	1	1	..
Aneurism	1	1	..	..	1	..	..	2	1	..	..	..	..
Disease	24	24	24	18	17	20	30	17	16	18	18	13	20
Total	25	26	24	18	19	21	32	20	19	18	19	14	20
Of the Digestive Organs													
Teething	13	14	21	18	13	18	17	25	21	20	14	14	17
Gastritis, Enteritis	21	15	16	16	17	16	16	17	16	15	16	14	11
Peritonitis	4	..	..	2	1	1	..	..	1	..	1	..	..
Tabes Mesenterica	8	5	10	4	3	5	8	3	7	6	4	7	3
Worms	..	..	2	..	..	..	..	..	1	..	..	..	1
Ascites	1	..	..	1	1	..	..	1	..	2	..	..	..
Ulceration	2	1	2	2	1	..	..	..	3	3	2	1	1
Hernia	4	3	1	2	2	1	3	2	2	2	4	2	3
Colic or Ileus	3	..	3	1	2	2	2	4	2	1	..	4	..
Intussusception	..	..	..	..	..	..	1	..	..	..	2	..	..
Stricture	..	..	1	1	1	1	..	..	..	..	..	1	1
Hæmatemesis	1	..	1	2	..	..	..	..	..	..	1	1	..
Disease	4	5	4	5	2	7	6	2	6	3	3	1	2
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..
Hepatitis	1	1	..	1	2	4	..	..	..	..	1	1	1
Jaundice	1	2	..	2	..	1	2	3	1	3	3	1	2
Disease of Liver	10	7	8	8	7	9	9	14	4	9	9	8	6
Disease of Spleen	..	..	1	..	..	..	..	..	1	1	..	..	..
Total	73	53	70	65	52	65	64	71	65	65	60	55	48
Of the Urinary Organs													
Nephritis	..	1	..	2	..	1	..	..	1	..	1	2	1
Ischuria	..	..	..	..	..	..	..	..	..	..	..	..	..
Diabetes	2	..	..	1	..	..	1	..	..	..	1	..	..
Cystitis	1	1	1	1	1	..	1	..	..	..	..	1	1
Stone	..	..	..	..	..	..	..	..	..	..	1	..	1
Stricture	1	..	1	..	..	1	1	..	..	..	1	..	1
Disease	1	5	6	3	3	7	3	4	4	7	1	2	7
Total	5	7	8	7	4	9	6	4	5	7	5	5	11
Of the Organs of Generation													
Childbirth	6	5	8	7	11	6	6	7	4	5	6	1	7
Paramenia	..	..	..	..	..	..	..	..	2	..	..	1	..
Ovarian Dropsy	..	..	2	2	..	..	..	1	..	1	..	..	2
Disease	2	2	3	1	1	1	2	4	..	2	1	2	..
Total	8	7	13	10	12	7	8	12	6	8	7	4	9
Of the Organs of Locomotion													
Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism	..	2	2	..	2	1	2	3	2	2	3	1	..
Disease	3	5	3	..	6	5	2	6	4	5	2	1	3
Total	3	7	5	..	8	6	4	9	6	7	5	2	3
Of the Integumentary System													
Carbuncle	..	1	..	..	..	1	..	..	..	..	..	..	..
Phlegmon	..	..	..	..	..	..	..	..	..	1	..	..	..
Ulcer	..	..	..	1	3	2	1	..	3	1	..	..	..
Fistula	..	..	..	..	1	..	..	1	..	..	..	..	..
Disease	1	..	1	..	..	1	..	1	..	..	..	..	..
Total	1	1	1	1	4	4	1	2	3	2	..	..	..
Of Uncertain Seat													
Inflammation	6	4	13	5	4	8	4	8	5	5	4	1	4
Hæmorrhage	1	3	1	6	4	1	3	1	1	3	3	4	2
Dropsy	49	30	35	44	32	45	32	40	48	34	43	43	35
Abscess	2	1	6	2	2	1	2	1	5	2	6	2	4
Mortification	4	4	3	8	1	1	7	4	1	6	4	2	5
Purpura	..	..	..	..	..	..	1	..	..	1	..	..	1
Scrofula	3	1	3	3	3	1	3	4	2	3	..	3	1
Carcinoma	9	11	8	8	11	11	5	8	8	6	4	2	6
Tumor	..	3	..	1	1	4	..	4	1	2	1	1	5
Gout	2	2	4	2	1	..	1	1	1	1	2	2	3
Atrophy	5	11	10	13	11	4	8	8	8	6	6	11	5
Debility	29	28	28	22	27	21	23	36	22	17	20	17	20
Malformations	..	2	..	3	..	1	..	..	2	2	1	1	..
Sudden Deaths	30	24	21	25	10	15	19	17	22	12	12	21	29
Total	140	124	132	142	107	113	108	132	126	100	106	110	120
Old Age	72	107	109	109	104	106	88	64	67	69	51	52	53
Deaths by Violence													
Intemperance	1	..	1	1	..	..	..	1	..	..	..	..	..
Starvation	..	1	..	2	2	..	1	2	..	2	..	..	1
Violent Deaths	39	25	37	14	14	23	21	18	31	35	24	19	37
Total	40	26	38	17	16	23	22	21	31	37	24	19	38
Not Specified	4	1	5	5	6	1	3	4	2	3	2	6	13
Males	450	522	541	574	526	535	453	457	484	471	430	407	410
Females	521	520	569	542	499	507	454	485	473	419	362	363	422
Total	971	1042	1110	1116	1025	1042	907	942	957	890	792	770	832
Districts													
West Districts	145	154	169	178	148	177	143	147	141	114	135	130	131
North Districts	174	187	226	198	197	187	175	199	189	185	145	146	179
Central Districts	174	221	204	257	212	208	168	162	179	203	158	121	177
East Districts	223	214	236	240	205	219	192	217	199	173	169	152	154
South Districts	255	266	275	243	263	251	229	217	249	215	185	221	191
Ages													
0 to 15	414	439	480	458	408	440	404	439	445	385	354	326	361
15 to 60	319	321	339	387	336	363	277	299	307	306	261	266	300
60 and upwards	238	281	291	270	281	235	224	203	204	196	177	178	170
Temperature													
Highest	40.7	38.0	42.6	44.6	49.2	52.2	53.0	49.5	55.8	54.6	56.0	53.4	58.5
Lowest	28.2	28.8	29.3	27.3	33.3	32.0	33.3	35.0	35.2	38.6	39.0	33.6	36.0
Daily Mean	33.9	33.2	35.0	36.6	41.0	41.3	44.6	42.0	45.0	45.9	49.2	42.2	48.8

Weeks ending / Causes of Death	Apr. 9th (14.)	Apr. 16th (15.)	Apr. 23rd (16.)	Apr. 30th (17.)	May 7th (18.)	May 14th (19.)	May 21st (20.)	May 28th (21.)	June 4th (22.)	June 11th (23.)	June 18th (24.)	June 25th (25.)	July 2nd (26.)	Weekly Average, 1838-39-40.
Epidemic, Endemic, and Contagious Diseases														
Small Pox	1	4	3	4	1	4	3	5	3	5	10	7	9	36
Measles	17	22	24	20	24	22	20	32	27	41	33	27	25	24
Scarlatina	5	11	5	12	7	10	15	17	25	30	16	24	18	38
Hooping Cough	36	36	39	40	26	37	24	39	36	20	28	20	21	28
Croup	13	13	5	9	12	10	13	10	6	12	8	4	7	7
Thrush	2	2	2	5	6	5	4	1	2	2	4	6	2	5
Diarrhœa	5	4	3	2	3	3	3	7	2	4	11	8	7	8
Dysentery	..	2	1	2	2	..	..	2	..	..	..	1	1	2
Cholera	..	..	..	..	..	..	..	..	..	..	..	1	2	1
Influenza	3	1	2	1	2	1	..	3	3	1	2	1	2	1
Ague	..	..	..	..	..	..	..	2	..	..	..	..	1	.1
Remittent Fever	..	..	1	1	..	..	1	1	..	..	..	..	..	.5
Typhus	20	21	17	18	19	30	21	22	16	21	23	20	15	46
Erysipelas	5	5	2	6	6	6	2	5	7	4	1	7	..	7
Syphilis	2	..	2	..	..	1	..	1	1	2	..	..	..	1
Hydrophobia	..	..	..	..	..	..	..	..	..	..	..	..	..	.1
Total	109	121	106	120	108	129	106	147	128	142	136	126	110	204
Sporadic Diseases. Of the Nervous System														
Cephalitis	15	11	14	7	15	10	14	9	9	6	12	7	12	11
Hydrocephalus	35	37	43	30	37	34	35	40	43	30	38	19	24	34
Apoplexy	17	16	12	20	12	18	13	14	9	15	15	16	10	18
Paralysis	15	24	23	10	14	15	14	15	12	19	13	10	10	15
Convulsions	47	50	61	56	57	43	50	63	40	59	39	45	62	60
Tetanus	..	..	..	..	1	..	..	..	..	..	..	1	1	.4
Chorea	..	..	..	1	..	..	..	..	..	..	..	..	..	.1
Epilepsy	2	1	2	6	4	5	5	4	2	1	5	3	..	4
Insanity	1	..	2	1	1	..	3	1	..	3	..	..	..	1
Delirium Tremens	..	..	..	5	1	1	3	2	1	1	3	..	1	1
Disease	6	11	10	8	10	7	6	6	13	17	8	8	8	7
Total	138	150	167	144	152	133	143	154	129	151	133	109	128	151
Of the Respiratory Organs														
Laryngitis	2	..	..	..	..	..	..	1	..	..	..	..	..	.4
Quinsey	..	1	2	..	..	..	..	1	1	..	1	..	4	1
Bronchitis	12	17	6	9	7	11	9	9	3	11	11	4	8	9
Pleurisy	3	2	4	2	5	1	2	1	2	..	1	..	2	2
Pneumonia	84	79	67	67	45	57	48	55	51	45	44	58	36	72
Hydrothorax	5	3	7	4	4	3	5	4	2	2	4	3	6	5
Asthma	23	20	16	11	11	18	17	15	7	12	5	6	8	24
Consumption	127	140	146	151	121	148	158	161	141	143	144	151	142	141
Disease	10	17	14	16	7	12	16	8	13	22	12	12	15	12
Total	266	279	262	260	200	250	255	255	220	235	222	234	221	266
Of the Organs of Circulation														
Pericarditis	..	..	2	..	..	2	..	2	..	..	..	1	3	.6
Aneurism	2	..	..	..	..	..	..	1	..	..	..	..	..	.6
Disease	22	18	15	18	24	18	28	27	18	18	14	18	19	17
Total	24	18	17	18	24	20	28	30	18	18	14	19	22	18
Of the Digestive Organs														
Teething	16	20	17	16	16	18	15	11	13	18	12	18	12	17
Gastritis, Enteritis	12	9	11	12	16	13	14	14	14	13	18	18	16	17
Peritonitis	1	3	1	1	3	..	1	..	1	1	2	3	..	1
Tabes Mesenterica	4	5	8	3	3	4	7	4	4	3	3	7	10	4
Worms	1	..	..	..	3	..	..	..	1	..	..	..	..	.3
Ascites	1	..	..	..	..	..	..	1	2	..	..	1	1	1
Ulceration	1	1	..	1	4	4	1	2	..	3	..	1	2	1
Hernia	3	1	1	2	1	2	..	1	1	2	3	1	..	2
Colic or Ileus	4	2	3	2	2	2	4	2	1	2	1	2	3	1
Intussusception	..	..	..	..	..	..	..	..	..	..	..	1	..	1
Stricture	..	..	1	..	..	1	..	1	..	..	..	..	..	.5
Hæmatemesis	1	1	1	..	..	1	..	..	..	..	1	1	..	.3
Disease	3	4	5	1	8	3	1	6	3	2	2	1	..	4
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hepatitis	..	..	4	1	..	1	1	1	..	..	1	1	1	1
Jaundice	3	4	4	2	2	3	1	1	2	..	1	1	3	2
Disease of Liver	3	4	4	9	7	7	6	7	8	5	4	10	8	7
Disease of Spleen	..	..	..	..	..	..	1	..	..	..	..	1	1	.1
Total	53	54	60	50	65	59	52	51	50	49	48	67	57	60
Of the Urinary Organs														
Nephritis	1	..	1	..	..	1	1	..	..	..	..	..	..	.4
Ischuria	1	..	..	..	..	..	..	..	..	1	..	..	..	.1
Diabetes	..	..	2	..	1	..	..	..	1	..	..	..	..	.3
Cystitis	..	..	..	..	..	1	..	..	..	..	..	..	..	.2
Stone	..	..	..	1	1	..	..	..	1	..	..	..	2	.5
Stricture	..	..	..	..	..	..	1	1	1	..	1	1	3	.4
Disease	1	4	7	3	7	3	4	3	3	5	3	4	2	2
Total	3	4	10	4	9	5	6	4	6	6	4	5	7	4
Of the Organs of Generation														
Childbirth	3	6	4	4	10	5	4	5	5	4	5	10	5	7
Paramenia	..	1	..	..	..	..	..	1	..	1	..	..	..	.1
Ovarian Dropsy	..	..	..	..	..	..	..	..	..	..	..	..	..	.2
Disease	2	3	3	..	3	1	1	3	4	2	2	4	..	2
Total	5	10	7	4	13	6	5	9	9	7	7	14	5	9
Of the Organs of Locomotion														
Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism	1	3	..	2	3	..	2	..	1	..	3	1	5	3
Disease	2	4	2	2	4	3	3	3	1	8	7	1	7	3
Total	3	7	2	4	7	3	5	3	2	8	10	2	12	6
Of the Integumentary System														
Carbuncle	..	..	..	..	..	..	..	..	..	..	..	..	1	.1
Phlegmon	..	..	..	1	1	..	..	..	..	..	..	..	..	.1
Ulcer	..	..	1	..	2	..	..	..	..	..	..	2	..	.4
Fistula	..	..	..	1	..	..	..	..	1	..	1	..	..	.4
Disease	1	..	..	2	..	..	1	2	..	1	1	1	..	.3
Total	1	..	1	4	3	..	1	2	1	1	2	3	1	1
Of Uncertain Seat														
Inflammation	2	3	4	4	7	6	4	1	6	5	1	3	7	12
Hæmorrhage	3	3	1	3	4	2	2	2	4	5	7	2	3	3
Dropsy	38	35	28	28	24	30	39	25	34	34	27	32	25	34
Abscess	4	2	1	5	2	..	2	2	6	5	4	3	5	4
Mortification	1	4	6	4	3	5	1	4	3	3	3	3	2	5
Purpura	..	1	..	..	..	1	1	1	..	..	..	..	1	.2
Scrofula	2	..	2	2	..	4	4	2	1	2	2	1	3	2
Carcinoma	11	9	6	6	6	12	11	6	11	6	6	6	12	7
Tumor	1	2	2	..	1	..	3	..	1	3	2	2	2	2
Gout	1	2	..	2	1	..	2	..	3	1	..	..	1	1
Atrophy	7	8	11	2	1	5	8	6	3	6	7	12	13	4
Debility	20	24	17	19	36	23	28	23	23	25	29	20	20	15
Malformations	..	..	..	..	2	..	1	..	2	1	..	1	..	1
Sudden Deaths	18	7	8	18	13	12	9	11	11	33	10	8	24	13
Total	108	100	86	93	100	100	115	83	108	129	98	93	118	103
Old Age	58	61	68	61	56	47	55	62	68	67	50	36	44	71
Deaths by Violence														
Intemperance	..	..	..	..	..	..	..	..	1	1	..	1	1	.6
Starvation	..	..	..	..	..	..	..	..	..	..	..	1	..	.4
Violent Deaths	21	9	19	20	17	16	31	31	19	29	26	30	25	24
Total	21	9	19	20	17	16	31	31	20	30	26	32	26	25
Not Specified	2	9*	4	1	2	5	3	2	1	4	2	2	2	8
Males	400	414	421	422	378	392	390	406	393	447	380	367	407	475
Females	391	408	388	361	378	381	415	427	367	400	372	375	346	451
Total	791	822	809	783	756	773	805	833	760	847	752	742	753	926
Districts														
West Districts	126	102	119	129	123	131	119	148	120	134	118	131	140	139
North Districts	139	165	163	138	116	145	155	153	149	163	141	128	139	163
Central Districts	132	169	156	165	147	138	165	169	155	157	148	137	148	190
East Districts	197	179	172	158	185	158	165	165	159	199	154	138	153	211
South Districts	197	207	199	193	185	201	201	198	177	194	191	208	173	223
Ages														
0 to 15	360	364	360	341	345	363	348	383	338	369	348	346	376	438
15 to 60	284	277	280	267	255	268	301	290	268	302	268	266	247	314
60 and upwards	145	174	167	170	155	140	154	157	153	173	135	127	128	171
Temperature														
Highest	56.9	49.0	61.3	69.3	69.6	64.8	70.3	75.3	81.5	78.3	82.4	83.6	83.6	85.0
Lowest	34.2	36.7	37.8	45.5	42.0	41.8	47.0	47.6	51.2	52.7	54.4	53.0	52.2	11.4
Daily Mean	43.4	42.2	47.6	56.4	56.1	54.0	55.8	58.6	64.8	65.8	68.0	65.4	65.9	49.8

Weeks ending / Causes of Death	July 9th (27.)	July 16th (28.)	July 23rd (29.)	July 30th (30.)	Aug. 6th (31.)	Aug. 13th (32.)	Aug. 20th (33.)	Aug. 27th (34.)	Sept. 3rd (35.)	Sept. 10th (36.)	Sept. 17th (37.)	Sept. 24th (38.)	Oct. 1st (39.)	Oct. 8th (40.)
Epidemic, Endemic, and Contagious Diseases														
Small Pox	8	6	9	16	6	10	12	12	9	13	8	7	10	6
Measles	[illegible]	29	27	18	32	18	25	24	18	21	20	25	25	18
Scarlatina	[illegible]	25	23	28	31	19	43	28	38	30	35	29	31	47
Hooping Cough	21	17	9	18	18	14	8	10	6	15	15	14	15	22
Croup	10	3	7	7	8	10	7	3	6	7	7	6	7	7
Thrush	5	13	7	10	13	10	6	8	7	10	9	8	5	8
Diarrhœa	13	12	12	24	40	48	70	67	63	48	40	27	13	15
Dysentery	..	2	5	6	8	5	2	4	7	8	5	9	10	12
Cholera	..	1	3	2	9	8	29	16	18	4	5	4	2	2
Influenza	2	1	2	1	1	..	3	1	..	..	1	1	..	..
Ague	..	..	..	..	1	..	1	..	..	..	..	..	..	3
Remittent Fever	1	..	..	..	..	..	2	..	..	..	..	..	2	..
Typhus	16	25	15	24	29	18	23	15	26	20	32	24	36	33
Erysipelas	3	5	3	4	2	3	1	4	5	6	3	4	2	4
Syphilis	..	..	..	1	..	..	..	1	3	..	..	2	..	..
Hydrophobia	1	..	..	1	..	..	..	..	..	..	..	..	..	..
Total	138	139	122	160	198	163	232	193	206	182	180	160	158	177
Sporadic Diseases. Of the Nervous System														
Cephalitis	14	15	22	12	8	13	10	16	12	7	17	10	14	12
Hydrocephalus	35	35	45	47	35	44	45	36	36	41	29	36	38	32
Apoplexy	10	13	16	18	9	9	16	20	6	14	9	10	14	18
Paralysis	[illegible]	14	14	16	17	14	7	8	13	14	11	11	15	17
Convulsions	54	61	56	57	62	81	46	61	64	55	59	47	48	47
Tetanus	..	..	..	..	..	..	..	..	2	..	..	..	..	1
Chorea	..	..	..	..	..	1	..	..	..	..	..	..	1	..
Epilepsy	[illegible]	4	2	3	3	2	6	2	4	9	1	2	2	2
Insanity	..	1	1	1	1	1	..	..	2	..	..	..	..	..
Delirium Tremens	[illegible]	2	2	2	1	2	5	2	..	1	..	2	3	3
Disease	[illegible]	12	8	6	11	5	9	6	10	9	8	6	17	5
Total	136	157	166	162	147	172	144	151	149	150	134	124	152	137
Of the Respiratory Organs														
Laryngitis	..	1	1	..	..	1	..	..	2	..	..	1	..	..
Quinsey	[illegible]	1	..	1	1	1	4	2	1	3	..	1	..	3
Bronchitis	[illegible]	6	4	6	7	4	4	3	2	7	6	6	4	11
Pleurisy	[illegible]	..	..	1	..	..	..	..	1	..	1	..	1	..
Pneumonia	53	34	41	40	53	47	57	42	34	43	48	53	75	65
Hydrothorax	[illegible]	..	..	4	1	1	1	1	3	4	3	3	1	3
Asthma	[illegible]	8	7	6	5	9	4	5	4	7	8	7	7	7
Consumption	[illegible]	146	150	156	141	144	140	150	128	138	141	124	166	136
Disease	[illegible]	10	10	13	12	10	12	13	6	9	9	14	11	9
Total	211	206	213	227	220	217	222	216	181	211	216	209	265	234
Of the Organs of Circulation														
Pericarditis	..	..	1	..	1	1	1	..	..	..	1	..	..	..
Aneurism	1	..	..	..	..	2	1	..	2	..	..	..	2	..
Disease	19	14	12	15	19	11	21	14	18	8	22	10	22	22
Total	20	14	13	15	20	14	23	14	20	8	23	10	24	22
Of the Digestive Organs														
Teething	16	18	18	21	23	24	37	32	18	34	27	21	26	20
Gastritis, Enteritis	31	27	34	36	37	34	43	37	29	31	27	14	30	16
Peritonitis	..	..	..	2	2	4	1	1	..	1	..	..	1	3
Tabes Mesenterica	5	6	2	6	8	6	9	7	5	12	5	8	4	5
Worms	..	..	..	..	..	1	2	1	..	..	..	..	..	..
Ascites	..	1	..	..	1	4	..	2	..	..	2	..	1	1
Ulceration	..	..	2	1	2	1	4	2	2	2	3	1	2	2
Hernia	2	1	1	1	1	1	..	1	1	1	1	3	3	2
Colic or Ileus	1	4	6	2	2	3	3	5	3	2	2	2	..	2
Intussusception	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Stricture	..	..	..	..	..	1	1	1	1	..	1	1	..	..
Hæmatemesis	2	..	1	..	..	1	..	..	..	1	1	..	..	3
Disease	3	1	4	6	1	3	6	2	1	3	4	2	3	6
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hepatitis	1	3	2	..	1	2	1	..	..	1	1	1	1	..
Jaundice	4	..	3	2	..	4	3	..	4	4	1	2	1	1
Disease of Liver	6	8	7	9	10	7	11	8	7	4	14	12	7	11
Disease of Spleen	..	..	..	..	..	..	..	2	..	..	..	..	..	..
Total	70	69	80	88	88	96	121	102	71	96	89	68	79	72
Of the Urinary Organs														
Nephritis	..	..	1	..	..	..	..	1	..	..	1	..	..	..
Ischuria	..	..	..	..	..	..	1	..	..	..	..	..	1	..
Diabetes	..	..	..	..	1	1	2	2	1	..	1	..	..	..
Cystitis	..	..	1	..	..	..	..	..	..	1	..	..	..	1
Stone	1	2	1	1	..	2	..	..	1	1	..	..	..	1
Stricture	1	..	..	..	..	1	4	1	2	..	1	..	..	1
Disease	1	1	1	6	6	..	4	1	4	2	5	4	3	4
Total	3	3	4	7	7	4	11	5	8	4	8	4	4	7
Of the Organs of Generation														
Childbirth	4	3	7	6	4	4	8	2	3	10	2	7	5	7
Paramenia	..	..	..	..	..	..	..	..	2	..	..	..	..	1
Ovarian Dropsy	1	..	..	2	..	..	..	..	..	..	..	..	..	..
Disease	1	3	1	..	1	2	1	..	3	1	2	..	4	2
Total	6	6	8	8	5	6	9	2	8	11	4	7	9	10
Of the Organs of Locomotion														
Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism	2	3	2	..	4	2	1	3	1	2	3	7	1	1
Disease	..	4	1	6	..	3	2	3	4	3	4	4	2	2
Total	2	7	3	6	4	5	3	6	5	5	7	11	3	3
Of the Integumentary System														
Carbuncle	..	..	..	..	..	..	..	1	1	..	..	..	..	..
Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Ulcer	..	..	1	..	..	1	1	..	..	..	..	..	2	1
Fistula	..	1	..	..	..	..	1	..	..	..	..	..	1	1
Disease	..	..	..	..	3	1	1	..	..	2	..	1	..	..
Total	..	1	1	..	3	2	3	1	1	2	..	1	3	2
Of Uncertain Seat														
Inflammation	6	4	3	6	5	9	7	8	3	2	3	3	8	1
Hæmorrhage	7	..	2	4	1	8	5	1	1	3	4	..	5	4
Dropsy	23	30	23	28	37	40	32	36	27	37	38	29	31	34
Abscess	3	1	..	5	2	2	3	2	2	1	3	5	3	1
Mortification	6	1	1	1	3	2	5	2	4	2	3	7	3	5
Purpura	..	..	..	..	2	..	..	..	..	..	..	..	2	..
Scrofula	1	2	1	1	1	..	2	3	1	3	3	1	3	4
Carcinoma	5	8	9	14	9	10	8	7	9	8	8	8	6	8
Tumor	1	1	..	3	2	3	1	6	2	4	2	..	2	..
Gout	..	2	..	1	2	1	1	3	2	2	..	1	1	2
Atrophy	7	16	6	13	10	12	14	18	18	16	12	11	17	4
Debility	13	29	19	24	30	22	16	21	26	25	32	21	17	16
Malformations	..	2	..	..	..	1	..	1	..	1	..	2	2	..
Sudden Deaths	14	18	6	23	10	11	19	11	15	14	17	15	21	13
Total	86	114	70	123	114	121	113	119	110	118	125	103	121	92
Old Age	34	51	43	56	56	52	60	61	49	47	48	47	64	68
Deaths by Violence														
Intemperance	..	..	..	..	1	1	1	..	..	1	..	..	2	..
Starvation	..	..	..	1	..	1	..	..	..	..	..	1	..	..
Violent Deaths	32	18	19	22	25	16	16	23	19	18	27	19	34	19
Total	32	18	19	23	26	18	17	23	19	19	27	20	36	19
Not Specified	..	..	2	7	2	4	1	2	..	11	3	2	6	5
Males	371	400	371	451	465	447	490	470	412	407	443	404	452	409
Females	374	385	373	431	424	427	469	425	415	457	421	362	472	439
Total	745	785	744	882	890†	874	959	895	827	864	864	766	924	848
Districts														
West Districts	110	120	104	136	130	124	160	129	122	136	124	118	125	112
North Districts	156	117	144	175	197	164	171	167	159	167	147	139	182	141
Central Districts	134	154	157	181	165	179	162	170	164	170	178	158	182	204
East Districts	162	179	164	189	225	192	228	219	188	194	205	174	221	198
South Districts	183	215	175	201	173	215	238	210	194	197	210	177	214	193
Ages														
0 to 15	385	401	399	428	470	468	518	465	426	465	460	381	457	421
15 to 60	256	250	225	285	260	265	279	262	264	251	267	256	299	267
60 and upwards	103	134	120	168	160	141	161	167	137	146	136	129	168	160
Temperature														
Highest	79.4	82.7	77.8	79.7	81.5	87.0	86.0	80.0	76.0	71.3	70.0	71.0	62.7	60.7
Lowest	52.0	53.2	52.6	50.4	55.0	58.0	61.0	57.5	50.0	54.6	52.4	44.4	46.6	42.3
Daily Mean	64.4	66.3	64.9	63.2	65.7	69.5	71.5	67.9	64.0	63.2	61.1	56.6	53.9	51.0

Weeks ending / Causes of Death	Oct. 15th (41.)	Oct. 22nd (42.)	Oct. 29th (43.)	Nov. 5th (44.)	Nov. 12th (45.)	Nov. 19th (46.)	Nov. 26th (47.)	Dec. 3rd (48.)	Dec. 10th (49.)	Dec. 17th (50.)	Dec. 24th (51.)	Dec. 31st (52.)	Quarter ending April 2 (91 Days)	Quarter ending July 2 (91 Days)	Quarter ending Oct. 1 (91 Days)	Quarter ending Dec. 31 (91 Days)	Year (364 Days)
Epidemic, Endemic, and Contagious Diseases																	
Small Pox	6	10	1	8	8	7	8	16	13	8	9	4	71	59	126	104	360
Measles	21	17	23	22	24	20	34	27	21	36	32	45	308	334	311	340	1293
Scarlatina	36	41	46	44	39	50	43	30	35	40	33	35	121	195	389	519	1224
Hooping Cough	18	25	27	21	17	28	12	21	21	33	31	31	714	402	180	307	1603
Croup	8	5	11	7	9	6	9	7	9	8	7	8	127	122	88	101	438
Thrush	5	8	5	2	6	2	4	3	4	2	3	6	34	43	111	58	246
Diarrhœa	14	11	4	5	6	3	4	6	7	2	6	3	79	62	477	86	704
Dysentery	4	3	8	2	6	1	3	4	..	..	2	3	21	11	71	48	151
Cholera	..	3	1	..	..	..	..	..	..	3	..	2	..	6	101	11	118
Influenza	..	1	..	1	2	4	1	2	..	1	..	3	31	19	13	15	78
Ague	..	2	..	..	1	1	..	1	..	..	..	..	7	3	2	8	20
Remittent Fever	1	1	..	..	..	..	..	..	..	..	..	1	5	4	5	3	17
Typhus	28	28	44	25	32	17	24	23	15	28	29	29	253	263	303	355	1174
Erysipelas	10	1	5	5	10	7	5	10	5	2	6	6	58	56	45	76	235
Syphilis	..	..	1	1	1	1	..	..	..	..	..	..	11	9	7	4	31
Hydrophobia	..	1	..	..	..	..	..	..	..	..	..	..	1	..	2	1	4
Total	151	157	176	143	161	147	147	150	130	163	158	176	1841	1588	2231	2036	7696
Sporadic Diseases. Of the Nervous System																	
Cephalitis	10	13	12	6	9	9	14	11	9	17	14	9	139	141	170	145	595
Hydrocephalus	23	39	32	26	26	23	24	29	25	35	25	26	431	445	502	365	1743
Apoplexy	14	16	21	17	15	18	13	24	13	18	19	12	245	187	164	218	814
Paralysis	12	12	9	14	11	18	16	18	18	21	14	16	225	194	161	196	776
Convulsions	48	45	55	58	54	67	61	62	45	52	51	52	653	672	751	697	2773
Tetanus	..	..	..	..	..	..	..	..	..	..	..	..	9	3	2	1	15
Chorea	..	..	..	..	..	..	1	..	..	..	..	..	..	1	2	1	4
Epilepsy	..	1	4	2	1	3	3	5	4	8	1	11	61	40	44	45	190
Insanity	4	..	2	1	2	..	1	..	3	..	1	..	12	12	7	14	45
Delirium Tremens	..	1	..	1	3	1	2	2	..	1	2	..	17	18	25	16	76
Disease	8	9	9	9	7	3	4	10	13	12	14	11	126	118	116	114	474
Total	119	136	144	134	128	142	139	161	130	164	141	137	1918	1831	1944	1812	7505
Of the Respiratory Organs																	
Laryngitis	..	1	..	..	..	2	..	..	1	1	1	..	5	3	6	6	20
Quinsey	2	1	..	3	..	2	2	2	4	..	1	2	14	10	17	22	63
Bronchitis	11	15	13	12	27	23	19	15	16	12	18	20	286	117	64	212	679
Pleurisy	..	..	4	2	3	1	2	..	2	2	1	3	23	25	7	20	75
Pneumonia	78	92	131	133	143	103	82	101	93	109	84	88	1270	736	620	1297	3923
Hydrothorax	2	1	4	8	3	3	5	5	2	9	1	2	83	52	26	48	209
Asthma	15	14	29	20	25	22	20	24	18	36	19	24	585	169	82	273	1109
Consumption	120	121	150	134	124	119	115	120	136	129	106	158	1748	1873	1856	1668	7145
Disease	18	20	20	11	16	10	19	16	17	16	11	22	245	174	143	205	767
Total	246	265	351	323	341	285	264	283	289	314	242	314	4259	3159	2821	3751	13,990
Of the Organs of Circulation																	
Pericarditis	1	..	2	..	1	..	..	1	..	2	..	1	10	10	5	8	33
Aneurism	..	..	1	..	1	1	..	..	2	..	2	..	6	3	8	7	24
Disease	15	21	19	26	25	20	20	19	13	16	17	35	259	257	205	268	989
Total	16	21	22	26	27	21	20	20	15	18	19	36	275	270	218	283	1046
Of the Digestive Organs																	
Teething	13	19	14	23	12	3	13	9	13	12	7	15	225	202	314	173	914
Gastritis, Enteritis	14	13	23	10	14	24	13	14	13	12	18	16	206	180	410	200	996
Peritonitis	4	2	..	..	2	2	1	..	3	3	3	2	10	17	12	25	64
Tabes Mesenterica	7	7	6	2	4	1	8	5	2	5	5	7	73	65	83	64	285
Worms	..	..	..	..	..	3	..	1	..	..	..	..	4	5	4	4	17
Ascites	2	..	..	..	1	..	1	..	..	2	1	..	6	6	11	8	31
Ulceration	1	2	1	..	4	..	2	1	..	2	1	2	18	20	22	18	78
Hernia	1	2	2	2	2	..	2	3	4	2	1	4	31	18	17	27	93
Colic or Ileus	2	4	4	2	3	3	2	5	3	1	2	3	24	30	35	36	125
Intussusception	1	1	..	..	..	..	..	1	..	..	..	..	3	1	1	3	8
Stricture	..	2	..	1	..	..	..	..	..	..	3	..	6	3	6	6	21
Hæmatemesis	1	..	..	..	..	..	..	..	..	1	..	..	6	6	6	5	23
Disease of Stomach	6	2	1	2	12	6	5	10	3	1	3	6	50	39	41	63	193
Disease of Pancreas	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Hepatitis	3	2	1	1	1	1	1	1	1	1	..	1	12	11	14	14	51
Jaundice	4	2	5	3	1	6	2	1	2	..	1	1	21	27	29	29	106
Disease of Liver	7	2	11	1	5	4	8	7	8	5	7	6	108	82	110	82	382
Disease of Spleen	..	..	..	..	..	..	..	1	..	..	..	..	3	3	2	1	9
Total	66	60	68	47	61	53	58	59	52	47	52	63	806	715	1117	758	3396
Of the Urinary Organs																	
Nephritis	..	..	..	..	1	..	..	1	1	..	..	..	9	4	3	3	19
Ischuria	1	..	..	..	..	..	..	..	..	..	..	..	..	2	2	1	5
Diabetes	..	1	1	..	..	..	..	..	..	1	..	..	5	4	8	3	20
Cystitis	..	..	..	..	..	1	2	2	1	..	1	..	8	1	2	8	19
Stone	..	..	..	1	..	1	..	..	..	..	..	1	2	5	9	4	20
Stricture	2	..	..	..	2	..	3	..	1	4	3	..	6	8	10	16	40
Disease	4	2	5	5	..	4	5	5	2	7	6	11	53	49	38	60	200
Total	7	3	6	6	3	6	10	8	5	12	10	12	83	73	72	95	323
Of the Organs of Generation																	
Childbirth	11	5	10	9	7	11	10	5	7	9	7	9	79	70	65	107	321
Paramenia	..	1	..	..	..	..	..	..	..	1	..	..	3	3	2	3	11
Ovarian Dropsy	..	2	..	..	1	..	..	..	..	..	..	..	8	..	3	3	14
Disease	..	2	5	2	3	5	1	2	2	2	3	2	21	28	19	31	99
Total	11	10	15	11	11	16	11	7	9	12	10	11	111	101	89	144	445
Of the Organs of Locomotion																	
Arthritis	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Rheumatism	3	5	3	3	1	1	3	3	7	4	8	5	20	41	31	47	119
Disease	2	4	2	5	1	4	1	3	2	2	2	3	45	27	36	33	161
Total	5	9	5	8	2	5	4	6	9	6	10	8	65	68	67	80	280
Of the Integumentary System																	
Carbuncle	..	..	..	..	..	..	..	..	..	..	..	..	2	1	2	..	5
Phlegmon	..	..	..	..	..	..	..	..	..	..	..	..	1	2	..	..	3
Ulcer	..	..	..	..	..	..	1	..	..	..	..	1	11	5	5	3	24
Fistula	..	1	..	..	..	..	..	1	..	1	..	..	2	3	3	4	12
Disease	1	2	1	1	1	..	1	..	..	..	..	1	4	9	8	8	29
Total	1	3	1	1	1	..	2	1	..	1	..	2	20	20	18	15	73
Of Uncertain Seat																	
Inflammation	6	7	9	13	9	2	3	5	3	4	4	5	71	53	67	71	262
Hæmorrhage	2	2	4	3	2	3	5	3	3	2	1	7	33	41	41	41	156
Dropsy	34	46	32	35	24	30	34	21	29	47	33	31	510	399	411	430	1750
Abscess	3	4	4	..	2	3	2	1	1	2	2	2	36	41	32	27	136
Mortification	4	1	4	1	5	5	3	5	3	6	2	4	50	42	40	48	180
Purpura	..	1	..	1	..	..	..	1	1	..	..	..	3	5	4	4	16
Scrofula	4	2	4	2	5	2	1	1	3	1	..	3	30	25	22	32	109
Carcinoma	10	15	8	8	6	9	14	7	5	6	10	9	97	108	109	115	429
Tumor	2	2	1	2	2	1	2	1	..	1	1	2	23	19	27	17	86
Gout	3	1	3	1	..	1	1	1	1	4	2	2	22	13	16	22	73
Atrophy	10	9	7	9	9	10	6	7	4	3	9	5	106	89	170	92	457
Debility	20	21	22	35	18	14	20	9	19	16	14	12	310	307	295	236	1148
Malformations	..	2	1	..	1	1	2	4	..	2	2	..	12	7	9	15	43
Sudden Deaths	16	17	7	17	14	24	19	17	17	16	20	40	257	182	194	237	870
Total	114	130	106	127	97	105	112	83	89	110	100	122	1560	1331	1437	1387	5715
Old Age	67	45	61	85	78	79	68	70	65	83	70	55	1051	733	668	894	3346
Deaths by Violence																	
Intemperance	..	..	..	2	1	..	1	..	..	..	1	3	4	4	6	8	22
Starvation	1	1	..	..	..	..	..	1	2	..	..	..	11	1	3	5	20
Violent Deaths	17	23	11	41	15	22	15	31	17	33	17	46	337	293	288	307	1225
Total	18	24	11	43	16	22	16	32	19	33	18	49	352	298	297	320	1267
Not Specified	3	3	1	2	5	5	2	2	3	3	3	19	55	39	40	56	190
Males	411	424	504	467	459	433	429	446	409	472	395	523	6260	5217	5583	5781	22,841
Females	413	442	463	489	472	453	424	436	406	494	438	481	6136	5009	5435	5850	22,430
Total	824	866	967	956	931	886	853	882	815	966	833	1004	12,396	10,226	11,019‡	11,631	45,272
Districts																	
West Districts	114	136	140	137	136	124	101	129	103	147	128	129	1912	1640	1638	1636	6826
North Districts	149	167	174	164	150	206	160	193	156	190	144	190	2387	1894	2085	2184	8550
Central Districts	174	165	187	187	171	183	182	160	151	182	149	194	2444	1986	2154	2289	8873
East Districts	193	200	229	182	228	178	178	193	202	224	205	222	2593	2182	2540	2632	9947
South Districts	194	198	237	286	246	195	232	207	203	223	207	269	3060	2524	2602	2890	11,076
Ages																	
0 to 15	394	417	488	464	444	431	405	408	377	474	379	447	5353	4641	5723	5549	21,266
15 to 60	266	290	303	298	296	270	277	290	268	295	272	371	4081	3573	3419	3763	14,836
60 and upwards	163	157	175	193	190	185	170	184	168	194	179	179	2948	1978	1870	2297	9,093
Temperature																	
Highest	59.6	57.8	51.0	53.4	55.0	55.5	52.8	56.3	54.7	57.5	56.3	55.4	58.5	83.6	87.0	60.7	87.0
Lowest	45.9	32.7	34.0	34.8	36.7	38.6	35.6	40.2	36.0	37.3	36.2	34.7	27.3	34.2	44.4	32.7	27.3
Daily Mean	52.3	47.3	43.0	44.7	45.4	46.0	43.0	48.4	43.4	48.0	45.9	45.1	41.4	57.2	64.0	46.5	52.0

* There was no Return from the District (Registrar's) of Hackney for this week, so 6 Deaths were added to the "Not Specified," 4 males and 2 females, calculated from the average of the 5 preceding weeks.

† Sex of one person not known.

‡ Sex of one person not known.

METEOROLOGICAL TABLE for 10 Years, 1831-40.

	January	February	March	April	May	June	July	August	September	October	November	December	Year
Mean Height of Barometer in inches	29.880	29.811	29.856	29.870	29.899	29.859	29.902	29.872	29.813	29.877	29.726	29.901	29.856
Self-Registering Thermometer: Highest	55.2	59.5	64.4	72.2	81.4	86.7	86.7	84.4	76.3	70.2	61.5	55.8	86.7
Lowest	11.4	24.8	26.0	26.0	33.7	43.2	46.2	45.4	40.7	30.0	28.0	21.0	11.4
Mean of daily Maxima	41.8	44.6	47.1	52.7	62.8	70.1	72.3	70.9	64.1	56.9	48.6	44.4	56.36
Mean of daily Minima	34.6	36.3	37.5	41.1	47.4	54.7	56.8	56.7	51.7	46.9	40.4	37.7	45.17
Mean Temperature	38.2	40.5	42.3	46.9	55 1	62.4	64.6	63.8	57.9	51.9	44.5	41.0	50.76
Dew Point (Mean)	34.6	36.2	37.7	41.0	47.8	55.0	57.3	58.0	53.6	48.6	41.5	38.2	45.86
Difference between Wet and Dry Bulb (4 years, 1837-40) Mean	1.8	2.0	2.8	4.2	6.6	7.0	6.9	5.7	4.3	3.3	2.1	1.8	4.0
Rain in Inches	1.005	1.104	.777	.973	1.217	1.837	1.932	1.519	1.872	1.799	1.789	1.043	16.87
No. of Days in which Rain fell	8.4	9.2	8.3	9.6	8.2	12.6	10.2	9.8	11.4	11.2	11.7	8.7	119

METEOROLOGICAL TABLE for each of the 10 Years, 1831-1840, and for 1841-42

With the Number of Deaths Registered in the Metropolis in the 5 Years, 1838-42.

Years	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	10 Years		1841	1842
Deaths in the Metropolis	..	..	..	..	..	..	..	52,698	45,441	46,281	..		45,284	45,272
Self-Registering Thermometer: Highest	80.8	81.8	81.4	86.7	84.4	85.2	79.6	79.7	85.0	83.0	86.7		89.3	87.0
Lowest	24.3	27.8	27.3	29.2	24.9	17.5	24.0	11.4	23.7	21.2	11.4		14.9	27.3
Mean Temperature (from Daily Observations)	52.5	51.0	51.2	53.0	51.1	49.9	49.7	48.9	49.9	50.0	Averages 50.8		51.6	52.3
Dew Point (Mean)	48.5	47.2	45.8	47.8	45.1	45.2	44.5	43.6	45.5	45.4	45.9		47.2	47.2
Difference between the Dry and Wet Bulb of Thermometer	..	..	..	..	..	..	3.8	4.2	4.0	4.2	4.0		3.4	4.2
Barometer (Inches corrected for the Temperature)	29.815	29.919	29.820	29.980	29.870	29.770	29.890	29.800	29.824	29.875	29.856		29.757	29.903
Rain in Inches	16.85	12.59	11.36	8.00	16.98	22.75	17.94	19.54	24.50	18.18	16 87		27.37	21.93
No. of Days in which Rain fell	115	86	125	80	92	157	123	136	154	125	119		177	142

METEOROLOGICAL TABLE for 1842.

	January	February	March	April	May	June	July	August	September	October	November	December	Year
Mean Height of Barometer in inches	29.972	29.939	29.830	29.995	29.859	29.958	29.900	29.952	29.777	29.928	29.665	30.063	29.903
Self-Registering Thermometer: Highest	44.6	53.0	58.5	69.3	78.3	83.6	82.7	87.0	76.0	60.7	55.5	57.5	67.2
Lowest	27.3	32.0	33.6	34.2	41.8	52.7	50.4	50.0	44.4	32.7	35.6	34.7	39.1
Mean of daily Maxima	38.1	46.4	51.6	53.8	64.9	76.6	73.5	76.0	65.6	53.4	49.0	50.5	58.3
Mean of daily Minima	32.0	38.4	41.6	41.1	48.8	58.3	55.5	60.8	53.5	42.9	41.4	41.9	46.3
Mean Temperature	35.0	42.4	46.5	47.4	56.8	67.4	64.5	68.4	59.5	48.1	45.2	46.2	52.3
Dew Point (Mean)	32	39	42	42	50	59	58	60	57	43	41	44	47.2
Difference between Wet and Dry Bulb of Thermometer (Mean)	1.7	2.1	3.4	4.5	6.0	8.1	6.8	5.7	4.9	3.1	2.3	1.7	4.2
Rain in Inches	.572	1.346	1.777	.470	1.034	.630	1.847	3.800	3.545	1.289	4.048	.674	21.932 inches
No. of Days in which Rain fell	7	13	15	5	16	11	20	12	15	4	18	6	142 days

The Meteorological Tables have been deduced from the Observations made by Mr. Roberton, at the apartments of the Royal Society, London.